









I NEED TO STAY HOME IF...

I HAVE A FEVER	I AM VOMITING	I HAVE DIARRHEA	I HAVE A RASH	I HAVE HEAD LICE	I HAVE AN EYE INFECTION	I HAVE BEEN IN THE HOSPITAL	I HAVE THE FLU
							
TEMPERATURE OF 100.0 F OR HIGHER	WITHIN THE PAST 24 HOURS	WITHIN THE PAST 24 HOURS	BODY RASH WITH ITCHING OR FEVER	ITCHY HEAD, ACTIVE HEAD LICE	REDNESS, ITCHING AND/OR PUS DRAINING FROM EYE	HOSPITAL STAY AND/OR EMERGENCY ROOM VISIT	ACHY BODY, PAIN, TIREDNESS, HEADACHE, DRY COUGH, SORE THROAT, RUNNY NOSE (may have vomiting, diarrhea or fever)

I am ready to go back to school when I am...

Fever free without the assistance of medication for 24 hours (i.e. Tylenol, Motrin, Advil, etc.)	Free from vomiting for 24 hours	Free from diarrhea for 24 hours	Free from rash, itching, or fever. I have been evaluated by my doctor if needed.	Treated with appropriate lice treatment at home.	Free from drainage and/or have been evaluated by my doctor if needed.	Released by my medical provider to return to school.	Released by a medical provider, symptoms are gone.
--	---------------------------------	---------------------------------	--	--	---	--	--

If your child has strep throat or another bacterial infection, he/she should stay home until the antibiotic has been given for at least 24 hours and your health care provider has given your child permission to return to school. We encourage you to seek medical attention when your child is sick and to follow your health care provider's recommendations about returning to school and other activities.

Please note: Guidance from Public Health will be followed for outbreaks or unusual clusters of disease.

NECESITO QUEDARME EN CASA SI...

TENGO FIEBRE	ESTOY VOMITANDO	TENGO DIARREA	TENGO UNA ERUPCIÓN	TENGO PIOJOS EN LA CABEZA	TENGO UNA INFECCIÓN EN EL OJO	ESTUVE EN EL HOSPITAL	TENGO GRIPE
							
CON TEMPERATURA DE 100 O MÁS ALTA	EN LAS ÚLTIMAS 24 HORAS	EN LAS ÚLTIMAS 24 HORAS	UNA ERUPCIÓN (BROTE) EN EL CUERPO CON PICAZÓN O FIEBRE	PICAZÓN EN LA CABEZA, PIOJOS VIVOS	ENROJECIMIENTO, PICAZÓN Y/O SECRECIÓN DE PUS DEL OJO	ESTUVE HOSPITALIZADO Y/O EN LA SALA DE EMERGENCIA	DOLOR EN EL CUERPO, DOLOR, CANSANCIO, DOLOR DE CABEZA, DOLOR EN LA GARGANTA, CONGESTIÓN/ SECRECIÓN NASAL. (Y TALVEZ VÓMITO, DIARREA, O FIEBRE?)

Estoy listo para regresar a la escuela cuando yo...

ESTOY LIBRE DE FIEBRE POR 24 HORAS SIN LA AYUDA DE MEDICAMENTOS (EJ. TYLENOL, MOTRIN, ADVIL, ETC.)	ESTOY LIBRE DE VÓMITO POR 24 HORAS	ESTOY LIBRE DE DIARREA POR 24 HORAS	ESTOY LIBRE DE ERUPCIÓN, PICAZÓN, O FIEBRE. HE SIDO EVALUADO POR MI DOCTOR SI FUESE NECESARIO.	HE SIDO TRATADO EN LA CASA CON EL TRATAMIENTO PARA PIOJOS	NO TENGO SECRECIONES Y/O HE SIDO EVALUADO POR MI DOCTOR SI FUESE NECESARIO.	EL MÉDICO ME HA DADO DE ALTA PARA VOLVER A LA ESCUELA.	EL MÉDICO ME HA DADO DE ALTA, PORQUE TODOS LOS SÍNTOMAS HAN DESAPARECIDO.
--	------------------------------------	-------------------------------------	--	---	---	--	---

Si su niño tiene faringitis estreptocócica u otra infección bacteriana, él/ella debería permanecer en casa hasta que haya tomado los antibióticos por lo menos por un periodo de 24 horas y su médico le haya autorizado que regrese a la escuela. Le recomendamos que busque atención médica cuando su niño esté enfermo, y seguir las recomendaciones de su médico sobre cuándo podría regresar a la escuela y retomar otras actividades.

Por favor tenga en cuenta: Cuando haya brotes o grupo de enfermedades inusuales, el departamento de salud pública dará una orientación.