


6th Grade Mathematics Teaching & Learning Framework								
Semester 1				Semester 2				
Unit 1 3 weeks	Unit 2 6 weeks	Unit 3 4 weeks	Unit 4 5 weeks	Unit 5 6 weeks	Unit 6 3 weeks	Unit 7 4 weeks	Unit 8 2 weeks	Unit 9 3 weeks
Exploring Real-life Phenomena through Statistics 6.NR.2	Making Relevant Connections through Number System Fluency 6.NR.1 6.NR.2	Investigating Rate, Ratio and Proportional Reasoning 6.NR.4	Building Conceptual Understanding of Expressions 6.PAR.6	Exploring Real-life Phenomena through One-Step Equations and Inequalities 6.PAR.7	Exploring Area and Volume 6.GSR.5	Rational Exploration: Numbers and their Opposites 6.NR.2 6.NR.3	Graphing Rational Numbers 6.PAR.8	Culminating Capstone Unit
6.NR.2.1 (Mean) 6.NR.2.2 (Data Display) 6.NR.2.3 (Distribution) 6.NR.2.4 (Measures of center & variability) 6.NR.2.5 (Shape of data) 6.NR.2.6 (Impact of data points)	6.NR.1.1 (+/- Fractions) 6.NR.1.2 (x÷ Fractions) 6.NR.2.1 (Mean) 6.NR.2.3 (Distribution) 6.NR.2.4 (Measures of center & variability) 6.NR.1.3 (Operations with decimals)	6.NR.4.1 (Ratios) 6.NR.4.2 (Tables, graph ratios) 6.NR.4.3 (Proportions) 6.NR.4.4 (Rates/Unit Rates) 6.NR.4.5 (Unit Rates with pricing/constant speed) 6.NR.4.6 (Percents) 6.NR.4.7 (Measurement conversions)	6.PAR.6.1 (Exponent expressions) 6.PAR.6.2 (GCF & LCM) 6.PAR.6.3 (Expressions) 6.PAR.6.4 (Evaluate expressions) 6.PAR.6.5 (Equivalent expressions)	6.PAR.7.1 (Solve 1-step equations and inequalities by substitution) 6.PAR.7.2 (Write 1-step equations and inequalities) 6.PAR.7.3 (Solve equations with non-negative rational numbers) 6.PAR.7.4 (Recognize & generate inequalities and represent solutions on number line)	6.GSR.5.1 (Explore & find area of geometric figures by composing / decomposing) 6.GSR.5.2 (Find surface area of 3D figures using nets) 6.GSR.5.3 (Calculate volume of right rectangular prisms with fractional edges using V=bh)	6NR.3.1 (Identify & compare integers) 6.NR.3.2 (Order and plot integers) 6.NR.3.3 (Opposites) 6.NR.3.4 (Statements of order / compare rational numbers) 6.NR.3.5 (Absolute value) 6.NR.3.6 (Comparison of absolute value vs. statements of order) 6.NR.2.3 (Distribution) 6.NR.2.4 (Measures of center & variability)	6.PAR.8.1 (Locate & position rational #s on horizontal & vertical # lines and coordinate plane) 6.PAR.8.2 (Show / explain signs of #s indicate quadrants.) 6.PAR.8.3 (Solve by graphing on coordinate plane / use Ab Value) 6.PAR.8.4 (Draw polygons on coordinate plane)	All standards.
<p>Units contain tasks that depend upon the concepts addressed in earlier units. Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics.</p> <p>The Framework for Statistical Reasoning, Mathematical Modeling Framework, and the K-12 Mathematical Practices should be taught throughout the units.</p> <p>Key for Course Standards: NR: Numerical Reasoning, PAR: Patterning & Algebraic Reasoning, GSR: Geometric & Spatial Reasoning</p>								

Cobb County School District
2023-2024



Math 6/7 Teaching & Learning Framework

Math 6/7 Teaching & Learning Framework									
Semester 1					Semester 2				
Unit 1 3 weeks	Unit 2 4 weeks	Unit 3 3 weeks	Unit 4 3 weeks	Unit 5 3 weeks	Unit 6 6 weeks	Unit 7 4 weeks	Unit 8 4 weeks	Unit 9 4 weeks	Unit 10 2 weeks
Exploring Real-life Phenomena through Statistics 6.NR.2 7.PR.6 7.PAR.4	Rational Exploration: Numbers and their Opposites 6.NR.3 7.NR.1	Making Relevant Connections within The Number System 7.NR.1	Making Relevant Connections through Number System Fluency 6.NR.1 7.NR.1	Graphing Rational Numbers 6.PAR.8	Investigating Rate, Ratio and Proportional Reasoning 6.NR.4 7.PAR.4	Building Conceptual Understanding of Expressions 6.PAR.6 7.PAR.2	Reasoning with Real-life Phenomena through Equations and Inequalities 6.PAR.7 7.PAR.3	Exploring Area and Volume 6.GSR.5	Culminating Capstone Unit
6.NR.2.1 (Mean) 6.NR.2.2 (Data Display) 6.NR.2.3 (Distribution) 6.NR.2.4 (Measures of center & variability) 6.NR.2.5 (Shape of data) 6.NR.2.6 (Impact of data points) 7.PR.6.6 (Use models to make inferences) 7.PAR.4.10 (Predict characteristics for populations) 7.PAR.4.11 (Analyze sampling) 7.PAR.4.12 (Predictions of random samples)	6.NR.3.1 (Identify & compare integers) 6.NR.3.2 (Order and plot integers) 6.NR.3.3 (Opposites) 6.NR.3.4 (Statements of order / compare rational numbers) 6.NR.3.5 (Multiply rational numbers) 6.NR.3.6 (Comparison of absolute value vs. statements of order) 7.NR.1.3 (Represent rational numbers on number line)	7.NR.1.1 (Opposites) 7.NR.1.2 (Inverse) 7.NR.1.3 (Add rational numbers) 7.NR.1.4 (Subtract rational numbers) 7.NR.1.6 (Multiply rational numbers) 7.NR.1.7 (Divide rational numbers) 7.NR.1.8 (Represent and interpret products & quotients)	6.NR.1.1 (+/- Fractions) 6.NR.1.2 (x÷ Fractions) 6.NR.1.3 (Operations with decimals) 7.NR.1.5 (Apply properties to add and subtract) 7.NR.1.9 (Apply properties to multiply and divide) 7.NR.1.10 (Converting fractions, decimals & percent's) 7.NR.1.11 (Application of rational number)	6.PAR.8.1 (Locate & position rational #s on horizontal & vertical # lines and coordinate plane) 6.PAR.8.2 (Show / explain signs of #s indicate quadrants.) 6.PAR.8.3 (Solve by graphing on coordinate plane / use Ab Value) 6.PAR.8.4 (Draw polygons on coordinate plane)	6.NR.4.1 (Ratios) 6.NR.4.2 (Tables, graph ratios) 6.NR.4.3 (Proportions) 6.NR.4.4 (Rates/Unit Rates) 6.NR.4.5 (Unit Rates with pricing/constant speed rates) 6.NR.4.6 (Percent's) 6.NR.4.7 (Measurement conversions) 7.PAR.4.1 (Compute unit rates) 7.PAR.4.2 (Application of unit proportions) 7.PAR.4.3 (Identify & represent proportions) 7.PAR.4.4 (Application of multi-step ratios & percent's)	6.PAR.6.1 (Exponent expressions) 6.PAR.6.2 (GCF & LCM) 6.PAR.6.3 (Expressions) 6.PAR.6.4 (Evaluate expressions) 6.PAR.6.5 (Equivalent expressions) 7.PAR.2.1 (Apply properties to rewrite linear expressions) 7.PAR.2.2 (Write expressions from contextual problems)	6.PAR.7.1 (Solve 1-step equations and inequalities by composing / substitution) 6.PAR.7.2 (Write 1-step equations and inequalities) 6.PAR.7.3 (Solve equations with non-negative rational numbers) 6.PAR.7.4 (Recognize & generate inequalities and represent solutions on number line) 7.PAR.3.1 (Write and solve multi-step equations) 7.PAR.3.2 (Write and solve multi-step inequalities)	6.GSR.5.1 (Explore & find area of geometric figures by composing / decomposing) 6.GSR.5.2 (Find surface area of 3D figures using nets) 6.GSR.5.3 (Calculate volume of right rectangular prisms with fractional edges using V=Bh)	All Standards
<p>Units contain tasks that depend upon the concepts addressed in earlier units. Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible to stress the natural connections that exist among mathematical topics.</p> <p>The Framework for Statistical Reasoning, Mathematical Modeling Framework, and the K-12 Mathematical Practices should be taught throughout the units.</p> <p>Key for Course Standards: NR: Numerical Reasoning, PAR: Patterning & Algebraic Reasoning, GSR: Geometric & Spatial Reasoning, PR: Probabilistic Reasoning</p>									



GEORGIA'S K-12 MATHEMATICS STANDARDS 2021

Governor Kemp and Superintendent Woods are committed to the best set of academic standards for Georgia's students – laying a strong foundation of the fundamentals, ensuring age- and developmentally appropriate concepts and content, providing instructional supports to set our teachers up for success, protecting and affirming local control and flexibility regarding the use of mathematical strategies and methods, and preparing students for life. These Georgia-owned and Georgia-grown standards leverage the insight, expertise, experience, and efforts of thousands of Georgians to deliver the very best educational experience for Georgia's 1.7 million students.

In August 2019, Governor Brian Kemp and State School Superintendent Richard Woods announced the review and revision of Georgia's K-12 mathematics standards. Georgians have been engaged throughout the standards review and revision process through public surveys and working groups. In addition to educator working groups, surveys, and the Academic Review Committee, Governor Kemp announced a new way for Georgians to provide input on the standards: the Citizens Review Committee, a group composed of students, parents, business and community leaders, and concerned citizens from across the state. Together, these efforts were undertaken to ensure Georgians will have buy-in and faith in the process and product.

The Citizens Review Committee provided a charge and recommendations to the working groups of educators who came together to craft the standards, ensuring the result would be usable and friendly for parents and students in addition to educators. More than 14,000 Georgians participated in the state's public survey from July through September 2019, providing additional feedback for educators to review. The process of writing the standards involved more than 200 mathematics educators -- from beginning to veteran teachers, representing rural, suburban, and metro areas of our state.

Grade-level teams of mathematics teachers engaged in deep discussions; analyzed stakeholder feedback; reviewed every single standard, concept, and skill; and provided draft recommendations. To support fellow mathematics teachers, they also developed learning progressions to show when key concepts were introduced and how they progressed across grade levels, provided examples, and defined age/developmentally appropriate expectations.

These teachers reinforced that strategies and methods for solving mathematical problems are classroom decisions -- not state decisions -- and should be made with the best interest of the individual child in mind. These recommended revisions have been shared with the Academic Review Committee, which is composed of postsecondary partners, age/development experts, and business leaders, as well as the Citizens Review Committee, for final input and feedback.

Based on the recommendation of Superintendent Woods, the State Board of Education will vote to post the draft K-12 mathematics standards for public comment. Following public comment, the standards will be recommended for adoption, followed by a year of teacher training and professional learning prior to implementation.

Use of Mathematical Strategies and Methods & Affirming Local Control

These standards preserve and affirm local control and flexibility regarding the use of the “standard algorithm” and other mathematical strategies and methods. Students have the right to use any strategy that produces accurate computations, makes sense, and is appropriate for their level of understanding.

Therefore, the wording of these standards allows for the “standard algorithm” as well as other cognitive strategies deemed developmentally appropriate for each grade level. Revised state tests will not measure the students’ use of specific mathematical strategies and methods, only whether students understand the key mathematical skills and concepts in these standards.

Teachers are afforded the flexibility to support the individual needs of their students. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen.

Georgia's K-12 Mathematics Standards – 2021
Mathematics Big Ideas and Learning Progressions, 6-8

Mathematics Big Ideas, 6-8

5	6	7	8	HS Algebra: Concepts & Connections	Geometry: Concepts & Connections
MATHEMATICAL PRACTICES & MODELING					
DATA & STATISTICAL REASONING					
NUMERICAL REASONING (NR)					
PATTERNING & ALGEBRAIC REASONING (PAR)					
FUNCTIONAL & GRAPHICAL REASONING (FGR)					
GEOMETRIC & SPATIAL REASONING (GSR)					
PROBABILISTIC REASONING (PR)					

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts				HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
	5	6	7		
NUMERICAL REASONING					
Numbers (rational numbers and irrational numbers)	<ul style="list-style-type: none"> Multi-digit whole numbers Fractions with unlike denominators Fractions greater than 1 Decimal numbers to thousandths Powers of 10 to 10^3 	<ul style="list-style-type: none"> Rational numbers as a concept <ul style="list-style-type: none"> Integers Fractions Decimal numbers 	<ul style="list-style-type: none"> All rational numbers Simple probability 	<ul style="list-style-type: none"> All rational numbers Scientific notation Numerical expressions with integer exponents Use appropriate counting strategies to approximate rational and irrational numbers (radicals) on a number line 	<ul style="list-style-type: none"> All rational numbers Operations with radicals All numbers in The Real Number System
Computational Fluency	<ul style="list-style-type: none"> Add & subtract fractions with unlike denominators Add and subtract decimal numbers to the hundredths place Multiply & divide multi-digit whole numbers Multiply fractions and whole numbers Divide unit fractions and whole numbers Reason about multiplying by a fraction $>$, $<$, or $= 1$ 	<ul style="list-style-type: none"> All operations with whole numbers, fractions, and decimal numbers Write & evaluate numerical expressions Convert fractions with denominators of 2, 4, 5 and 10 to the decimal notation 	<ul style="list-style-type: none"> Operations with rational numbers Rational numbers Convert fractions with all denominators to decimal numbers 	<ul style="list-style-type: none"> Operations with real numbers (rational and irrational) Scientific notation in real situations seen in everyday life Expressions with integer exponents 	<ul style="list-style-type: none"> Operations with irrational numbers Multiplication of irrational numbers
Comparisons	<ul style="list-style-type: none"> Decimal fractions to thousandths place Fractions greater than 1 	<ul style="list-style-type: none"> Integers Unit rates Ratios Numerical data distributions Measures of variation Absolute value Display and analyze categorical and quantitative (numerical) data 	<ul style="list-style-type: none"> Rational numbers Probabilities Random sampling 	<ul style="list-style-type: none"> Rational and irrational numbers (radicals) Compare proportional relationships presented in different ways 	<ul style="list-style-type: none"> Rate of change (slope) Intercept Distributions of two or more data sets

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	HS Geometry: Concepts & Connections			HS Algebra: Concepts & Connections	
	5	6	7	8	
PATTERNING & ALGEBRAIC REASONING					
Patterns	<ul style="list-style-type: none"> Generate two numerical patterns from a given rule Identify relationships using a table 	<ul style="list-style-type: none"> Greatest common factor & least common multiple 	<ul style="list-style-type: none"> Constant of proportionality 	<ul style="list-style-type: none"> Integer exponents and perfect cubes 	<ul style="list-style-type: none"> Arithmetic sequences Geometric sequences
Expressions	<p>Numerical Reasoning</p> <ul style="list-style-type: none"> Simple numerical expressions involving whole numbers with or without grouping symbols Express fractions as division problems 	<ul style="list-style-type: none"> Write, analyze, and evaluate numerical and algebraic expressions Identify, generate, and evaluate algebraic expressions Identify like terms in an algebraic expression 	<ul style="list-style-type: none"> Add, subtract, factor & expand linear expressions Rewrite expressions Fluency with combining like terms in an algebraic expression Linear expressions with rational coefficients 	<ul style="list-style-type: none"> Expressions with integer exponents Linear expressions Operations with algebraic expressions 	<ul style="list-style-type: none"> Expressions of varying degrees Add, subtract, multiply single variable polynomials Adding, Subtracting and Multiplying Polynomials Factoring and expanding polynomials
Variable Equations & Inequalities		<ul style="list-style-type: none"> Write and solve one-step equations & inequalities 	<ul style="list-style-type: none"> Construct & solve multi-step algebraic equations and inequalities 	<ul style="list-style-type: none"> Analyze and solve linear equations and inequalities 	<ul style="list-style-type: none"> Exponential equations Quadratic equations Equations of parallel and perpendicular lines Analyze and solve linear inequalities
Ratios & Rates		<p>Numerical Reasoning with ratios and rates:</p> <ul style="list-style-type: none"> Concept of ratio and rate Equivalent ratios, percentages, unit rates Convert within measurement systems 	<ul style="list-style-type: none"> Compute unit rates associated with ratios of fractions Determine unit rates 	<ul style="list-style-type: none"> Interpret unit rate as the slope of a graph 	<ul style="list-style-type: none"> Side ratios of similar triangles Trigonometric ratios
Proportional Relationships			<ul style="list-style-type: none"> Use proportional relationships Solve multi-step ratio and percent problems Scale drawings of geometric figures Use similar triangles to explain slope 	<ul style="list-style-type: none"> Convert units and rates given a conversion factor 	
Graphing	<ul style="list-style-type: none"> Plot order pairs in first quadrant 	<ul style="list-style-type: none"> Plot order pairs in all four quadrants Show rational numbers on a number line Draw polygons on a coordinate grid Find the side length of a polygon graphed on the coordinate plane (same x- or y- coordinate) 	<ul style="list-style-type: none"> Proportional relationships 	<ul style="list-style-type: none"> Linear functions Comparing linear and non-linear functions Systems of linear equations (including parallel and perpendicular) Linear inequalities Analyze data distributions 	<ul style="list-style-type: none"> Equations of circles in standard form Equations of circles with function notation Exponential functions Quadratic functions Systems of linear inequalities

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
Function Families	FUNCTIONAL & GRAPHICAL REASONING					
Shapes & Properties	<p>GEOMETRIC & SPATIAL REASONING</p> <ul style="list-style-type: none"> Measure angles using non-standard and standard tools Write & solve equations using supplementary, complementary, vertical, and adjacent angles 				<ul style="list-style-type: none"> Linear functions with function notation Parent graphs of function families Exponential functions Quadratic functions 	
					<ul style="list-style-type: none"> Develop and use precise definitions to prove theorems and solve geometric problems Prove slope criteria for parallel and perpendicular lines Transform polygons using rotations, reflections, dilations, and translations. Congruence and transformations Triangle congruence Use congruence to prove relationships in geometric figures Similarity and dilations Similar triangles Use similarity to prove relationships in geometric figures Formal proofs & theorems about triangles Trigonometric ratios (Sin, Cos, & Tan) 	

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections
GEOMETRIC & SPATIAL REASONING (cont.)					
Geometric Measurement	<ul style="list-style-type: none"> Volume of right rectangular prisms 	<ul style="list-style-type: none"> Area of triangles, quadrilaterals, and polygons Surface area Volume of right rectangular prisms with fractional edge lengths 	<ul style="list-style-type: none"> Relationship between parts of a circle Area & circumference of a circle Area and surface area of figures decomposed into triangles, quadrilaterals & circles Volume of cubes, right prisms & cylinders 	<ul style="list-style-type: none"> Pythagorean Theorem to determine distance between two points Volume of cones, cylinders, and spheres 	<ul style="list-style-type: none"> Use distance formula, midpoint formula, and slope to calculate perimeter and area of triangles and quadrilaterals Approximate density of irregular objects
Probability					<p>PROBABILITY REASONING</p> <ul style="list-style-type: none"> Represent probability Approximate probability Develop probability models (uniform & not uniform) Find probabilities of simple events <p>CATEGORICAL DATA & TWO-WAY FREQUENCY TABLES</p> <ul style="list-style-type: none"> Interpret probabilities in context

6th Grade

The nine standards listed below are the key content competencies students will be expected to master in sixth grade. Additional clarity and details are provided through the classroom-level learning objectives and evidence of student learning details for each grade-level standard found on subsequent pages of this document. As teachers are planning instruction and assessing mastery of the content at the grade level, the focus should remain on the key competencies listed in the table below.

SIXTH GRADE STANDARDS

- 6.MP:** Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.
- 6.NR.1:** Solve relevant, mathematical problems involving operations with whole numbers, fractions, and decimal numbers.
- 6.NR.2:** Apply operations with whole numbers, fractions and decimals within relevant applications.
- 6.NR.3:** Solve a variety of problems involving whole numbers and their opposites; model rational numbers on a number line to describe problems presented in relevant, mathematical situations.
- 6.NR.4:** Solve a variety of contextual problems involving ratios, unit rates, equivalent ratios, percentages, and conversions within measurement systems using proportional reasoning.
- 6.GSR.5:** Solve relevant problems involving area, surface area, and volume.
- 6.PAR.6:** Identify, write, evaluate, and interpret numerical and algebraic expressions as mathematical models to explain relevant situations.
- 6.PAR.7:** Write and solve one-step equations and inequalities as mathematical models to explain authentic, realistic situations.
- 6.PAR.8:** Graph rational numbers as points on the coordinate plane to represent and solve contextual, mathematical problems; draw polygons using the coordinates for their vertices and find the length of a side of a polygon.

Georgia's K-12 Mathematics Standards – 2021

6TH GRADE

NUMERICAL REASONING – multiplication and division of whole numbers and fractions, and all four operations with decimal numbers			
6.NR.1: Solve relevant, mathematical problems involving operations with whole numbers, fractions, and decimal numbers.			
Expectations		Evidence of Student Learning	
		<i>(not all inclusive; see Grade Level Overview for more details)</i>	
6.NR.1.1	Fluently add and subtract any combination of fractions to solve problems.	<p>Terminology</p> <ul style="list-style-type: none"> Fluently/Fluency – Students choose flexibly among methods and strategies to solve mathematical problems accurately and efficiently. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use numerical reasoning to interpret applicable, mathematical situations involving fractions. Students should be given the opportunity to apply reasoning strategies while solving problems. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.
6.NR.1.2	Multiply and divide any combination of whole numbers, fractions, and mixed numbers using a student-selected strategy. Interpret products and quotients of fractions and solve word problems.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to utilize fractions with denominators including 2, 3, 4, 5, 6, 8, 10, and 12. Students should be able to use numerical reasoning to interpret applicable, mathematical situations involving fractions. Students can use a variety of strategies, including but not limited to concrete models, visual fraction models, student-generated strategies, a standard algorithm, or other strategies based on numerical reasoning to represent and solve problems. Students should be given the opportunity to apply reasoning strategies and use written methods that make sense to them. Students should use flexible, accurate, and efficient written methods to express computational thinking based on numerical reasoning and sense-making developed from learning experiences that focus on the numbers as quantities. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them. 	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should be allowed to choose an appropriate strategy to demonstrate fluency. <p>Fundamentals</p> <ul style="list-style-type: none"> Students should use their understanding of equivalency to flexibly reason with equivalent fractions based on the context of the problem. Simplifying fractions is not an expectation of this grade level. Students should be able to use the meanings of fractions, multiplication, division and the inverse relationship between multiplication and division to make sense of multiplying and dividing fractions. <p>Example</p> <ul style="list-style-type: none"> How many $\frac{3}{4}$-cup servings are in $\frac{2}{3}$ of a cup of yogurt?

<p>6.NR.1.3 Perform operations with multi-digit decimal numbers fluently using models and student-selected strategies.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Fluently/Fluency – Students choose flexibly among methods and strategies to solve mathematical problems accurately and efficiently. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use a variety of part-whole strategies to compute efficiently (area model, partial product, partial quotient). The part-whole strategies used should be flexible and extend from previous computation strategies and future work with computation. Students should use models and student-selected strategies as an efficient written method of demonstrating place value understanding for each operation (addition, subtraction, multiplication, and division). Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them. 	<p>Terminology</p> <ul style="list-style-type: none"> Decimal number – a number whose whole number part and fractional part are separated by a decimal point. 					
<p>6.NR.2: Apply operations with whole numbers, fractions and decimals within relevant applications.</p>								
	<p>Expectations</p>	<p>Evidence of Student Learning</p>						
		<p>(not all inclusive; see Grade Level Overview for more details)</p>						
		<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> The concept of mean should be explored visually and conceptually before introducing the formula. This is the beginning of the progression of the concept of measures of center and will continue to be developed in 6th grade. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be given the opportunity to use manipulatives such as: snap cubes, tiles, etc...to model equal share value. 					
		<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Sixth grade students should be able to create dot plots and box plots to analyze the results of an investigation. Sixth grade students should focus on describing and interpreting data displayed. Students should be able to identify that each quartile presented in a box plot 	<p>Examples</p> <ul style="list-style-type: none"> Categorical Example: <table border="1"> <thead> <tr> <th>Size of Dog in Dog Show</th> </tr> </thead> <tbody> <tr> <td>Small less than 25 lbs</td> <td>Medium 25 lbs - 49 lbs</td> <td>Large 50 lbs - 99 lbs</td> <td>XL over 100 lbs or more</td> </tr> </tbody> </table>	Size of Dog in Dog Show	Small less than 25 lbs	Medium 25 lbs - 49 lbs	Large 50 lbs - 99 lbs	XL over 100 lbs or more
Size of Dog in Dog Show								
Small less than 25 lbs	Medium 25 lbs - 49 lbs	Large 50 lbs - 99 lbs	XL over 100 lbs or more					

	<p>displayed on histograms.</p> <p>nature of the attribute under investigation, including how it was measured and its units of measurement.</p>	<p>represents 25% of the data set.</p> <ul style="list-style-type: none"> Quantitative (Numerical) Example: <p>Here are the birth weights, in ounces, of all the puppies born at a kennel in the past month.</p> <p>What do you notice and wonder about the distribution of the puppy weights?</p>	<p>What could be the weight of the smallest dog? The largest?</p>
6.NR.2.3	<p>Interpret numerical data to answer a statistical investigative question created. Describe the distribution of a quantitative (numerical) variable collected, including its center, variability, and overall shape.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> In sixth grade, students should explore the conceptual idea of MAD – not the formula. Students should be able to determine the number of observations from a context or diagram. Students should be able to describe the distribution of a quantitative (numerical) variable collected, including its center (median, mean), variability (interquartile range (IQR), mean absolute deviation (MAD), and range), and overall shape. 	<p>Terminology</p> <ul style="list-style-type: none"> Students should be able to apply their understanding of absolute value (rather than use operations on negative integers) in the context of MAD. <p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should explore conceptually the measures of center (mean, median) and variability (interquartile range and range) for a set of numerical data gathered from relevant, mathematical situations and use these measures to describe the shape of the data presented in various forms. <p>Example</p> <ul style="list-style-type: none"> Arthur and Aaron are on the same 6th grade basketball team. Both players have scored an average of ten points over the past ten games. Here are the students' number of points scored during each of the last ten games. <p>Arthur: 9, 10, 10, 11, 11, 9, 10, 10, 10 Aaron: 16, 18, 4, 3, 5, 13, 18, 3, 13, 7</p> <p>Which student is more consistent?</p> <p>Possible Student Response/Solution: Arthur is more consistent because his MAD is smaller than Aaron's</p>

	<ul style="list-style-type: none"> (symmetrical vs non-symmetrical). Data sets can be limited to no more than 10 data points when exploring the mean absolute deviation. Students should be able to describe the nature of the attribute under investigation, including how it was measured and its units of measurement. 	MAD; Arthur has less variability than Aaron.
6.NR.2.4	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be able to use quantitative measures of center and variability to draw conclusions about data sets and make predictions based on comparisons. Students should be able to identify that each quartile represents 25% of the data set. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should apply understanding of the measures of center (mean, median) and variability (interquartile range and range) to determine quantitative measures of center and variability, draw conclusions about the data, compare different numerical data sets and make predictions using data gathered from realistic scenarios and simulations.
6.NR.2.5	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should understand the concept of outliers. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to analyze the shape of a data distribution and determine which measure of center and variability best describes the data based on the shape of the data and the context in which the data was gathered.
6.NR.2.6	<p>Describe the impact that inserting or deleting a data point has on the mean and the median of a data set. Create data displays using a</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to analyze the shape of a data distribution and determine the impact single data points have on the data set represented visually.

	dot plot or box plot to examine this impact.	
6.NR.3: Solve a variety of problems involving whole numbers and their opposites; model rational numbers on a number line to describe problems presented in relevant, mathematical situations.		
Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
6.NR.3.1 Identify and compare integers and explain the meaning of zero based on multiple authentic situations.	<p>Relevance and Application</p> <ul style="list-style-type: none"> Students should be able to use numerical reasoning to explain that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, debits/credits, positive/negative electric charge). Students should be able to use positive and negative numbers to represent quantities in authentic situations and explain the meaning of zero based on each situation. Students should be able to interpret relevant, mathematical problems related to positive and negative numbers. 	<p>Example</p> <ul style="list-style-type: none"> Write $-5^{\circ}\text{C} > -9^{\circ}\text{C}$ to express the fact that -5°C is warmer than -9°C.
6.NR.3.2 Order and plot integers on a number line and use distance from zero to discover the connection between integers and their opposites.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to explore this concept using visual models to develop a deeper understanding. Number lines should be indicated both vertically and horizontally. 	<p>Example</p> <p>Students should be able to recognize that $-a$ is the same distance from zero as a, and therefore, are opposites of each other.</p>
6.NR.3.3 Recognize and explain that opposite signs of integers indicate locations on opposite sides of zero on the number line; recognize and explain that the opposite of the opposite of a number is the number itself.	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be able to explain that zero is its own opposite. Students should be able to explain that the sign of an integer represents its position relative to zero on a number line. Students should be able to show and explain why $-(-a) = a$. Which is read as, "The opposite of the opposite of a is the same as a." 	
6.NR.3.4 Write, interpret, and explain statements of order for rational numbers in authentic,	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use numerical reasoning to interpret and explain the 	<p>Terminology</p> <ul style="list-style-type: none"> Rational numbers are numbers that can be written as a fraction where the <p>Examples</p> <ul style="list-style-type: none"> Write $-3^{\circ}\text{Celsius} > -7^{\circ}\text{Celsius}$ to express the fact that -3°Celsius is warmer than -7°Celsius.

	<p>mathematical situations. Compare rational numbers, including integers, using equality and inequality symbols.</p> <ul style="list-style-type: none"> Students are introduced to rational numbers. Students should connect their understanding of fractions and integers to comprehend rational numbers as numbers that can be written as a fraction where the numerator and denominator are integers. 	<p>meaning of numerical statements of inequality as the relative position of two integers positioned on a number line.</p> <ul style="list-style-type: none"> Students are introduced to rational numbers. Students should connect their understanding of fractions and integers to comprehend rational numbers as numbers that can be written as a fraction where the numerator and denominator are integers. 	<p>numerator and denominator are integers.</p>	<ul style="list-style-type: none"> Interpret $-8.3 > -12.3$ as a statement that -8.3 is located to the right of -12.3 on a number line oriented from left to right.
6.NR.3.5	Explain the absolute value of a rational number as its distance from zero on the number line; interpret absolute value as distance for a positive or negative quantity in a relevant situation.	<p>Terminology</p> <ul style="list-style-type: none"> Absolute value is a number's distance from zero (0) on a number line. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be introduced to the absolute value symbol with this learning objective, i.e., $- \frac{3}{4}$. Students should conclude through exploration that absolute value and distance are always expressed as a positive value. 	<p>Example</p> <ul style="list-style-type: none"> For an account balance of -51.25 dollars, write $-51.25 = 51.25$ to describe the size of the debt in dollars.
6.NR.3.6	Distinguish comparisons of absolute value from statements about order.		<p>Example</p> <ul style="list-style-type: none"> Recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars. 	

6.NR.4: Solve a variety of contextual problems involving ratios, unit rates, equivalent ratios, percentages, and conversions within measurement systems using proportional reasoning.

Expectations	(not all inclusive; see Grade Level Overview for more details)	Evidence of Student Learning
6.NR.4.1	<p>Explain the concept of a ratio, represent ratios, and use ratio language to describe a relationship between two quantities.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to solve problems involving ratios found in everyday situations. Students should be given the opportunity to represent and explain the concept of a ratio and the relationship between two quantities using concrete materials, drawings, tape diagrams (bar models), double number line diagrams, equations, and standard fractional notation. <p>Fundamentals</p> <ul style="list-style-type: none"> Students should be able to explain the concept of a ratio, such as using part-to-part or part-to-whole. Students should be able to fluently use ratio language to describe a ratio relationship between two quantities. Students should be able to identify standard fractional notation to compare. <p>Example</p> <ul style="list-style-type: none"> The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak. For every vote candidate A received, candidate C received nearly three votes.
6.NR.4.2	<p>Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to solve problems involving ratios found in realistic situations.
6.NR.4.3	<p>Solve problems involving proportions using a variety of student-selected strategies.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be given opportunities to utilize student-selected strategies to solve applicable, mathematical problems involving proportions. Students should be given the opportunity to use concrete materials, drawings, tables of equivalent ratios, tape diagrams (bar models), double number line diagrams, and equations when solving problems. Students can choose a strategy from a variety of strategies developed to solve a specific problem depending on the situation presented in the problem.
6.NR.4.4	<p>Describe the concept of rates and unit rate in the context of a ratio relationship.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should create a table of values displaying the ratio relationships to graph ordered pairs of distances and times. Students should write equations to represent <p>Fundamentals</p> <ul style="list-style-type: none"> When asked practical, mathematical questions, students should demonstrate an understanding of <p>Terminology</p> <ul style="list-style-type: none"> Students should understand a unit rate as a relationship of $a:b$ where $b = 1$ ($\frac{a}{b}$ associated) <p>Examples</p> <ul style="list-style-type: none"> We paid \$75 for 15 hamburgers, which is a rate of \$5 per one hamburger? In a problem involving motion at a constant speed, list and graph

	<p>the relationship between distance and time where the unit rate is the simple multiplicative relationship.</p> <ul style="list-style-type: none"> Students should be able to determine the independent and dependent relationship of rate relationships within authentic, mathematical situations. 	<p>simple multiplicative relationships involving unit rates.</p>	<p>with a ratio $a:b$ with $b \neq 0$ (b not equal to zero), and use rate language).</p>	<p>ordered pairs of distances and times, and write an equation such as $d = 65t$ to represent the relationship between distance and time. In this example, 65 is the unit rate or simple multiplicative relationship.</p>
6.NR.4.5	Solve unit rate problems including those involving unit pricing and constant speed.	<p>Example</p> <ul style="list-style-type: none"> If it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed? 		
6.NR.4.6	Calculate a percent of a quantity as a rate per 100 and solve everyday problems given a percent.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to calculate the percentage of a number using proportional reasoning developed through working with ratios and rates. Students should be able to solve contextual problems involving finding the whole given a part and the part given the whole. Students should determine what percent one number is of another number to solve authentic, mathematical problems. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should have opportunities to explore the concept of percentage and recognize the connection between fractions, decimal numbers, and percentages, such as, 25% of a quantity means $\frac{25}{100}$ or .25 times the quantity. Students should be able to convert fractions with denominators of 2, 4, 5 and 10 to the decimal notation. 	<p>Example</p> <ul style="list-style-type: none"> Given 1 in. = 2.54 cm, how many centimeters are in 6 inches?
6.NR.4.7	Use ratios to convert within measurement systems (customary and metric) to solve authentic problems that exist in everyday life.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use flexible, strategic thinking to manipulate and transform units appropriately when multiplying or dividing quantities to solve practical, mathematical problems. Students should be able to convert measurement units when given a conversion factor within one system of measurement and between two systems of measurement (customary and metric) using proportional reasoning developed through working with ratios and rates. 		

GEOMETRIC & SPATIAL REASONING – area of polygons, volume of right rectangular prisms, surface area of 3-D figures

6.GSR.5: Solve relevant problems involving area, surface area, and volume.

Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)
<p>6.GSR.5.1 Explore area as a measurable attribute of triangles, quadrilaterals, and other polygons conceptually by composing or decomposing into rectangles, triangles, and other shapes. Find the area of these geometric figures to solve problems.</p> <p>Age and Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should build on prior knowledge of area to investigate the area of other polygons through geometric and spatial reasoning tasks. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use knowledge of area of a rectangle to determine the area of a triangle. Students should have opportunities to find the area of a triangle by decomposing the rectangle into two triangles. Students should conclude the area of the triangle is half the area of the rectangle and the area of the rectangle is twice the area of the triangle. Therefore, the formula for the area of a triangle is $\frac{1}{2} \times \text{base} \times \frac{\text{height}}{2}$. Students should be able to use geometric and spatial reasoning to calculate the area of a triangle, quadrilateral, and regular polygon by composing or decomposing into shapes, such as, but not limited to triangles, rectangles, trapezoids, rhombi, etc. Students should be presented with mathematical problems found in the real world. Students should be able to decompose regular and irregular polygons into triangles and quadrilaterals in a way that makes sense from their perspective. <p>Terminology</p> <ul style="list-style-type: none"> A polygon is a closed figure with at least three straight sides and angles; a polygon is regular only when all sides are equal and all angles are equal; and a polygon is irregular when all sides are not equal or all angles are not equal.

<p>6.GSR.5.2 Given the net of three-dimensional figures with rectangular and triangular faces, determine the surface area of these figures.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use various tools and strategies including a picture or physical model of a net to measure the surface area of three-dimensional figures that are composed of rectangular and triangular faces when solving practical, mathematical problems. 	<p>Age and Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should be provided the net of three-dimensional figures to ensure developmental appropriateness.
<p>6.GSR.5.3 Calculate the volume of right rectangular prisms with fractional edge lengths by applying the formula, $V = (\text{area of base}) \times (\text{height})$.</p>	<p>Strategies and Methods</p> <p>Appropriate</p> <ul style="list-style-type: none"> Fractional edge lengths should be limited to fractions with a denominator of 2, 3, and 5. At this grade level, problems should not include volume displacement. 	<p>Age and Developmentally Appropriate</p> <ul style="list-style-type: none"> Fractional edge lengths should be limited to fractions with a denominator of 2, 3, and 5. At this grade level, problems should not include volume displacement. <p>Fundamentals</p> <ul style="list-style-type: none"> Students should make the connection between (length) \times (width) and the area of the base to connect this formula to other three-dimensional volume formulas.
		<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to calculate the volume of a right rectangular prism with fractional edge lengths and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Students should apply the formula for the volume of a right rectangular prism in the context of solving authentic, mathematical problems to meet this learning objective.
		<p>PATTERNING & ALGEBRAIC REASONING – numerical and algebraic expressions, factors, multiples, algebraic expressions, plotting points in all four quadrants, rational numbers on a number line, polygons in the coordinate plane</p> <p>6.PAR.6: Identify, write, evaluate, and interpret numerical and algebraic expressions as mathematical models to explain authentic situations.</p>
	<p>Expectations</p> <p>(not all inclusive; see Grade Level Overview for more details)</p>	<p>Evidence of Student Learning</p>
<p>6.PAR.6.1 Write and evaluate numerical expressions involving rational bases and whole-number exponents.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should interpret relevant, mathematical situations to write and evaluate numerical expressions. 	<p>Example</p> <ul style="list-style-type: none"> Hotdogs come in a package of 8 and buns in a package of 12. How many packages of hot dogs and packages of buns would you need to purchase to have an equal number of hot dogs and buns?
<p>6.PAR.6.2 Determine greatest common factors and least common multiples using a variety of strategies to make sense of applicable problems.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Investigate the distributive property using sums and its use in adding numbers 1-100 with a common factor. Students should apply these strategies to solve applicable, mathematical problems. 	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should also be able to apply the least common multiple of two whole numbers less than or equal to 12 to solve applicable, mathematical problems. Students should be able to determine the greatest common factor of 2 whole numbers (from

PATTERNING & ALGEBRAIC REASONING – numerical and algebraic expressions, factors, multiples, algebraic expressions, plotting points in all four quadrants, rational numbers on a number line, polygons in the coordinate plane

6.PAR.6: Identify, write, evaluate, and interpret numerical and algebraic expressions as mathematical models to explain authentic situations.

Expectations

Strategies and Methods

- Students should interpret relevant, mathematical situations to write and evaluate numerical expressions.


Evidence of Student Learning

Example

- Hotdogs come in a package of 8 and buns in a package of 12. How many packages of hot dogs and packages of buns would you need to purchase to have an equal number of hot dogs and buns?

		1-100) and use the distributive property to express a sum of two whole numbers with a common factor as a multiple of a sum of two whole numbers with no common factors (GCF).
6.PAR.6.3	Write and read expressions that represent operations with numbers and variables in realistic situations.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should identify parts of an expression using mathematical terms (sum, difference, term, product, factor, quotient, coefficient, variable, constant); view one or more parts of an expression as a single entity. Students should translate from a word form into variable expression. Students should understand letters called variables represent unknown numbers and the same rules apply in operations with numbers also apply in operations with variables. <p>Examples</p> <ul style="list-style-type: none"> Express the calculation "Subtract x from 9" as $9 - x$. Describe the expression $2(8+7)$ as a product of two factors; view $(8+7)$ as both a single entity and a sum of two terms. Some of the students at Georgia Middle School like to walk to and from school. They always walk unless it rains. Let d be the distance in miles from a student's home to the school. Write two different expressions that represent how far a student travels by walking in a two-week period if there is one rainy day each week. Possible Solution: The distance to school, and therefore home, is d. Thus, the student rides $(d + d)$ miles in one day. Equivalently, she rides $(2d)$ miles in one day. Repeatedly adding the distance traveled in one day for each school day of the week, we find that in one week the student travels $(2d + 2d + 2d + 2d + 2d)$ miles. Equivalently, she travels $5(2d)$ or $(10d)$ miles in a normal, rain free week.
6.PAR.6.4	Evaluate expressions when given values for the variables, including expressions that arise in everyday situations.	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should evaluate algebraic expressions for a given value of a variable, using the order of operations. Students should perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations).
6.PAR.6.5	Apply the properties of operations to identify and generate equivalent expressions.	<p>Example</p> <ul style="list-style-type: none"> Apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6(4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$. <p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> This standard includes distributive property and combining like terms.

6.PAR.7: Write and solve one-step equations and inequalities as mathematical models to explain authentic, realistic situations.			
	Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
6.PAR.7.1	Solve one-step equations and inequalities involving variables when values for the variables are given. Determine whether an equation and inequality involving a variable is true or false for a given value of the variable.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use algebraic reasoning to solve an equation as a process of answering an authentic question and explain their reasoning. When solving an equation or inequality as a process of answering a question, students should be able to explain why specific values from a specified set, if any, make the equation or inequality true. Students should use substitution to determine whether a given number in a specified set makes an equation or inequality true. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have an opportunity to solve problem situations with variables in all positions. Students should be able to explain that a variable can represent an unknown number, or depending on the purpose at hand, any number in a specified set.
6.PAR.7.2	Write one-step equations and inequalities to represent and solve problems; explain that a variable can represent an unknown number or any number in a specified set.	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should be able to represent equations involving positive variables and rational numbers. Students should have opportunities to solve relevant, mathematical problems. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to use concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction and multiplication and division when solving one-step equations. Students should be able to solve equations presented in applicable, mathematical problems involving positive rational numbers using number sense, properties of arithmetic and the idea of maintaining equality on both sides of the equation. Students should be able to interpret a solution in the original context and assess the reasonableness of results.
6.PAR.7.3	Solve problems by writing and solving equations of the form $x \pm p = q$, $px = q$ and $\frac{x}{p} = q$ for cases in which p , q and x are all nonnegative rational numbers.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to use concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction and multiplication and division when solving one-step equations. Students should be able to solve equations presented in applicable, mathematical problems involving positive rational numbers using number sense, properties of arithmetic and the idea of maintaining equality on both sides of the equation. Students should be able to interpret a solution in the original context and assess the reasonableness of results. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should represent authentic, mathematical situations using inequalities involving variables. Students should be able to create practical, mathematical situations corresponding to specific inequalities. This objective includes the use of the symbols: $<$, $>$, $=$, \leq, \geq.
6.PAR.7.4	Recognize and generate inequalities of the form $x > c$, $x \geq c$, $x < c$, or $x \leq c$ to explain situations that have infinitely many solutions; represent solutions of such inequalities on a number line.		

Expectations Evidence of Student Learning <i>(not all inclusive; see Grade Level Overview for more details)</i>			
6.PAR.8.1	<p>Locate and position rational numbers on a horizontal or vertical number line; find and position pairs of integers and other rational numbers on a coordinate plane.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should use numerical and graphical reasoning to plot points in all four quadrants on the coordinate plane. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should extend understanding of number lines and coordinate axes from previous grades to represent points on the line and in the plane with negative number coordinates.
6.PAR.8.2	<p>Show and explain that signs of numbers in ordered pairs indicate locations in quadrants of the coordinate plane and determine how two ordered pairs may differ based only on the signs.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should use numerical and graphical reasoning to interpret points in all four quadrants on the coordinate plane based on the signs. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use numerical and graphical reasoning to show and explain the relationship between ordered pairs and location in quadrants of the coordinate plane. <p>Example</p> <ul style="list-style-type: none"> A student is able to compare and explain that $(1, 2)$ is in the first quadrant whereas $(1, -2)$ is in the fourth quadrant because the y-coordinate is negative and the two points are the same distance from the horizontal axes in different directions. 
6.PAR.8.3	<p>Solve problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same x-coordinate or the same y-coordinate.</p>	<p>Relevance and Application</p> <ul style="list-style-type: none"> Students should be able to solve relevant mathematical problems when graphing points. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be expected to solve relevant problems within the context of a graph only.
6.PAR.8.4	<p>Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same x-coordinate or the same y-coordinate.</p>	<p>Relevance and Application</p> <ul style="list-style-type: none"> Students should apply the techniques of graphing in the coordinate plane to solve relevant problems involving the application of algebra through geometry. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to solve problems with polygons when given coordinate pairs with or without a coordinate grid.

ESSENTIAL INSTRUCTIONAL GUIDANCE

MATHEMATICAL PRACTICES

The Mathematical Practices describe the reasoning behaviors students should develop as they build an understanding of mathematics – the “habits of mind” that help students become mathematical thinkers. There are eight standards, which apply to all grade levels and conceptual categories.

These mathematical practices describe how students should engage with the mathematics content for their grade level. Developing these habits of mind builds students’ capacity to become mathematical thinkers. These practices can be applied individually or together in mathematics lessons, and no particular order is required. In well-designed lessons, there are often two or more Mathematical Practices present.

MATHEMATICAL PRACTICES	
<i>MP: Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.</i>	
Code	Expectation
MP.1	Make sense of problems and persevere in solving them.
MP.2	Reason abstractly and quantitatively.
MP.3	Construct viable arguments and critique the reasoning of others.
MP.4	Model with mathematics.
MP.5	Use appropriate tools strategically.
MP.6	Attend to precision.
MP.7	Look for and make use of structure.
MP.8	Look for and express regularity in repeated reasoning.

MATHEMATICAL MODELING

Teaching students to model with mathematics is engaging, builds confidence and competence, and gives students the opportunity to collaborate and make sense of the world around them, the main reason for doing mathematics. For these reasons, mathematical modeling should be incorporated at every level of a student's education. This is important not only to develop a deep understanding of mathematics itself, but more importantly to give students the tools they need to make sense of the world around them. Students who engage in mathematical modeling will not only be prepared for their chosen career but will also learn to make informed daily life decisions based on data and the models they create.

The diagram below is a mathematical modeling framework depicting a cycle of how students can engage in mathematical modeling when solving a realistic problem or task.




Image adapted from: Suh, Matson, Seshaiyer, 2017

FRAMEWORK FOR STATISTICAL REASONING

Statistical reasoning is important for learners to engage as citizens and professionals in a world that continues to change and evolve. Humans are naturally curious beings and statistics is a language that can be used to better answer questions about personal choices and/or make sense of naturally occurring phenomena. Statistics is a way to ask questions, explore, and make sense of the world around us.

The Framework for Statistical Reasoning should be used in all grade levels and courses to guide learners through the sense-making process, ultimately leading to the goal of statistical literacy in all grade levels and courses. Reasoning with statistics provides a context that necessitates the learning and application of a variety of mathematical concepts.




FIGURE 1: GEORGIA FRAMEWORK FOR STATISTICAL REASONING

The following four-step statistical problem-solving process can be used throughout each grade level and course to help learners develop a solid foundation in statistical reasoning and literacy:

- I. Formulate Statistical Investigative Questions**
Ask questions that anticipate variability.
- II. Collect & Consider the Data**
Ensure that data collection designs acknowledge variability.
- III. Analyze the Data**
Make sense of data and communicate what the data mean using pictures (graphs) and words. Give an accounting of variability, as appropriate.
- IV. Interpret the Results**
Answer statistical investigative questions based on the collected data.

6th Grade: Formulate an investigative question, and collect, model, and analyze data distributions for variability to answer statistical questions and solve problems in context.			
Ask	Collect	Analyze	Interpret
<p>Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.</p> <p>Distinguish between statistical and non-statistical questions.</p> <p>Write a statistical investigative question as one that anticipates variability in the data.</p>	<p>Summarize categorical and quantitative (numerical) data sets in relation to the context: display the distributions of quantitative (numerical) data in plots on a number line, including dot plots, histograms, and box plots and display the distribution of categorical data using bar graphs.</p> <p>Design simple experiments and collect data. Use data gathered from realistic scenarios and simulations to determine quantitative measures of center (median and/or mean) and variability (interquartile range and range). Use these quantities to draw conclusions about the data, compare different numerical data sets, and make predictions.</p>	<p>Relate the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.</p> <p>Describe the impact that inserting or deleting a data point has on the mean and the median of a data set. Create data displays using a dot plot or box plot to examine this impact.</p>	<p>Interpret numerical data to answer the statistical investigative question created.</p> <p>Describe the distribution of a quantitative (numerical) variable collected, including its center, variability, and overall shape, to answer a statistical investigative question.</p>
<p><i>Instructional Supports</i></p> <ul style="list-style-type: none"> Students should be able to use the statistical process to formulate questions. The statistical process involves asking a statistical investigative question, collecting the data, analyzing the data, and interpreting the results. As a result of an investigation, students should summarize categorical and quantitative (numerical) data sets in relation to the context. Students have experience with displaying categorical data using bar graphs from elementary grades. In sixth grade, students are extending their understanding of analyzing categorical data displayed on histograms. Students should be able to determine the number of observations from a context or diagram. Students should be able to analyze the shape of a data distribution and determine the impact single data points have on the data set represented visually. To develop solid statistical reasoning, students should be able to use quantitative measures of center and variability to draw conclusions about data sets and make predictions based on comparisons. Students should explore conceptually the measures of center (mean, median) and variability (interquartile range and range) for a set of numerical data gathered from contextual, mathematical situations and use these measures to describe the shape of the data presented in various forms. In sixth grade, students should explore the conceptual idea of MAD – not the formula. Data sets can be limited to no more than 10 data points when exploring the mean absolute deviation. Students should be able to apply their understanding of absolute value (rather than use operations on negative integers) in the context of MAD. Students should be able to describe the distribution of a quantitative (numerical) variable collected to answer a statistical investigative question, including its center (median, mean), variability (interquartile range (IQR), mean absolute deviation (MAD), and range), and overall shape (symmetrical vs non-symmetrical). Students should be able to identify that each quartile represents 25% of the data set. Students should understand the concept of outliers. Students should be able to describe the nature of the statistical attribute under investigation, including how it was measured and its units of measurement. Students should apply understanding of the measures of center (mean, median) and variability (interquartile range and range) to determine quantitative measures of center and variability, draw conclusions about the data, compare different numerical data sets and make predictions using data gathered from realistic scenarios and simulations. 			

COMPUTATIONAL STRATEGIES FOR WHOLE NUMBERS

Mathematics Place-Value Strategies and US Traditional Algorithms

Specific mathematics strategies for teaching and learning are not mandated by the Georgia Department of Education or assessed on state or federally mandated tests. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen. [These standards preserve and affirm local control and flexibility.](#)

In mathematics, the emphasis is on the reasoning and thinking about the quantities within mathematical contexts. Algorithms, tape diagrams (bar models), and number line representations are a few examples of ways that students communicate their strategic thinking in a written form.

Addition Example: $1573 + 796$		
US Traditional Algorithm:	Description:	Place Value Algorithm:
$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline 2 & 3 & 6 & 9 \end{array} $	<p>Description:</p> <p>As students make sense of and use addition strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding on in parts, estimation and compensation, and friendly numbers to communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!</p>	$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline & & & 9 \\ & & 1 & 6 & 0 \\ + & 1 & 2 & 0 & 0 \\ + & 1 & 0 & 0 & 0 \\ \hline 2 & 3 & 6 & 9 \end{array} $
Number Line Representation:		
		

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Subtraction Example: 2145 - 178

US Traditional Algorithm:

$$\begin{array}{r}
 & 0 & 13 & 15 \\
 2 & 1 & 4 & 5 \\
 - & 1 & 7 & 8 \\
 \hline
 1 & 9 & 6 & 7
 \end{array}$$

Description:

As students make sense of and use subtraction strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding up, counting back in chunks, and same difference and communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!


Place Value Algorithm:

$$\begin{array}{r}
 2000 & 100 & 40 & 5 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 100 & 130 & 15
 \end{array}$$

$$\begin{array}{r}
 1900 & 100 & 0 & 60 & 7 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 0 & 60 & 7
 \end{array}$$

$1900 + 0 + 60 + 7 = 1967$

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Multiplication Example: 25×24

US Traditional Algorithm:

$$\begin{array}{r}
 & 1 \\
 & 2 \\
 25 & \\
 \times & 24 \\
 \hline
 100 \\
 + & 500 \\
 \hline
 600
 \end{array}$$


Description:

As students make sense of and use multiplication strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Students are encouraged to use strategies such as partial products, friendly numbers, and a combination of known facts to determine solutions to new problems. It is also important for students to maintain the ability to choose which part-whole strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!

Place Value Algorithm:

$$\begin{array}{r}
 25 \\
 \times & 24 \\
 \hline
 400 & (20 \times 20) \\
 + & 100 & (20 \times 5) \\
 + & 80 & (4 \times 20) \\
 + & 20 & (4 \times 5) \\
 \hline
 600
 \end{array}$$

Area Representation (Partial Products):




$$(5 \times 4) + (5 \times 20) + (20 \times 4) + (20 \times 20) = (25 \times 24)$$

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Division Example: $1917 \div 9$

US Traditional Algorithm:




Description:

As students make sense of and use division strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities. Students are encouraged to use strategies such as partial quotients, friendly numbers, and repeated subtraction to determine solutions to new problems. It is also important for students to maintain the ability to choose which strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!


Place Value Algorithm:

9	$\begin{array}{r} 1917 \\ -1800 \\ \hline 117 \end{array}$	200
	$\begin{array}{r} 117 \\ -90 \\ \hline 27 \end{array}$	+ 10
	$\begin{array}{r} 27 \\ -27 \\ \hline 0 \end{array}$	+ 3
		213

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.



GEORGIA'S K-12 MATHEMATICS STANDARDS 2021

Governor Kemp and Superintendent Woods are committed to the best set of academic standards for Georgia's students – laying a strong foundation of the fundamentals, ensuring age- and developmentally appropriate concepts and content, providing instructional supports to set our teachers up for success, protecting and affirming local control and flexibility regarding the use of mathematical strategies and methods, and preparing students for life. These Georgia-owned and Georgia-grown standards leverage the insight, expertise, experience, and efforts of thousands of Georgians to deliver the very best educational experience for Georgia's 1.7 million students.

In August 2019, Governor Brian Kemp and State School Superintendent Richard Woods announced the review and revision of Georgia's K-12 mathematics standards. Georgians have been engaged throughout the standards review and revision process through public surveys and working groups. In addition to educator working groups, surveys, and the Academic Review Committee, Governor Kemp announced a new way for Georgians to provide input on the standards: the Citizens Review Committee, a group composed of students, parents, business and community leaders, and concerned citizens from across the state. Together, these efforts were undertaken to ensure Georgians will have buy-in and faith in the process and product.

The Citizens Review Committee provided a charge and recommendations to the working groups of educators who came together to craft the standards, ensuring the result would be usable and friendly for parents and students in addition to educators. More than 14,000 Georgians participated in the state's public survey from July through September 2019, providing additional feedback for educators to review. The process of writing the standards involved more than 200 mathematics educators -- from beginning to veteran teachers, representing rural, suburban, and metro areas of our state.

Grade-level teams of mathematics teachers engaged in deep discussions; analyzed stakeholder feedback; reviewed every single standard, concept, and skill; and provided draft recommendations. To support fellow mathematics teachers, they also developed learning progressions to show when key concepts were introduced and how they progressed across grade levels, provided examples, and defined age/developmentally appropriate expectations.

These teachers reinforced that strategies and methods for solving mathematical problems are classroom decisions -- not state decisions -- and should be made with the best interest of the individual child in mind. These recommended revisions have been shared with the Academic Review Committee, which is composed of postsecondary partners, age/development experts, and business leaders, as well as the Citizens Review Committee, for final input and feedback.

Based on the recommendation of Superintendent Woods, the State Board of Education will vote to post the draft K-12 mathematics standards for public comment. Following public comment, the standards will be recommended for adoption, followed by a year of teacher training and professional learning prior to implementation.

Use of Mathematical Strategies and Methods & Affirming Local Control

These standards preserve and affirm local control and flexibility regarding the use of the “standard algorithm” and other mathematical strategies and methods. Students have the right to use any strategy that produces accurate computations, makes sense, and is appropriate for their level of understanding.

Therefore, the wording of these standards allows for the “standard algorithm” as well as other cognitive strategies deemed developmentally appropriate for each grade level. Revised state tests will not measure the students’ use of specific mathematical strategies and methods, only whether students understand the key mathematical skills and concepts in these standards.

Teachers are afforded the flexibility to support the individual needs of their students. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen.

Georgia's K-12 Mathematics Standards – 2021
Mathematics Big Ideas and Learning Progressions, 6-8

Mathematics Big Ideas, 6-8

5	6	7	8	HS Algebra: Concepts & Connections	Geometry: Concepts & Connections
MATHEMATICAL PRACTICES & MODELING					
DATA & STATISTICAL REASONING					
NUMERICAL REASONING (NR)					
PATTERNING & ALGEBRAIC REASONING (PAR)					
FUNCTIONAL & GRAPHICAL REASONING (FGR)					
GEOMETRIC & SPATIAL REASONING (GSR)					
PROBABILISTIC REASONING (PR)					

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts				HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
	5	6	7		
NUMERICAL REASONING					
Numbers (rational numbers and irrational numbers)	<ul style="list-style-type: none"> Multi-digit whole numbers Fractions with unlike denominators Fractions greater than 1 Decimal numbers to thousandths Powers of 10 to 10^3 	<ul style="list-style-type: none"> Rational numbers as a concept <ul style="list-style-type: none"> Integers Fractions Decimal numbers 	<ul style="list-style-type: none"> All rational numbers Simple probability 	<ul style="list-style-type: none"> All rational numbers Scientific notation Numerical expressions with integer exponents Use appropriate counting strategies to approximate rational and irrational numbers (radicals) on a number line 	<ul style="list-style-type: none"> All rational numbers Operations with radicals All numbers in The Real Number System
Computational Fluency	<ul style="list-style-type: none"> Add & subtract fractions with unlike denominators Add and subtract decimal numbers to the hundredths place Multiply & divide multi-digit whole numbers Multiply fractions and whole numbers Divide unit fractions and whole numbers Reason about multiplying by a fraction $>$, $<$, or $= 1$ 	<ul style="list-style-type: none"> All operations with whole numbers, fractions, and decimal numbers Write & evaluate numerical expressions Convert fractions with denominators of 2, 4, 5 and 10 to the decimal notation 	<ul style="list-style-type: none"> Operations with rational numbers Rational numbers Convert fractions with all denominators to decimal numbers 	<ul style="list-style-type: none"> Operations with real numbers (rational and irrational) Scientific notation in real situations seen in everyday life Expressions with integer exponents 	<ul style="list-style-type: none"> Operations with irrational numbers Multiplication of irrational numbers
Comparisons	<ul style="list-style-type: none"> Decimal fractions to thousandths place Fractions greater than 1 	<ul style="list-style-type: none"> Integers Unit rates Ratios Numerical data distributions Measures of variation Absolute value Display and analyze categorical and quantitative (numerical) data 	<ul style="list-style-type: none"> Rational numbers Probabilities Random sampling 	<ul style="list-style-type: none"> Rational and irrational numbers (radicals) Compare proportional relationships presented in different ways 	<ul style="list-style-type: none"> Rate of change (slope) Intercept Distributions of two or more data sets

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	HS Geometry: Concepts & Connections			HS Algebra: Concepts & Connections	
	5	6	7	8	
PATTERNING & ALGEBRAIC REASONING					
Patterns	<ul style="list-style-type: none"> Generate two numerical patterns from a given rule Identify relationships using a table 	<ul style="list-style-type: none"> Greatest common factor & least common multiple 	<ul style="list-style-type: none"> Constant of proportionality 	<ul style="list-style-type: none"> Integer exponents and perfect cubes 	<ul style="list-style-type: none"> Arithmetic sequences Geometric sequences
Expressions	<p>Numerical Reasoning</p> <ul style="list-style-type: none"> Simple numerical expressions involving whole numbers with or without grouping symbols Express fractions as division problems 	<ul style="list-style-type: none"> Write, analyze, and evaluate numerical and algebraic expressions Identify, generate, and evaluate algebraic expressions Identify like terms in an algebraic expression 	<ul style="list-style-type: none"> Add, subtract, factor & expand linear expressions Rewrite expressions Fluency with combining like terms in an algebraic expression Linear expressions with rational coefficients 	<ul style="list-style-type: none"> Expressions with integer exponents Linear expressions Operations with algebraic expressions 	<ul style="list-style-type: none"> Expressions of varying degrees Add, subtract, multiply single variable polynomials Adding, Subtracting and Multiplying Polynomials Factoring and expanding polynomials
Variable Equations & Inequalities		<ul style="list-style-type: none"> Write and solve one-step equations & inequalities 	<ul style="list-style-type: none"> Construct & solve multi-step algebraic equations and inequalities 	<ul style="list-style-type: none"> Analyze and solve linear equations and inequalities 	<ul style="list-style-type: none"> Exponential equations Quadratic equations Equations of parallel and perpendicular lines Analyze and solve linear inequalities
Ratios & Rates		<p>Numerical Reasoning with ratios and rates:</p> <ul style="list-style-type: none"> Concept of ratio and rate Equivalent ratios, percentages, unit rates Convert within measurement systems 	<ul style="list-style-type: none"> Compute unit rates associated with ratios of fractions Determine unit rates 	<ul style="list-style-type: none"> Interpret unit rate as the slope of a graph 	<ul style="list-style-type: none"> Side ratios of similar triangles Trigonometric ratios
Proportional Relationships			<ul style="list-style-type: none"> Use proportional relationships Solve multi-step ratio and percent problems Scale drawings of geometric figures Use similar triangles to explain slope 	<ul style="list-style-type: none"> Convert units and rates given a conversion factor 	
Graphing	<ul style="list-style-type: none"> Plot order pairs in first quadrant 	<ul style="list-style-type: none"> Plot order pairs in all four quadrants Show rational numbers on a number line Draw polygons on a coordinate grid Find the side length of a polygon graphed on the coordinate plane (same x- or y- coordinate) 	<ul style="list-style-type: none"> Proportional relationships 	<ul style="list-style-type: none"> Linear functions Comparing linear and non-linear functions Systems of linear equations (including parallel and perpendicular) Linear inequalities Analyze data distributions 	<ul style="list-style-type: none"> Equations of circles in standard form Equations of circles with function notation Exponential functions Quadratic functions Systems of linear inequalities

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
Function Families	FUNCTIONAL & GRAPHICAL REASONING					
Shapes & Properties	<p>GEOMETRIC & SPATIAL REASONING</p> <ul style="list-style-type: none"> Measure angles using non-standard and standard tools Write & solve equations using supplementary, complementary, vertical, and adjacent angles 				<ul style="list-style-type: none"> Linear functions with function notation Parent graphs of function families Exponential functions Quadratic functions 	
					<ul style="list-style-type: none"> Develop and use precise definitions to prove theorems and solve geometric problems Prove slope criteria for parallel and perpendicular lines Transform polygons using rotations, reflections, dilations, and translations. Congruence and transformations Triangle congruence Use congruence to prove relationships in geometric figures Similarity and dilations Similar triangles Use similarity to prove relationships in geometric figures Formal proofs & theorems about triangles Trigonometric ratios (Sin, Cos, & Tan) 	

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections
GEOMETRIC & SPATIAL REASONING (cont.)					
Geometric Measurement	<ul style="list-style-type: none"> Volume of right rectangular prisms 	<ul style="list-style-type: none"> Area of triangles, quadrilaterals, and polygons Surface area Volume of right rectangular prisms with fractional edge lengths 	<ul style="list-style-type: none"> Relationship between parts of a circle Area & circumference of a circle Area and surface area of figures decomposed into triangles, quadrilaterals & circles Volume of cubes, right prisms & cylinders 	<ul style="list-style-type: none"> Pythagorean Theorem to determine distance between two points Volume of cones, cylinders, and spheres 	<ul style="list-style-type: none"> Use distance formula, midpoint formula, and slope to calculate perimeter and area of triangles and quadrilaterals Approximate density of irregular objects
Probability					<p>PROBABILITY REASONING</p> <ul style="list-style-type: none"> Represent probability Approximate probability Develop probability models (uniform & not uniform) Find probabilities of simple events <p>CATEGORICAL DATA & TWO-WAY FREQUENCY TABLES</p> <ul style="list-style-type: none"> Interpret probabilities in context

7th Grade

The seven standards listed below are the key content competencies students will be expected to master in seventh grade. Additional clarity and details are provided through the classroom-level learning objectives and evidence of student learning details for each grade-level standard found on subsequent pages of this document. As teachers are planning instruction and assessing mastery of the content at the grade level, the focus should remain on the key competencies listed in the table below.

SEVENTH GRADE STANDARDS

- 7.MP:** Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.
- 7.NR.1:** Solve relevant, mathematical problems, including multi-step problems, involving the four operations with rational numbers and quantities in any form (integers, percentages, fractions, and decimal numbers).
- 7.PAR.2:** Use properties of operations, generate equivalent expressions and interpret the expressions to explain relevant situations.
- 7.PAR.3:** Represent authentic situations using equations and inequalities with variables; solve equations and inequalities symbolically, using the properties of equality.
- 7.PAR.4:** Recognize proportional relationships in relevant, mathematical problems; represent, solve, and explain these relationships with tables, graphs, and equations.
- 7.GSR.5:** Solve practical problems involving angle measurement, circles, area of circles, surface area of prisms and cylinders, and volume of cylinders and prisms composed of cubes and right prisms.
- 7.PR.6:** Using mathematical reasoning, investigate chance processes and develop, evaluate, and use probability models to find probabilities of simple events presented in authentic situations.

Georgia's K-12 Mathematics Standards – 2021

7TH Grade

NUMERICAL REASONING – integers, percentages, fractions, decimal numbers			
7.NR.1: Solve relevant, mathematical problems, including multi-step problems, involving the four operations with rational numbers and quantities in any form (integers, percentages, fractions, and decimal numbers).			
Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
7.NR.1.1	Show that a number and its opposite have a sum of 0 (are additive inverses). Describe situations in which opposite quantities combine to make 0.	<p>Terminology</p> <ul style="list-style-type: none"> In the equation $3 + -3 = 0$, 3 and -3 are additive inverses of each other. 	<p>Example</p> <ul style="list-style-type: none"> Your bank account balance is $-\\$25.00$. You deposit $\\$25.00$ into your account. The net balance is $\\$0.00$.
7.NR.1.2	Show and explain $p + q$ as the number located a distance $ q $ from p , in the positive or negative direction, depending on whether q is positive or negative. Interpret sums of rational numbers by describing applicable situations.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to add and subtract integers and other rational numbers presented within relevant, mathematical problems, using strategic thinking and a variety of tools. 	<p>Example</p> <ul style="list-style-type: none"> $6 + (-4)$ is 4 units to the left of 6 on a horizontal number line or 4 units down from 6 on a vertical number line.
7.NR.1.3	Represent addition and subtraction with rational numbers on a horizontal or a vertical number line diagram to solve authentic problems.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should represent a variety of types of rational numbers on a number line diagram presented both horizontally and vertically. 	<p>Examples</p> <ul style="list-style-type: none"> Find the distance between a submarine submerged at a depth of $27\frac{3}{4}$ feet below sea level and an airplane flying at an altitude of $1262\frac{1}{2}$ feet above sea level. $-\frac{1}{2} - (-2)$ is the same expression as $-\frac{1}{2} + (-2)$, which is 2 units to the right of $-\frac{1}{2}$ on a horizontal number line or 2 units up from $-\frac{1}{2}$ on a vertical number line.
7.NR.1.4	Show and explain subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference and apply this principle in contextual situations.	<p>Examples</p> <ul style="list-style-type: none"> Find the distance between a submarine submerged at a depth of $27\frac{3}{4}$ feet below sea level and an airplane flying at an altitude of $1262\frac{1}{2}$ feet above sea level. $-\frac{1}{2} - (-2)$ is the same expression as $-\frac{1}{2} + (-2)$, which is 2 units to the right of $-\frac{1}{2}$ on a horizontal number line or 2 units up from $-\frac{1}{2}$ on a vertical number line. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be allowed to explore the signs of integers and what they really mean to discover integer rules.
7.NR.1.5	Apply properties of operations, including part-whole reasoning, as strategies to add and subtract rational numbers.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use the Commutative and Associative properties to combine more than two rational numbers flexibly. 	<p>Terminology</p> <ul style="list-style-type: none"> Part-whole reasoning refers to how numbers can be split into parts to add and subtract numbers more efficiently.
			<p>Example</p> <ul style="list-style-type: none"> $(-8) + 5 + (-2)$ may be solved as $(-8) + (-2) + 5$ to first make -10 by using the Commutative Property.

<p>7.NR.1.6 Make sense of multiplication of rational numbers using realistic applications.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Student should have opportunities to use concepts of repeated addition and the meaning of a negative sign as the “opposite of,” with both models and representations, leading to deriving the rules for multiplying signed numbers. Models may include, but are not limited to, number lines and counters. 	<p>Examples</p> <ul style="list-style-type: none"> $4 * (-5)$ is 4 groups of (-5) and $(-4) * (-3)$ is the opposite of $4 * (-3)$. If yellow counters represent positive amounts and red counters represent negative amounts, you can model $3 * (-2)$ as three groups of two red counters. David has a \$0.00 balance in his bank account. He makes three withdrawals of \$1.46 each. What is his bank account balance after the three withdrawals? 															
<p>7.NR.1.7 Show and explain that integers can be divided, assuming the divisor is not zero, and every quotient of integers is a rational number.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> If p and q are integers ($q \neq 0$), then $-\left(\frac{p}{q}\right) = \frac{(-p)}{q} = \frac{p}{(-q)}$. 	<p>Example</p> <ul style="list-style-type: none"> $-\left(\frac{20}{5}\right) = -4$ is the same as $\frac{(-20)}{5} = -4$ and $\frac{20}{(-5)} = -4$ 															
<p>7.NR.1.8 Represent the multiplication and division of integers using a variety of strategies and interpret products and quotients of rational numbers by describing them based on the relevant situation.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be allowed to explore the signs of integers and what they really mean to discover integer rules. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students can represent multiplication and division using number lines, counters, etc. <table border="1" data-bbox="742 179 943 728"> <thead> <tr> <th>Equation</th> <th>Number Line Model</th> <th>Context</th> </tr> </thead> <tbody> <tr> <td>$2 \times 3 = 6$</td> <td></td> <td>Selling two packages of apples at \$3.00 per pack</td> </tr> <tr> <td>$2 \times -3 = -6$</td> <td></td> <td>Selling 3 dollars each on 2 packages of apples</td> </tr> <tr> <td>$-2 \times 3 = -6$</td> <td></td> <td>Owing 2 dollars to each of your three friends</td> </tr> <tr> <td>$-2 \times -3 = 6$</td> <td></td> <td>Forgiving 3 debts of \$2.00 each</td> </tr> </tbody> </table>	Equation	Number Line Model	Context	$2 \times 3 = 6$		Selling two packages of apples at \$3.00 per pack	$2 \times -3 = -6$		Selling 3 dollars each on 2 packages of apples	$-2 \times 3 = -6$		Owing 2 dollars to each of your three friends	$-2 \times -3 = 6$		Forgiving 3 debts of \$2.00 each
Equation	Number Line Model	Context															
$2 \times 3 = 6$		Selling two packages of apples at \$3.00 per pack															
$2 \times -3 = -6$		Selling 3 dollars each on 2 packages of apples															
$-2 \times 3 = -6$		Owing 2 dollars to each of your three friends															
$-2 \times -3 = 6$		Forgiving 3 debts of \$2.00 each															
<p>7.NR.1.9 Apply properties of operations as strategies to solve multiplication and division problems involving rational numbers represented in an applicable scenario.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be allowed to explore the signs of integers and what they really mean to discover integer rules. Students should be able to reason about direction on a number line when representing multiplication and division using the tool. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use the Commutative and Associative properties to combine more than two rational numbers flexibly. Example <ul style="list-style-type: none"> $(-8) * 2 * (-5)$ may be solved as $(-8) * (2 * (-5))$ to multiply by negative ten, using the Associative Property. 															
<p>7.NR.1.10 Convert rational numbers between forms to include fractions, decimal numbers and percentages, using understanding of the part divided by the whole. Know that the decimal form of a rational number terminates in 0s or eventually repeats.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> This is an extension of previous understanding from 6th grade of writing common fractions as decimal numbers and percentages. 	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should know that every rational number can be written as the ratio of two integers, terminating decimal numbers, or repeating decimal numbers. 															

7.NR.1.11	<p>Solve multi-step, contextual problems involving rational numbers, converting between forms as appropriate, and assessing the reasonableness of answers using mental computation and estimation strategies.</p>	Example <ul style="list-style-type: none"> • If Sara makes \$25 an hour gets a 10% raise, she will make an additional $\frac{1}{10}$ of her salary an hour, or \$2.50, for a new salary of \$27.50.
-----------	---	---

PATTERNING & ALGEBRAIC REASONING – linear expressions with rational coefficients, complex unit rates, proportional relationships

7.PAR.2: Use properties of operations, generate equivalent expressions and interpret the expressions to explain relevant situations.

Expectations

- | 7.PAR.2.1 | <p>Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.</p> | <p>Fundamentals</p> <ul style="list-style-type: none"> Building on work in Grade 6, where students used conventions about the order of operations to rewrite simple expressions such as $2(3 + 8x)$ as $6 + 16x$ and $10p - 2$ as $2(5p - 1)$, students now encounter linear expressions with more operations that require an understanding of integers, such as $7 - 2(3 - 8x)$. | <p>Examples</p> <ul style="list-style-type: none"> A rectangle is twice as long as it is wide. One way to write an expression to find the perimeter would be $w + w + 2w$. Write the expression in two other ways. Write an equivalent expression for $9 - 7(2x + 4)$. |
|--|---|--|---|
| Not on Interim; see Grade Level Overview for more details. | | | |

- | | | |
|-----------|---|---|
| 7.PAR 2.2 | <p>Rewrite an expression in different forms from a contextual problem to clarify the problem and show how the quantities in it are related.</p> | <p><i>Example</i></p> <ul style="list-style-type: none"> If Madison and Brenda both get paid a wage of \$11 per hour, but Madison was paid an additional \$55 for overtime, the expression $11(M+B) + 55$ may be more clearly interpreted as $11M+55+11B$ for purposes of understanding Brenda's pay separated from Madison's pay. |
|-----------|---|---|

7.PAR.3: Represent authentic situations using equations and inequalities with variables; solve equations and inequalities symbolically, using the properties of equality.

Expectations


- | Grade Level Overview for more details
(not all inclusive) | | | | |
|--|---|--|---|--|
| | Strategies and Methods | Fundamentals | Terminology | Age/Developmentally Appropriate |
| 7.PAR.3.1 | <p>Construct algebraic equations to solve practical problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p, q, and r are specific rational numbers. Interpret the solution based on the situation.</p> | <ul style="list-style-type: none"> Students should be able to represent relationships in various practical, mathematical situations with equations involving variables and positive and negative rational numbers and explain the | <ul style="list-style-type: none"> Fluently//Fluency – Students should be able to fluently solve equations of the specified forms presented in | <ul style="list-style-type: none"> Continue to build on 6th grade objectives of writing and solving one-step equations from a problem situation to multi-step |
| | | | | <p>Examples</p> <ul style="list-style-type: none"> Vicky and Bob went to a store to buy school supplies. Vicky spent a total of \$22 on school supplies. She spent \$13 on a book and spent the rest of the money on notebooks. The store sells notebooks for \$1.50 each. Without using a variable, |

	<p>meaning of the solution based on the situation.</p> <ul style="list-style-type: none"> Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. 	<p>the learning objective.</p> <ul style="list-style-type: none"> Students should use the properties of equality to solve for the value of a variable. 	<p>problem situations. This is another opportunity for students to practice using rational numbers including:</p> <ul style="list-style-type: none"> integers, and positive and negative fractions and decimal numbers. 	determine the number of notebooks Vicky bought.
7.PAR.3.2	<p>Construct algebraic inequalities to solve problems, leading to inequalities of the form $px \pm q > r$, $px + q < r$, $px + q \leq r$, or $px + q \geq r$, where p, q, and r are specific rational numbers. Graph and interpret the solution based on the realistic situation that the inequalities represent.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to represent relationships in various authentic, mathematical situations with inequalities involving variables and positive and negative rational numbers. Students should be able to fluently solve inequalities of the specified forms. To achieve fluency, students should be able to choose flexibly among methods and strategies to solve mathematical problems accurately and efficiently. Students should use the properties of inequality to solve for the value of a variable. When identifying a specific value for p, q, and r, any rational number can be used. Students should be able to graph and interpret the solution of an inequality used as a model to explain real phenomena. 	<p>Example</p> <ul style="list-style-type: none"> As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make and describe the solutions. 	
<p>7.PAR.4: Recognize proportional relationships in relevant, mathematical problems; represent, solve, and explain these relationships with tables, graphs, and equations.</p>				<p>Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)</p>
7.PAR.4.1	<p>Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units presented in realistic problems.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to solve problems involving unit rate presented in practical, everyday situations. 	<p>Example</p> <ul style="list-style-type: none"> If a person walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $(\frac{1}{2})/(\frac{1}{4})$ miles per hour, equivalently 2 miles per hour. 	

<p>7.PAR.4.2 Determine the unit rate (constant of proportionality) in tables, graphs ($1, r$), equations, diagrams, and verbal descriptions of proportional relationships to solve realistic problems.</p>	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> In seventh grade, students are expected to understand that unit rate and constant of proportionality are the same. 	<p>Examples</p> <ul style="list-style-type: none"> Jennifer rides on a train for 6 hours and travels 360 miles. How many miles per hour does she travel? Mary deposits \$115 into her bank account every month, represented by the equation $d = 115m$. Identify the unit rate from this situation.
<p>7.PAR.4.3 Determine whether two quantities presented in authentic problems are in a proportional relationship.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to analyze and make decisions about relationships using proportional reasoning strategies, which may include but not limited to graphing on a coordinate plane and/or observing whether a graph is a straight line passing through the origin. 	<p>Examples</p> <ul style="list-style-type: none"> If Tina uses 2 eggs to make 6 pancakes and Alison uses 4 eggs to make 12 pancakes, is this proportional? Jane runs 12 miles in 2.5 hours. Sarah runs 14 miles 3.5 hours. Are Jane and Sarah running at the same rate? Justify your answer.
<p>7.PAR.4.4 Identify, represent, and use proportional relationships.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Student should be able to identify, represent, and use proportional relationships between quantities using verbal descriptions, tables of values, equations, and graphs to model applicable, mathematical problems: translate from one representation to another. Students should be able to model authentic, mathematical relationships involving constant rates where the initial condition starts at 0 using tables of values and graphs. Students should be able to represent proportional relationships using equations. 	<p>Example</p> <ul style="list-style-type: none"> If the total cost, t, is proportional to the number, n, of items purchased at a constant price, p, the relationship between the total cost and the number of items can be expressed as $t = np$.
<p>7.PAR.4.5 Use context to explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.</p>	<p>Example</p> <ul style="list-style-type: none"> Erik feeds stray cats near his house. A graph shows different amounts of cat food he puts out based on the number of cats near his house. Erik graphs point P to represent the unit rate. What does point P mean in terms of the situation? Cups of cat food per cat. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be given opportunities to explore the concept of similarity informally when learning about scale drawings of geometric figures. They should be able to make informal connections between scale drawings and similarity.
<p>7.PAR.4.6 Solve everyday problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to use proportional reasoning to compute unknown lengths by setting up proportions in tables or equations, or they can reason about how the lengths compare multiplicatively. Students should be able to determine the dimensions of figures when given a scale and identify the impact of a scale on actual length (one-dimension) and area (two-dimensions). Students should be able to identify the scale factor given two figures. 	

	<ul style="list-style-type: none"> Using a given scale drawing, students should be able to reproduce the drawing at a different scale. Students should understand that the lengths will change by a factor equal to the product of the magnitude of the two size transformations. Students should be given opportunities to explore the concept of similarity by exploring the congruence of corresponding angles and the proportions of corresponding side lengths of geometric figures using hands-on, concrete tools to understand similarity (i.e., patty paper, geometric software). 	
7.PAR.4.7	<p>Strategies and Method</p> <p>Use similar triangles to explain why the slope, m, is the same between any two distinct points on a non-vertical line in the coordinate plane.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use proportional reasoning to explain why the slope, m, is the same between any two distinct points.
7.PAR.4.8	<p>Fundamentals</p> <p>Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways.</p>	<p>Examples</p> <ul style="list-style-type: none"> Students should demonstrate a conceptual understanding of slope. Students should be able to use graphical reasoning to represent proportional relationships. The proportional relationships explored by students should represent practical, realistic situations.
7.PAR.4.9	<p>Fundamentals</p> <p>Use proportional relationships to solve multi-step ratio and percent problems presented in applicable situations.</p>	<p>Terminology</p> <ul style="list-style-type: none"> Simple interest – a quick and easy method of calculating the interest charge on a loan. Simple interest is determined by multiplying the daily interest rate by the principal by the number of days that elapse between payments. Simple Interest = (principal) * (rate) * (# of periods) Tax – money that people must pay to the government Markups and markdowns - increase and decrease in the amount of a quantity Gratuities - a tip given to a waiter, taxicab driver, etc. Commissions - a fee paid to an agent as compensation for completing a transaction
7.PAR.4.10	<p>Fundamentals</p> <p>Predict characteristics of a population by examining the characteristics of a representative sample. Recognize the potential limitations and scope of the sample to the population.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students can generate questions about things they notice and wonder from a relevant situation. Questions posed should be ones that requires data that will vary. Students should have opportunities to create and answer statistical investigative questions about a population by collecting data from a representative sample, using random sampling techniques to collect the data. Students should be able to create a statistical investigative question that can be answered by gathering data from practical situations and determine strategies for gathering data to answer the statistical investigative question. Potential limitations may include how the sample was selected and/or how the questions were asked.

<p>7.PAR.4.11 Analyze sampling methods and conclude that random sampling produces and supports valid inferences.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to critique examples of sampling techniques. Students should conclude when conditions of sampling methods may be biased, random, and not representative of the population.
<p>7.PAR.4.12 Use data from repeated random samples to evaluate how much a sample mean is expected to vary from a population mean. Simulate multiple samples of the same size.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should use sample data collected to draw inferences. <p>Examples</p> <ul style="list-style-type: none"> Estimate the mean word length in a book by randomly sampling words from the book. Gauge how far off the estimate is from the actual mean. Predict the winner of a school election based on randomly sampled survey data. Gauge how far off the prediction might be.
<p>GEOMETRIC & SPATIAL REASONING – vertical, adjacent, complementary, and supplementary angles, circumference and area of circles, area and surface area, volume of cubes, right prisms, and cylinders</p> <p>7.GSR.5: Solve practical problems involving angle measurement, circles, area of circles, surface area of prisms and cylinders, and volume of cylinders and prisms composed of cubes and right prisms.</p>	
<p>Expectations</p>	
<p>7.GSR.5.1 Measure angles in whole non-standard units.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be able to recognize angles as geometric shapes formed when two rays share a common endpoint. In previous grades, students learned to draw and measure right, acute, and obtuse angles. To understand measurement, students should measure in non-standard units, such as unit angles or wedges, before being introduced to tools with abstract units such as degrees. Students should also be able to explore this learning objective by investigating angles within circles. <p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should be able to use a 180° protractor to draw or measure an angle to the nearest whole degree. <p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use hand-held and virtual protractors. Student should be able to use angle measurement tools that help them connect non-standard units (wedges, unit angles, etc.) to standard units of angle measurement (degrees).
<p>7.GSR.5.2 Measure angles in whole number degrees using a protractor.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> In previous grades, students measured angles in reference to a circle with the center at the common endpoint of two rays. They should be able to use this knowledge to determine an angle's measure in relation to the 360°. <p>Examples</p> <ul style="list-style-type: none"> Students may be given angles to find precise measurements of angles. Here is an example of how students may use a protractor and measurement reasoning to determine precise angle measurements.

7.GSR.5.6	Solve realistic problems involving surface area of right prisms and cylinders.	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should solve problems involving surface areas of prisms with triangles, rectangles, and other polygons as bases. Students are not expected to memorize formulas to solve problems involving surface area. <p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have an opportunity to solve single to multi-step authentic, mathematical problems. Students should have opportunities to apply knowledge of the area of triangles, rectangles, and other polygons to solve problems involving surface area of prisms. Students should have opportunities to discover the surface area of a cylinder by decomposing the figure into circles and rectangles. Students should use geometric and spatial reasoning to solve problems involving surface area. 	<p>Terminology</p> <ul style="list-style-type: none"> Cylinder – any three-dimensional figure with two congruent, opposite faces called bases connected by adjacent curved or flat faces (bases can include circles, triangles, rectangles, or other shapes). The bases can be connected by two lines that are parallel to each other. Right prism – any three-dimensional figure with two polygons for bases that are opposite, congruent, and perpendicular to the adjacent faces <p>The inclusive definition of a cylinder classifies prisms as special types of cylinders used to derive formulas that apply to all types of cylinders and prisms alike (Van de Walle, Karp, & Bay-Williams, 2010).</p> <p>All prisms are cylinders, but not all cylinders are prisms (Van de Walle, Karp, Lovett & Bay-Williams, 2010).</p>	<p>Example</p> <ul style="list-style-type: none"> Cole is planning to cover a cylindrical drum in leather. The diameter of the drum is 10 inches, and its height is 16 inches. What is the minimum amount of leather Cole will need? 
7.GSR.5.7	Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in the plane sections of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres.	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Cross-sections should be limited to horizontal and vertical slices. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to explore models of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres that can be sliced. Students should determine the different planes that can be created with the slices. 	<p>Terminology</p> <ul style="list-style-type: none"> Cylinder – any three-dimensional figure with two congruent, opposite faces called bases connected by adjacent curved or flat
7.GSR.5.8	Explore volume as a measurable attribute of cylinders and right prisms. Find the volume of these geometric figures using concrete problems.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should apply knowledge of cross sections as a strategy for revealing a base of cylinders including right prisms. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should conclude the resulting two-dimensional shape created after the slice is not the entire three-dimensional shape that remains. In seventh grade, cross sections should be limited to horizontal and vertical slices. 	<p>Terminology</p> <ul style="list-style-type: none"> Prism – a solid figure that has the same cross section all along its length
				<p>Examples</p> <ul style="list-style-type: none"> Identical toy building cubes were used to make the stacks shown below. 

	<ul style="list-style-type: none"> Students should apply reasoning about the volume of rectangular prisms to explore the volume of cylinders and other three-dimensional objects composed of cubes and right prisms. Students should apply their knowledge of area of a circle when finding the volume of a cylinder. Students should use the formula Volume = area of the base times height or $V = B \times h$ to find the volume of a cylinder. 	<p>faces (bases can include circles, triangles, rectangles, or other shapes). The bases can be connected by two lines that are parallel to each other.</p> <p>Right prism – any three-dimensional figure with two polygons for bases that are opposite, congruent, and perpendicular to the adjacent faces.</p>	<ul style="list-style-type: none"> cylinders. Right circular cylinders are three-dimensional solid figures with two congruent, parallel, circular bases that are connected by a curved face that is perpendicular to each base. 	<p>Which stack takes up the least space?</p> <p>Which stack takes up the most space? Order the stacks from the one that takes up the least space to the one that takes up the most space.</p> <p>A farmer is storing ground corn in a silo during the winter months. What is the maximum capacity of the cylindrical part of each silo that has a 20-foot diameter and a 55-foot height for which the farmer can store the ground corn?</p>
				

PROBABILITY REASONING – likelihood, theoretical and experimental probability

7.PR.6: Using mathematical reasoning, investigate chance processes and develop, evaluate, and use probability models to find probabilities of simple events presented in authentic situations.

Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)
<p>7.PR.6.1 Represent the probability of a chance event as a number between 0 and 1 that expresses the likelihood of the event occurring. Describe that a probability near 0 indicates an unlikely event, a probability around $\frac{1}{2}$ indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to represent the probability as a fraction, decimal numbers or percentage. <p>Terminology</p> <ul style="list-style-type: none"> Descriptions may include impossible, unlikely, equally likely, likely, and certain.
<p>7.PR.6.2 Approximate the probability of a chance event by collecting data on an event and observing its long-run relative frequency will approach the theoretical probability.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to predict the approximate, relative frequency given the theoretical probability. <p>Example</p> <ul style="list-style-type: none"> When rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.
<p>7.PR.6.3 Develop a probability model and use it to find probabilities of simple events. Compare experimental and theoretical probabilities of events. If the probabilities are not close, explain possible sources of the discrepancy.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Probability models may include various random generation devices including, but not limited to, bag pulls, spinners, number cubes, coin toss, and colored chips. Students should have multiple opportunities to collect data using physical objects, graphing calculators, or web-based simulations. <p>Example</p> <ul style="list-style-type: none"> If a student is selected at random from a class, find the probability a student with long hair will be selected.
<p>7.PR.6.4 Develop a uniform probability model by assigning equal probability to all outcomes and use the model to determine probabilities of events.</p>	<p>Terminology</p> <ul style="list-style-type: none"> Uniform probability models are those where the likelihood of each outcome is equal. <p>Examples</p> <ul style="list-style-type: none"> Find the approximate probability of each outcome in a spinner with unequal sections. Find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?
<p>7.PR.6.5 Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use side by side bar graphs or segmented bar graphs to compare categorical data distributions <p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Limit category counts to be less than or equal to ten. <p>Example</p> <ul style="list-style-type: none"> Compare the heights of the basketball and tennis teams.

	<p>informal inferences about two samples or populations.</p> <ul style="list-style-type: none"> ● of samples from two populations. ● Students should compare data of two samples or populations displayed in box plots and dot plots to make inferences using probabilistic reasoning. ● Students should be able to draw inferences using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation and interquartile range) from random samples. ● Conclusions should be made related to a population, using a random sample, by describing a distribution using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation, and interquartile range). ● Students should be given multiple opportunities to compare quantitative data distributions of samples from two populations. 	<ul style="list-style-type: none"> ● Limit quantitative variables to less than or equal to 20. <p>Basketball team's heights (in inches): 72, 75, 76, 76, 79, 79, 80, 80, 81, 81, 81</p> <p>Tennis team's height (in inches): 67, 67, 68, 70, 70, 71, 72, 75, 76, 76, 77</p> <p>1) How much taller is the basketball team than the tennis team?</p> <p>2) Two students are trying out for the basketball team. What is the probability their height will be greater than 79 inches?</p>
--	---	---

7th Grade: Create statistical investigative questions that can be answered using quantitative data, collect data through **random sampling** to make **inferences about population distributions** using **data distributions**, and interpret data to answer statistical investigative questions.

Ask	Collect	Analyze	Interpret
Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.	<p>Use statistical reasoning and methods to predict characteristics of a population by examining the characteristics of a representative sample. Recognize the potential limitations and scope of the sample to the population.</p> <p>Analyze sampling methods and conclude that random sampling produces and supports valid inferences.</p>	<p>Use data from repeated random samples to evaluate how much a sample mean is expected to vary from a population mean. Simulate multiple samples of the same size.</p>	<p>Use appropriate graphical displays and numerical summaries from data distributions with categorical or quantitative (numerical) variables to draw informal inferences about two samples or populations.</p>

Instructional Supports

- Students should have opportunities to create and answer statistical investigative questions about a population by collecting data from a representative sample, using random sampling techniques to collect the data.
- Students should have opportunities to critique examples of sampling techniques. Students should conclude when conditions of sampling methods may be biased, random, and not representative of the population. Students should use sample data collected to draw inferences.
- Students should use side by side bar graphs or segmented bar graphs to compare categorical data distributions of samples from two populations. Students should compare data of two samples or populations displayed in box plots and dot plots to make inferences.
- Students should be able to draw inferences using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation and interquartile range) from random samples. Conclusions should be made related to a population, using a random sample, by describing a distribution using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation, and interquartile range).

8th Grade: Create statistical investigative questions that can be answered using quantitative data. Collect, analyze, and interpret patterns of bivariate data and interpret linear models to answer statistical questions and solve real problems.

Ask	Collect	Analyze	Interpret
Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.	<p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p>	<p>Construct and interpret scatter plots for bivariate quantitative data to investigate patterns of association between two quantities.</p> <p>Explain the meaning of the predicted slope (rate of change) and the predicted intercept (constant term) of a linear model in the context of the data.</p>	<p>Show that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, visually fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line of best fit.</p> <p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p> <p>Use appropriate graphical displays from data distributions involving lines of best fit to draw informal inferences and answer the statistical investigative question posed in an unbiased statistical study.</p>

Instructional Supports

- Students should be able to use statistical reasoning to describe patterns of association, such as clustering, outliers, positive or negative association, linear association, and nonlinear association through the analysis of data presented in multiple ways.
- Students should be given opportunities to analyze the data distribution displayed graphically to answer the statistical investigative question generated from a real situation.
- Students should solve practical, linear problems involving situations using bivariate quantitative data. A linear model shows the relationship between two variables in a data set, such as lines of best fit. Students should discover the line of best fit as the one that comes closest to most of the data points and shows the linear relationship between two variables in a data set.
- It is important to indicate 'predicted' slope to indicate this is a probabilistic interpretation in context, and not deterministic.

COMPUTATIONAL STRATEGIES FOR WHOLE NUMBERS

Mathematics Place-Value Strategies and US Traditional Algorithms

Specific mathematics strategies for teaching and learning are not mandated by the Georgia Department of Education or assessed on state or federally mandated tests. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen. [These standards preserve and affirm local control and flexibility.](#)

In mathematics, the emphasis is on the reasoning and thinking about the quantities within mathematical contexts. Algorithms, tape diagrams (bar models), and number line representations are a few examples of ways that students communicate their strategic thinking in a written form.

Addition Example: $1573 + 796$		
US Traditional Algorithm:	Description:	Place Value Algorithm:
$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline 2 & 3 & 6 & 9 \end{array} $	<p>Description:</p> <p>As students make sense of and use addition strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding on in parts, estimation and compensation, and friendly numbers to communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!</p>	$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline & & & 9 \\ & & 1 & 6 & 0 \\ + & 1 & 2 & 0 & 0 \\ + & 1 & 0 & 0 & 0 \\ \hline 2 & 3 & 6 & 9 \end{array} $
Number Line Representation:		
		

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Subtraction Example: 2145 - 178

US Traditional Algorithm:

$$\begin{array}{r}
 & 0 & 13 & 15 \\
 2 & 1 & 4 & 5 \\
 - & 1 & 7 & 8 \\
 \hline
 1 & 9 & 6 & 7
 \end{array}$$

Description:

As students make sense of and use subtraction strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding up, counting back in chunks, and same difference and communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!


Place Value Algorithm:

$$\begin{array}{r}
 2000 & 100 & 40 & 5 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 100 & 130 & 15
 \end{array}$$

$$\begin{array}{r}
 1900 & 100 & 0 & 60 & 7 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 0 & 60 & 7
 \end{array}$$

$1900 + 0 + 60 + 7 = 1967$

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Multiplication Example: 25×24

US Traditional Algorithm:

$$\begin{array}{r}
 & 1 \\
 & 2 \\
 25 & \\
 \times & 24 \\
 \hline
 100 \\
 + & 500 \\
 \hline
 600
 \end{array}$$


Description:

As students make sense of and use multiplication strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Students are encouraged to use strategies such as partial products, friendly numbers, and a combination of known facts to determine solutions to new problems. It is also important for students to maintain the ability to choose which part-whole strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!

Place Value Algorithm:

$$\begin{array}{r}
 25 \\
 \times & 24 \\
 \hline
 400 & (20 \times 20) \\
 + & 100 & (20 \times 5) \\
 + & 80 & (4 \times 20) \\
 + & 20 & (4 \times 5) \\
 \hline
 600
 \end{array}$$

Area Representation (Partial Products):




$$(5 \times 4) + (5 \times 20) + (20 \times 4) + (20 \times 20) = (25 \times 24)$$

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Division Example: $1917 \div 9$

US Traditional Algorithm:




Description:

As students make sense of and use division strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities. Students are encouraged to use strategies such as partial quotients, friendly numbers, and repeated subtraction to determine solutions to new problems. It is also important for students to maintain the ability to choose which strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!

Place Value Algorithm:

9	1 9 1 7	
	- 1 8 0 0	200
	1 1 7	
	- 9 0	+ 10
	2 7	
	- 2 7	+ 3
	0	213

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.