


7 th Grade Mathematics Teaching and Learning Framework					
Semester 1		Semester 2			
Unit 1 9 weeks	Unit 2 8 weeks	Unit 3 9 weeks	Unit 4 5 weeks	Unit 5 3 weeks	Unit 6 2 weeks
Making Relevant Connections within the Number System 7.NR.1	Reasoning with Expressions, Equations, and Inequalities 7.PAR.2 7.PAR.3	Exploring Ratios and Proportional Relationships 7.PAR.4	Making Relevant Connections with Geometry 7.GSR.5	Investigating Probability 7.PR.6	Culminating Capstone
7.NR.1.1 (Opposites/Additive Inverse) 7.NR.1.2 (Add rational Numbers) 7.NR.1.3 (Represent rational numbers on number line) 7.NR.1.4 (Subtract Rational Numbers) 7.NR.1.5 (Apply Properties to Add and Subtract) 7.NR.1.6 (Multiply Rational Numbers) 7.NR.1.7 (Divide Rational Numbers) 7.NR.1.8 (Represent and Interpret Products & Quotients) 7.NR.1.9 (Apply Properties to Multiply and Divide) 7.NR.1.10 (Converting Fractions, Decimals & Percents) 7.NR.1.11 (Application of Rational Number)	7.PAR.2.1 (Apply properties to Rewrite Linear Expressions) 7.PAR.2.2 (Write Expressions from Contextual Problems) 7.PAR.3.1 (Write and Solve Multi-Step Equations) 7.PAR.3.2 (Write and Solve Multi-Step Inequalities)	7.PAR.4.1 (Compute Unit Rates) 7.PAR.4.2 (Application of Unit Rates) 7.PAR.4.3 (Proportions) 7.PAR.4.4 (Identify & Represent Proportions) 7.PAR.4.5 (Unit Rate on a Coordinate Plane) 7.PAR.4.6 (Scale Drawings) 7.PAR.4.7 (Use similar triangles to explain slope) 7.PAR.4.8 (Graph & Interpret Proportions as Unit Rate) 7.PAR.4.9 (Application of Multi-Step Ratios & Percents) 7.PAR.4.10 (Predict Characteristics for Populations) 7.PAR.4.11 (Analyze Sampling Methods) 7.PAR.4.12 (Predictions of Random Samples)	7.GSR.5.1 (Angle Measures with Non-Standard Units) 7.GSR.5.2 (Angle Measures with Protractors) 7.GSR.5.3 (Create & Solve Equations using Angle Relationships) 7.GSR.5.4 (Derive Formula for Area and Circumference of a Circle) 7.GSR.5.5 (Apply the Formula for Area and Circumference of a Circle) 7.GSR.5.6 (Surface Area of Right Prisms & Cylinders) 7.GSR.5.7 (Cross Sections) 7.GSR.5.8 (Volume of Cylinders & Right Prisms)	7.PR.6.1 (Likely & Unlikely Events) 7.PR.6.2 (Predict given Theoretical Probability) 7.PR.6.3 (Probability of Simple Events) 7.PR.6.4 (Use Models to Determine Outcomes) 7.PR.6.5 (Create Models by Observing Frequencies) 7.PR.6.6 (Use Models to Make Inferences)	All Standards

Units contain tasks that depend upon the concepts addressed in earlier units. Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics.

The [Framework for Statistical Reasoning](#), [Mathematical Modeling Framework](#), and the [K-12 Mathematical Practices](#) should be taught throughout the units.

Key for Course Standards: PAR: Patterning & Algebraic Reasoning, GSR: Geometric & Spatial Reasoning, NR: Numerical Reasoning, PR: Probability Reasoning

Math 7/8 Teaching & Learning Framework								
Semester 1				Semester 2				
Unit 1 3 weeks	Unit 2 4 weeks	Unit 3 4 weeks	Unit 4 7 weeks	Unit 5 3 weeks	Unit 6 4 weeks	Unit 7 5 weeks	Unit 8 4 weeks	Unit 9 2 weeks
Investigating Probability 7.PR.6 7.PR.6.1 (Likely & unlikely events) 7.PR.6.2 (Predict given theoretical probability) 7.PR.6.3 (Probability of simple events) 7.PR.6.4 (Use models to determine outcomes) 7.PR.6.5 (Create models by observing frequencies)	Irrationals, Integer Exponents and Scientific Notation 8.NR.1-2 8.NR.1.1 (Rational and irrational numbers) 8.NR.1.2 (Locate irrational numbers on number line) 8.NR.2.1 (Integer exponents) 8.NR.2.2 (Square roots and cube roots) 8.NR.2.3 (Scientific notation) 8.NR.2.4 (Add, subtract, multiply, and divide with scientific notation numbers)	Investigating Linear Expressions, Equations, and Inequalities in One Variable 8.PAR.3 8.PAR.3.1 (Expressions) 8.PAR.3.2 (Solving equations) 8.PAR.3.3 (Create and solve equations and inequalities) 8.PAR.3.4 (Justify solving equations with properties) 8.NR.2.5 (Solve equations and inequalities with coefficients as letters) 8.PAR.3.6 (Literal equations)	Modeling Linear Relationships and Functions 7.PAR.4 8.PAR.4 8.FGR.5 8.PAR.4.1 ($y = mx + b$ and $y = mx$) 8.PAR.4.2 (Graphing lines) 8.FGR.5.1 (Functions) 8.FGR.5.2 (Linear and non-linear functions) 8.FGR.5.3 (Domain) 8.FGR.5.4 (Compare properties) 8.FGR.5.5 (Equation forms) 8.FGR.5.6 (Equivalent forms) 8.FGR.5.7 (Construct a linear function) 8.FGR.5.8 (Rate of change and initial value) 8.FGR.5.9 (Characteristics) 7.PAR.4.5 (Unit rate on a coordinate plane) 7.PAR.4.6 (Scale drawings) 7.PAR.4.7 (Use similar triangles to explain slope) 7.PAR.4.8 (Graph & interpret proportions as unit rate)	Investigating Data & Statistical Reasoning 8.FGR.4 8.FGR.6.1 (Line of best fit) 8.FGR.6.2 (Solving problems using linear model equation) 8.FGR.6.3 (Meaning of predicted slope and intercept of linear model) 8.FGR.6.4 (Line of best fit questions and inferences)	Real-Life Phenomena Explored Through Systems of Linear Equations 8.FGR.7 8.FGR.7.1 (Interpret and solve problems with two equations and two variables) 8.FGR.7.2 (Intersection points of linear equations) 8.FGR.7.3 (Solve systems by graphing) 8.FGR.7.4 (Solve systems algebraically) 8.FGR.7.5 (Parallel and perpendicular line equations)	Making Relevant Connections with Geometry 7.GSR.5 8.GSR.8 7.GSR.5.1 (Angle measures with non-standard units) 7.GSR.5.2 (Angle measures with protractors) 7.GSR.5.3 (Create & solve equations using angle relationships) 8.GSR.8.1 (Proof and converse of Pythagorean Theorem) 8.GSR.8.2 (Apply Pythagorean Theorem) 8.GSR.8.3 (Distance between two points on graph)	Exploring Geometric Relationships 7.GSR.5 8.GSR.8 8.GSR.8.4 (Volume of cone, cylinder, and sphere) 7.GSR.5.4 (Derive formula for area and circumference of a circle) 7.GSR.5.5 (Apply the formula for area and circumference of a circle) 7.GSR.5.6 (Surface Area of right prisms & cylinders) 7.GSR.5.7 (Cross-sections) 7.GSR.5.8 (Volume of cylinders & right prisms)	Culminating Capstone Unit All Standards.
Units contain tasks that depend upon the concepts addressed in earlier units. Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible to stress the natural connections that exist among mathematical topics.								
The Framework for Statistical Reasoning, Mathematical Modeling Framework, and the K-12 Mathematical Practices should be taught throughout the units.								
Key for Course Standards: PR: Probabilistic Reasoning, NR: Numerical Reasoning, PAR: Patterning & Algebraic Reasoning, FGR: Functional & Graphic Reasoning, GSR: Geometric & Spatial Reasoning								



GEORGIA'S K-12 MATHEMATICS STANDARDS 2021

Governor Kemp and Superintendent Woods are committed to the best set of academic standards for Georgia's students – laying a strong foundation of the fundamentals, ensuring age- and developmentally appropriate concepts and content, providing instructional supports to set our teachers up for success, protecting and affirming local control and flexibility regarding the use of mathematical strategies and methods, and preparing students for life. These Georgia-owned and Georgia-grown standards leverage the insight, expertise, experience, and efforts of thousands of Georgians to deliver the very best educational experience for Georgia's 1.7 million students.

In August 2019, Governor Brian Kemp and State School Superintendent Richard Woods announced the review and revision of Georgia's K-12 mathematics standards. Georgians have been engaged throughout the standards review and revision process through public surveys and working groups. In addition to educator working groups, surveys, and the Academic Review Committee, Governor Kemp announced a new way for Georgians to provide input on the standards: the Citizens Review Committee, a group composed of students, parents, business and community leaders, and concerned citizens from across the state. Together, these efforts were undertaken to ensure Georgians will have buy-in and faith in the process and product.

The Citizens Review Committee provided a charge and recommendations to the working groups of educators who came together to craft the standards, ensuring the result would be usable and friendly for parents and students in addition to educators. More than 14,000 Georgians participated in the state's public survey from July through September 2019, providing additional feedback for educators to review. The process of writing the standards involved more than 200 mathematics educators -- from beginning to veteran teachers, representing rural, suburban, and metro areas of our state.

Grade-level teams of mathematics teachers engaged in deep discussions; analyzed stakeholder feedback; reviewed every single standard, concept, and skill; and provided draft recommendations. To support fellow mathematics teachers, they also developed learning progressions to show when key concepts were introduced and how they progressed across grade levels, provided examples, and defined age/developmentally appropriate expectations.

These teachers reinforced that strategies and methods for solving mathematical problems are classroom decisions -- not state decisions -- and should be made with the best interest of the individual child in mind. These recommended revisions have been shared with the Academic Review Committee, which is composed of postsecondary partners, age/development experts, and business leaders, as well as the Citizens Review Committee, for final input and feedback.

Based on the recommendation of Superintendent Woods, the State Board of Education will vote to post the draft K-12 mathematics standards for public comment. Following public comment, the standards will be recommended for adoption, followed by a year of teacher training and professional learning prior to implementation.

Use of Mathematical Strategies and Methods & Affirming Local Control

These standards preserve and affirm local control and flexibility regarding the use of the “standard algorithm” and other mathematical strategies and methods. Students have the right to use any strategy that produces accurate computations, makes sense, and is appropriate for their level of understanding.

Therefore, the wording of these standards allows for the “standard algorithm” as well as other cognitive strategies deemed developmentally appropriate for each grade level. Revised state tests will not measure the students’ use of specific mathematical strategies and methods, only whether students understand the key mathematical skills and concepts in these standards.

Teachers are afforded the flexibility to support the individual needs of their students. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen.

Georgia's K-12 Mathematics Standards – 2021
Mathematics Big Ideas and Learning Progressions, 6-8

Mathematics Big Ideas, 6-8

5	6	7	8	HS Algebra: Concepts & Connections	Geometry: Concepts & Connections
MATHEMATICAL PRACTICES & MODELING					
DATA & STATISTICAL REASONING					
NUMERICAL REASONING (NR)					
PATTERNING & ALGEBRAIC REASONING (PAR)					
FUNCTIONAL & GRAPHICAL REASONING (FGR)					
GEOMETRIC & SPATIAL REASONING (GSR)					
PROBABILISTIC REASONING (PR)					

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts				HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
	5	6	7		
NUMERICAL REASONING					
Numbers (rational numbers and irrational numbers)	<ul style="list-style-type: none"> Multi-digit whole numbers Fractions with unlike denominators Fractions greater than 1 Decimal numbers to thousandths Powers of 10 to 10^3 	<ul style="list-style-type: none"> Rational numbers as a concept <ul style="list-style-type: none"> Integers Fractions Decimal numbers 	<ul style="list-style-type: none"> All rational numbers Simple probability 	<ul style="list-style-type: none"> All rational numbers Scientific notation Numerical expressions with integer exponents Use appropriate counting strategies to approximate rational and irrational numbers (radicals) on a number line 	<ul style="list-style-type: none"> All rational numbers Operations with radicals All numbers in The Real Number System
Computational Fluency	<ul style="list-style-type: none"> Add & subtract fractions with unlike denominators Add and subtract decimal numbers to the hundredths place Multiply & divide multi-digit whole numbers Multiply fractions and whole numbers Divide unit fractions and whole numbers Reason about multiplying by a fraction $>$, $<$, or $= 1$ 	<ul style="list-style-type: none"> All operations with whole numbers, fractions, and decimal numbers Write & evaluate numerical expressions Convert fractions with denominators of 2, 4, 5 and 10 to the decimal notation 	<ul style="list-style-type: none"> Operations with rational numbers Rational numbers Convert fractions with all denominators to decimal numbers 	<ul style="list-style-type: none"> Operations with real numbers (rational and irrational) Scientific notation in real situations seen in everyday life Expressions with integer exponents 	<ul style="list-style-type: none"> Operations with irrational numbers Multiplication of irrational numbers
Comparisons	<ul style="list-style-type: none"> Decimal fractions to thousandths place Fractions greater than 1 	<ul style="list-style-type: none"> Integers Unit rates Ratios Numerical data distributions Measures of variation Absolute value Display and analyze categorical and quantitative (numerical) data 	<ul style="list-style-type: none"> Rational numbers Probabilities Random sampling 	<ul style="list-style-type: none"> Rational and irrational numbers (radicals) Compare proportional relationships presented in different ways 	<ul style="list-style-type: none"> Rate of change (slope) Intercept Distributions of two or more data sets

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	HS Geometry: Concepts & Connections			HS Algebra: Concepts & Connections	
	5	6	7	8	
PATTERNING & ALGEBRAIC REASONING					
Patterns	<ul style="list-style-type: none"> Generate two numerical patterns from a given rule Identify relationships using a table 	<ul style="list-style-type: none"> Greatest common factor & least common multiple 	<ul style="list-style-type: none"> Constant of proportionality 	<ul style="list-style-type: none"> Integer exponents and perfect cubes 	<ul style="list-style-type: none"> Arithmetic sequences Geometric sequences
Expressions	<p>Numerical Reasoning</p> <ul style="list-style-type: none"> Simple numerical expressions involving whole numbers with or without grouping symbols Express fractions as division problems 	<ul style="list-style-type: none"> Write, analyze, and evaluate numerical and algebraic expressions Identify, generate, and evaluate algebraic expressions Identify like terms in an algebraic expression 	<ul style="list-style-type: none"> Add, subtract, factor & expand linear expressions Rewrite expressions Fluency with combining like terms in an algebraic expression Linear expressions with rational coefficients 	<ul style="list-style-type: none"> Expressions with integer exponents Linear expressions Operations with algebraic expressions 	<ul style="list-style-type: none"> Expressions of varying degrees Add, subtract, multiply single variable polynomials Adding, Subtracting and Multiplying Polynomials Factoring and expanding polynomials
Variable Equations & Inequalities		<ul style="list-style-type: none"> Write and solve one-step equations & inequalities 	<ul style="list-style-type: none"> Construct & solve multi-step algebraic equations and inequalities 	<ul style="list-style-type: none"> Analyze and solve linear equations and inequalities 	<ul style="list-style-type: none"> Exponential equations Quadratic equations Equations of parallel and perpendicular lines Analyze and solve linear inequalities
Ratios & Rates		<p>Numerical Reasoning with ratios and rates:</p> <ul style="list-style-type: none"> Concept of ratio and rate Equivalent ratios, percentages, unit rates Convert within measurement systems 	<ul style="list-style-type: none"> Compute unit rates associated with ratios of fractions Determine unit rates 	<ul style="list-style-type: none"> Interpret unit rate as the slope of a graph 	<ul style="list-style-type: none"> Side ratios of similar triangles Trigonometric ratios
Proportional Relationships			<ul style="list-style-type: none"> Use proportional relationships Solve multi-step ratio and percent problems Scale drawings of geometric figures Use similar triangles to explain slope 	<ul style="list-style-type: none"> Convert units and rates given a conversion factor 	
Graphing	<ul style="list-style-type: none"> Plot order pairs in first quadrant 	<ul style="list-style-type: none"> Plot order pairs in all four quadrants Show rational numbers on a number line Draw polygons on a coordinate grid Find the side length of a polygon graphed on the coordinate plane (same x- or y- coordinate) 	<ul style="list-style-type: none"> Proportional relationships 	<ul style="list-style-type: none"> Linear functions Comparing linear and non-linear functions Systems of linear equations (including parallel and perpendicular) Linear inequalities Analyze data distributions 	<ul style="list-style-type: none"> Equations of circles in standard form Equations of circles with function notation Exponential functions Quadratic functions Systems of linear inequalities

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
Function Families	FUNCTIONAL & GRAPHICAL REASONING					
Shapes & Properties	<p>GEOMETRIC & SPATIAL REASONING</p> <ul style="list-style-type: none"> Measure angles using non-standard and standard tools Write & solve equations using supplementary, complementary, vertical, and adjacent angles 				<ul style="list-style-type: none"> Linear functions with function notation Parent graphs of function families Exponential functions Quadratic functions 	
					<ul style="list-style-type: none"> Develop and use precise definitions to prove theorems and solve geometric problems Prove slope criteria for parallel and perpendicular lines Transform polygons using rotations, reflections, dilations, and translations. Congruence and transformations Triangle congruence Use congruence to prove relationships in geometric figures Similarity and dilations Similar triangles Use similarity to prove relationships in geometric figures Formal proofs & theorems about triangles Trigonometric ratios (Sin, Cos, & Tan) 	

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections
GEOMETRIC & SPATIAL REASONING (cont.)					
Geometric Measurement	<ul style="list-style-type: none"> Volume of right rectangular prisms 	<ul style="list-style-type: none"> Area of triangles, quadrilaterals, and polygons Surface area Volume of right rectangular prisms with fractional edge lengths 	<ul style="list-style-type: none"> Relationship between parts of a circle Area & circumference of a circle Area and surface area of figures decomposed into triangles, quadrilaterals & circles Volume of cubes, right prisms & cylinders 	<ul style="list-style-type: none"> Pythagorean Theorem to determine distance between two points Volume of cones, cylinders, and spheres 	<ul style="list-style-type: none"> Use distance formula, midpoint formula, and slope to calculate perimeter and area of triangles and quadrilaterals Approximate density of irregular objects
Probability					<p>PROBABILITY REASONING</p> <ul style="list-style-type: none"> Represent probability Approximate probability Develop probability models (uniform & not uniform) Find probabilities of simple events <p>CATEGORICAL DATA & TWO-WAY FREQUENCY TABLES</p> <ul style="list-style-type: none"> Interpret probabilities in context

7th Grade

The seven standards listed below are the key content competencies students will be expected to master in seventh grade. Additional clarity and details are provided through the classroom-level learning objectives and evidence of student learning details for each grade-level standard found on subsequent pages of this document. As teachers are planning instruction and assessing mastery of the content at the grade level, the focus should remain on the key competencies listed in the table below.

SEVENTH GRADE STANDARDS

- 7.MP:** Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.
- 7.NR.1:** Solve relevant, mathematical problems, including multi-step problems, involving the four operations with rational numbers and quantities in any form (integers, percentages, fractions, and decimal numbers).
- 7.PAR.2:** Use properties of operations, generate equivalent expressions and interpret the expressions to explain relevant situations.
- 7.PAR.3:** Represent authentic situations using equations and inequalities with variables; solve equations and inequalities symbolically, using the properties of equality.
- 7.PAR.4:** Recognize proportional relationships in relevant, mathematical problems; represent, solve, and explain these relationships with tables, graphs, and equations.
- 7.GSR.5:** Solve practical problems involving angle measurement, circles, area of circles, surface area of prisms and cylinders, and volume of cylinders and prisms composed of cubes and right prisms.
- 7.PR.6:** Using mathematical reasoning, investigate chance processes and develop, evaluate, and use probability models to find probabilities of simple events presented in authentic situations.

Georgia's K-12 Mathematics Standards – 2021

7TH Grade

NUMERICAL REASONING – integers, percentages, fractions, decimal numbers			
7.NR.1: Solve relevant, mathematical problems, including multi-step problems, involving the four operations with rational numbers and quantities in any form (integers, percentages, fractions, and decimal numbers).			
Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
7.NR.1.1	Show that a number and its opposite have a sum of 0 (are additive inverses). Describe situations in which opposite quantities combine to make 0.	<p>Terminology</p> <ul style="list-style-type: none"> In the equation $3 + -3 = 0$, 3 and -3 are additive inverses of each other. 	<p>Example</p> <ul style="list-style-type: none"> Your bank account balance is $-\\$25.00$. You deposit $\\$25.00$ into your account. The net balance is $\\$0.00$.
7.NR.1.2	Show and explain $p + q$ as the number located a distance $ q $ from p , in the positive or negative direction, depending on whether q is positive or negative. Interpret sums of rational numbers by describing applicable situations.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to add and subtract integers and other rational numbers presented within relevant, mathematical problems, using strategic thinking and a variety of tools. 	<p>Example</p> <ul style="list-style-type: none"> $6 + (-4)$ is 4 units to the left of 6 on a horizontal number line or 4 units down from 6 on a vertical number line.
7.NR.1.3	Represent addition and subtraction with rational numbers on a horizontal or a vertical number line diagram to solve authentic problems.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should represent a variety of types of rational numbers on a number line diagram presented both horizontally and vertically. 	<p>Examples</p> <ul style="list-style-type: none"> Find the distance between a submarine submerged at a depth of $27 \frac{3}{4}$ feet below sea level and an airplane flying at an altitude of $1262 \frac{1}{2}$ feet above sea level. $-\frac{1}{2} - (-2)$ is the same expression as $-\frac{1}{2} + (-2)$, which is 2 units to the right of $-\frac{1}{2}$ on a horizontal number line or 2 units up from $-\frac{1}{2}$ on a vertical number line.
7.NR.1.4	Show and explain subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference and apply this principle in contextual situations.	<p>Examples</p> <ul style="list-style-type: none"> Find the distance between a submarine submerged at a depth of $27 \frac{3}{4}$ feet below sea level and an airplane flying at an altitude of $1262 \frac{1}{2}$ feet above sea level. $-\frac{1}{2} - (-2)$ is the same expression as $-\frac{1}{2} + (-2)$, which is 2 units to the right of $-\frac{1}{2}$ on a horizontal number line or 2 units up from $-\frac{1}{2}$ on a vertical number line. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be allowed to explore the signs of integers and what they really mean to discover integer rules.
7.NR.1.5	Apply properties of operations, including part-whole reasoning, as strategies to add and subtract rational numbers.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use the Commutative and Associative properties to combine more than two rational numbers flexibly. 	<p>Terminology</p> <ul style="list-style-type: none"> Part-whole reasoning refers to how numbers can be split into parts to add and subtract numbers more efficiently.
			<p>Example</p> <ul style="list-style-type: none"> $(-8) + 5 + (-2)$ may be solved as $(-8) + (-2) + 5$ to first make -10 by using the Commutative Property.

<p>7.NR.1.6 Make sense of multiplication of rational numbers using realistic applications.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Student should have opportunities to use concepts of repeated addition and the meaning of a negative sign as the “opposite of,” with both models and representations, leading to deriving the rules for multiplying signed numbers. Models may include, but are not limited to, number lines and counters. 	<p>Examples</p> <ul style="list-style-type: none"> $4 * (-5)$ is 4 groups of (-5) and $(-4) * (-3)$ is the opposite of $4 * (-3)$. If yellow counters represent positive amounts and red counters represent negative amounts, you can model $3 * (-2)$ as three groups of two red counters. David has a \$0.00 balance in his bank account. He makes three withdrawals of \$1.46 each. What is his bank account balance after the three withdrawals? 															
<p>7.NR.1.7 Show and explain that integers can be divided, assuming the divisor is not zero, and every quotient of integers is a rational number.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> If p and q are integers ($q \neq 0$), then $-\left(\frac{p}{q}\right) = \frac{(-p)}{q} = \frac{p}{(-q)}$. 	<p>Example</p> <ul style="list-style-type: none"> $-\left(\frac{20}{5}\right) = -4$ is the same as $\frac{(-20)}{5} = -4$ and $\frac{20}{(-5)} = -4$ 															
<p>7.NR.1.8 Represent the multiplication and division of integers using a variety of strategies and interpret products and quotients of rational numbers by describing them based on the relevant situation.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be allowed to explore the signs of integers and what they really mean to discover integer rules. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students can represent multiplication and division using number lines, counters, etc. <table border="1" data-bbox="742 179 943 728"> <thead> <tr> <th>Equation</th> <th>Number Line Model</th> <th>Context</th> </tr> </thead> <tbody> <tr> <td>$2 \times 3 = 6$</td> <td></td> <td>Selling two packages of apples at \$3.00 per pack</td> </tr> <tr> <td>$2 \times -3 = -6$</td> <td></td> <td>Selling 3 dollars each on 2 packages of apples</td> </tr> <tr> <td>$-2 \times 3 = -6$</td> <td></td> <td>Owing 2 dollars to each of your three friends</td> </tr> <tr> <td>$-2 \times -3 = 6$</td> <td></td> <td>Forgiving 3 debts of \$2.00 each</td> </tr> </tbody> </table>	Equation	Number Line Model	Context	$2 \times 3 = 6$		Selling two packages of apples at \$3.00 per pack	$2 \times -3 = -6$		Selling 3 dollars each on 2 packages of apples	$-2 \times 3 = -6$		Owing 2 dollars to each of your three friends	$-2 \times -3 = 6$		Forgiving 3 debts of \$2.00 each
Equation	Number Line Model	Context															
$2 \times 3 = 6$		Selling two packages of apples at \$3.00 per pack															
$2 \times -3 = -6$		Selling 3 dollars each on 2 packages of apples															
$-2 \times 3 = -6$		Owing 2 dollars to each of your three friends															
$-2 \times -3 = 6$		Forgiving 3 debts of \$2.00 each															
<p>7.NR.1.9 Apply properties of operations as strategies to solve multiplication and division problems involving rational numbers represented in an applicable scenario.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be allowed to explore the signs of integers and what they really mean to discover integer rules. Students should be able to reason about direction on a number line when representing multiplication and division using the tool. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use the Commutative and Associative properties to combine more than two rational numbers flexibly. Example <ul style="list-style-type: none"> $(-8) * 2 * (-5)$ may be solved as $(-8) * (2 * (-5))$ to multiply by negative ten, using the Associative Property. 															
<p>7.NR.1.10 Convert rational numbers between forms to include fractions, decimal numbers and percentages, using understanding of the part divided by the whole. Know that the decimal form of a rational number terminates in 0s or eventually repeats.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> This is an extension of previous understanding from 6th grade of writing common fractions as decimal numbers and percentages. 	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should know that every rational number can be written as the ratio of two integers, terminating decimal numbers, or repeating decimal numbers. 															

7.NR.1.11	<p>Solve multi-step, contextual problems involving rational numbers, converting between forms as appropriate, and assessing the reasonableness of answers using mental computation and estimation strategies.</p>	<p>Example</p> <ul style="list-style-type: none"> If Sara makes \$25 an hour gets a 10% raise, she will make an additional $\frac{1}{10}$ of her salary an hour, or \$2.50, for a new salary of \$27.50.
-----------	---	---


PATTERNING & ALGEBRAIC REASONING – linear expressions with rational coefficients, complex unit rates, proportional relationships			
7.PAR.2: Use properties of operations, generate equivalent expressions and interpret the expressions to explain relevant situations.			
Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	Examples	
7.PAR.2.1	<p>Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Building on work in Grade 6, where students used conventions about the order of operations to rewrite simple expressions such as $2(3 + 8x)$ as $6 + 16x$ and $10p - 2$ as $2(5p - 1)$, students now encounter linear expressions with more operations that require an understanding of integers, such as $7 - 2(3 - 8x)$. 	<p>Examples</p> <ul style="list-style-type: none"> A rectangle is twice as long as it is wide. One way to write an expression to find the perimeter would be $w + w + 2w + 2w$. Write the expression in two other ways. Write an equivalent expression for $9 - 7(2x + 4)$.
7.PAR.2.2	<p>Rewrite an expression in different forms from a contextual problem to clarify the problem and show how the quantities in it are related.</p>	<p>Example</p> <ul style="list-style-type: none"> If Madison and Brenda both get paid a wage of \$11 per hour, but Madison was paid an additional \$55 for overtime, the expression $11(M+B) + 55$ may be more clearly interpreted as $11M+55+11B$ for purposes of understanding Brenda's pay separated from Madison's pay. 	
7.PAR.3: Represent authentic situations using equations and inequalities with variables; solve equations and inequalities symbolically, using the properties of equality.			
Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)		
7.PAR.3.1	<p>Construct algebraic equations to solve practical problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p, q, and r are specific rational numbers. Interpret the solution based on the situation.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to represent relationships in various practical, mathematical situations with equations involving variables and positive and negative rational numbers and explain the specified forms presented in <p>Fundamentals</p> <ul style="list-style-type: none"> Students should be able to fluently solve equations of the specified forms presented in <p>Terminology</p> <ul style="list-style-type: none"> Fluently/Fluency – Students choose flexibly among methods and strategies to solve mathematical problems accurately and efficiently. <p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Continue to build on 6th grade objectives of writing and solving one-step equations from a problem situation to multi-step <p>Examples</p> <ul style="list-style-type: none"> Vicky and Bob went to a store to buy school supplies. Vicky spent a total of \$22 on school supplies. She spent \$13 on a book and spent the rest of the money on notebooks. The store sells notebooks for \$1.50 each. Without using a variable, 	


	<p>meaning of the solution based on the situation.</p> <ul style="list-style-type: none"> Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. 	<p>the learning objective.</p> <ul style="list-style-type: none"> Students should use the properties of equality to solve for the value of a variable. 	<p>problem situations. This is another opportunity for students to practice using rational numbers including:</p> <ul style="list-style-type: none"> integers, and positive and negative fractions and decimal numbers. 	determine the number of notebooks Vicky bought.
7.PAR.3.2	<p>Construct algebraic inequalities to solve problems, leading to inequalities of the form $px \pm q > r$, $px + q < r$, $px + q \leq r$, or $px + q \geq r$, where p, q, and r are specific rational numbers. Graph and interpret the solution based on the realistic situation that the inequalities represent.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to represent relationships in various authentic, mathematical situations with inequalities involving variables and positive and negative rational numbers. Students should be able to fluently solve inequalities of the specified forms. To achieve fluency, students should be able to choose flexibly among methods and strategies to solve mathematical problems accurately and efficiently. Students should use the properties of inequality to solve for the value of a variable. When identifying a specific value for p, q, and r, any rational number can be used. Students should be able to graph and interpret the solution of an inequality used as a model to explain real phenomena. 	<p>Example</p> <ul style="list-style-type: none"> As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make and describe the solutions. 	
<p>7.PAR.4: Recognize proportional relationships in relevant, mathematical problems; represent, solve, and explain these relationships with tables, graphs, and equations.</p>				<p>Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)</p>
7.PAR.4.1	<p>Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units presented in realistic problems.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to solve problems involving unit rate presented in practical, everyday situations. 	<p>Example</p> <ul style="list-style-type: none"> If a person walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $(\frac{1}{2})/(\frac{1}{4})$ miles per hour, equivalently 2 miles per hour. 	

<p>7.PAR.4.2 Determine the unit rate (constant of proportionality) in tables, graphs ($(1, r)$), equations, diagrams, and verbal descriptions of proportional relationships to solve realistic problems.</p>	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> In seventh grade, students are expected to understand that unit rate and constant of proportionality are the same. 	<p>Examples</p> <ul style="list-style-type: none"> Jennifer rides on a train for 6 hours and travels 360 miles. How many miles per hour does she travel? Mary deposits \$115 into her bank account every month, represented by the equation $d = 115m$. Identify the unit rate from this situation.
<p>7.PAR.4.3 Determine whether two quantities presented in authentic problems are in a proportional relationship.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to analyze and make decisions about relationships using proportional reasoning strategies, which may include but not limited to graphing on a coordinate plane and/or observing whether a graph is a straight line passing through the origin. 	<p>Examples</p> <ul style="list-style-type: none"> If Tina uses 2 eggs to make 6 pancakes and Alison uses 4 eggs to make 12 pancakes, is this proportional? Jane runs 12 miles in 2.5 hours. Sarah runs 14 miles 3.5 hours. Are Jane and Sarah running at the same rate? Justify your answer.
<p>7.PAR.4.4 Identify, represent, and use proportional relationships.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Student should be able to identify, represent, and use proportional relationships between quantities using verbal descriptions, tables of values, equations, and graphs to model applicable, mathematical problems: translate from one representation to another. Students should be able to model authentic, mathematical relationships involving constant rates where the initial condition starts at 0 using tables of values and graphs. Students should be able to represent proportional relationships using equations. 	<p>Example</p> <ul style="list-style-type: none"> If the total cost, t, is proportional to the number, n, of items purchased at a constant price, p, the relationship between the total cost and the number of items can be expressed as $t = np$.
<p>7.PAR.4.5 Use context to explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.</p>	<p>Example</p> <ul style="list-style-type: none"> Erik feeds stray cats near his house. A graph shows different amounts of cat food he puts out based on the number of cats near his house. Erik graphs point P to represent the unit rate. What does point P mean in terms of the situation? Cups of cat food per cat. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be given opportunities to explore the concept of similarity informally when learning about scale drawings of geometric figures. They should be able to make informal connections between scale drawings and similarity.
<p>7.PAR.4.6 Solve everyday problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to use proportional reasoning to compute unknown lengths by setting up proportions in tables or equations, or they can reason about how the lengths compare multiplicatively. Students should be able to determine the dimensions of figures when given a scale and identify the impact of a scale on actual length (one-dimension) and area (two-dimensions). Students should be able to identify the scale factor given two figures. 	

	<ul style="list-style-type: none"> Using a given scale drawing, students should be able to reproduce the drawing at a different scale. Students should understand that the lengths will change by a factor equal to the product of the magnitude of the two size transformations. Students should be given opportunities to explore the concept of similarity by exploring the congruence of corresponding angles and the proportions of corresponding side lengths of geometric figures using hands-on, concrete tools to understand similarity (i.e., patty paper, geometric software). 									
7.PAR.4.7	<p>Strategies and Method</p> <p>Use similar triangles to explain why the slope, m, is the same between any two distinct points on a non-vertical line in the coordinate plane.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use proportional reasoning to explain why the slope, m, is the same between any two distinct points. 								
7.PAR.4.8	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should demonstrate a conceptual understanding of slope. Students should be able to use graphical reasoning to represent proportional relationships. The proportional relationships explored by students should represent practical, realistic situations. 	<p>Examples</p> <ul style="list-style-type: none"> Compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed. Mark was looking to fertilize his lawn, which is 432 sq. ft. He read the packages of 2 different fertilizer bags to see how much should be used. Bag A stated 2 ounces per 4 square feet and Bag B can be represented using the table below: <table border="1"> <thead> <tr> <th>Ounces</th> <th>Square Feet</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>3</td> </tr> <tr> <td>4</td> <td>6</td> </tr> <tr> <td>12</td> <td>18</td> </tr> </tbody> </table>	Ounces	Square Feet	2	3	4	6	12	18
Ounces	Square Feet									
2	3									
4	6									
12	18									
7.PAR.4.9	<p>Fundamentals</p> <ul style="list-style-type: none"> Students may use flexible strategies such as $a + 0.05a = 1.05a$ with the understanding that adding a 5% tax to a total is the same as multiplying the total by 1.05. 	<p>Terminology</p> <ul style="list-style-type: none"> Simple interest – a quick and easy method of calculating the interest charge on a loan. Simple interest is determined by multiplying the daily interest rate by the principal by the number of days that elapse between payments. Simple Interest = (principal) * (rate) * (# of periods) Tax – money that people must pay to the government Markups and markdowns - increase and decrease in the amount of a quantity Gratuities - a tip given to a waiter, taxicab driver, etc. Commissions - a fee paid to an agent as compensation for completing a transaction 								
7.PAR.4.10	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students can generate questions about things they notice and wonder from a relevant situation. Questions posed should be ones that requires data that will vary. Students should have opportunities to create and answer statistical investigative questions about a population by collecting data from a representative sample, using random sampling techniques to collect the data. Students should be able to create a statistical investigative question that can be answered by gathering data from practical situations and determine strategies for gathering data to answer the statistical investigative question. Potential limitations may include how the sample was selected and/or how the questions were asked. 									

<p>7.PAR.4.11 Analyze sampling methods and conclude that random sampling produces and supports valid inferences.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to critique examples of sampling techniques. Students should conclude when conditions of sampling methods may be biased, random, and not representative of the population.
<p>7.PAR.4.12 Use data from repeated random samples to evaluate how much a sample mean is expected to vary from a population mean. Simulate multiple samples of the same size.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should use sample data collected to draw inferences. <p>Examples</p> <ul style="list-style-type: none"> Estimate the mean word length in a book by randomly sampling words from the book. Gauge how far off the estimate is from the actual mean. Predict the winner of a school election based on randomly sampled survey data. Gauge how far off the prediction might be.
<p>GEOMETRIC & SPATIAL REASONING – vertical, adjacent, complementary, and supplementary angles, circumference and area of circles, area and surface area, volume of cubes, right prisms, and cylinders</p> <p>7.GSR.5: Solve practical problems involving angle measurement, circles, area of circles, surface area of prisms and cylinders, and volume of cylinders and prisms composed of cubes and right prisms.</p>	
<p>Expectations</p>	
<p>7.GSR.5.1 Measure angles in whole non-standard units.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be able to recognize angles as geometric shapes formed when two rays share a common endpoint. In previous grades, students learned to draw and measure right, acute, and obtuse angles. To understand measurement, students should measure in non-standard units, such as unit angles or wedges, before being introduced to tools with abstract units such as degrees. Students should also be able to explore this learning objective by investigating angles within circles. <p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should be able to use a 180° protractor to draw or measure an angle to the nearest whole degree. <p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use hand-held and virtual protractors. Student should be able to use angle measurement tools that help them connect non-standard units (wedges, unit angles, etc.) to standard units of angle measurement (degrees).
<p>7.GSR.5.2 Measure angles in whole number degrees using a protractor.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> In previous grades, students measured angles in reference to a circle with the center at the common endpoint of two rays. They should be able to use this knowledge to determine an angle's measure in relation to the 360°. <p>Examples</p> <ul style="list-style-type: none"> Students may be given angles to find precise measurements of angles. Here is an example of how students may use a protractor and measurement reasoning to determine precise angle measurements.

7.GSR.5.6	Solve realistic problems involving surface area of right prisms and cylinders.	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Students should solve problems involving surface areas of prisms with triangles, rectangles, and other polygons as bases. Students are not expected to memorize formulas to solve problems involving surface area. <p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have an opportunity to solve single to multi-step authentic, mathematical problems. Students should have opportunities to apply knowledge of the area of triangles, rectangles, and other polygons to solve problems involving surface area of prisms. Students should have opportunities to discover the surface area of a cylinder by decomposing the figure into circles and rectangles. Students should use geometric and spatial reasoning to solve problems involving surface area. 	<p>Terminology</p> <ul style="list-style-type: none"> Cylinder – any three-dimensional figure with two congruent, opposite faces called bases connected by adjacent curved or flat faces (bases can include circles, triangles, rectangles, or other shapes). The bases can be connected by two lines that are parallel to each other. Right prism – any three-dimensional figure with two polygons for bases that are opposite, congruent, and perpendicular to the adjacent faces <p>The inclusive definition of a cylinder classifies prisms as special types of cylinders used to derive formulas that apply to all types of cylinders and prisms alike (Van de Walle, Karp, & Bay-Williams, 2010).</p> <p>All prisms are cylinders, but not all cylinders are prisms (Van de Walle, Karp, Lovett & Bay-Williams, 2010).</p>	<p>Example</p> <ul style="list-style-type: none"> Cole is planning to cover a cylindrical drum in leather. The diameter of the drum is 10 inches, and its height is 16 inches. What is the minimum amount of leather Cole will need? 
7.GSR.5.7	Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in the plane sections of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres.	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Cross-sections should be limited to horizontal and vertical slices. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have opportunities to explore models of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres that can be sliced. Students should determine the different planes that can be created with the slices. 	<p>Terminology</p> <ul style="list-style-type: none"> Cylinder – any three-dimensional figure with two congruent, opposite faces called bases connected by adjacent curved or flat
7.GSR.5.8	Explore volume as a measurable attribute of cylinders and right prisms. Find the volume of these geometric figures using concrete problems.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should apply knowledge of cross sections as a strategy for revealing a base of cylinders including right prisms. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should conclude the resulting two-dimensional shape created after the slice is not the entire three-dimensional shape that remains. In seventh grade, cross sections should be limited to horizontal and vertical slices. 	<p>Terminology</p> <ul style="list-style-type: none"> Prism – a solid figure that has the same cross section all along its length
				<p>Examples</p> <ul style="list-style-type: none"> Identical toy building cubes were used to make the stacks shown below. 

	<ul style="list-style-type: none"> Students should apply reasoning about the volume of rectangular prisms to explore the volume of cylinders and other three-dimensional objects composed of cubes and right prisms. Students should apply their knowledge of area of a circle when finding the volume of a cylinder. Students should use the formula Volume = area of the base times height or $V = B \times h$ to find the volume of a cylinder. 	<p>faces (bases can include circles, triangles, rectangles, or other shapes). The bases can be connected by two lines that are parallel to each other.</p> <p>Right prism – any three-dimensional figure with two polygons for bases that are opposite, congruent, and perpendicular to the adjacent faces.</p>	<p>cylinders. Right circular cylinders are three-dimensional solid figures with two congruent, parallel, circular bases that are connected by a curved face that is perpendicular to each base.</p> <ul style="list-style-type: none"> The inclusive definition of a cylinder classifies prisms as special types of cylinders used to derive formulas that apply to all types of cylinders and prisms alike. (Van de Valle, et.al., 2010) All prisms are cylinders, but not all cylinders are prisms. (Van de Walle, Karp, Lovett & Bay-Williams, 2010) The formula for volume used in Grade 7 is $V = B$ (area of the base) $\times h$ (height), where B=area of the base, h = height. 	<p>Which stack takes up the least space?</p> <p>Which stack takes up the most space? Order the stacks from the one that takes up the least space to the one that takes up the most space.</p> <ul style="list-style-type: none"> A farmer is storing ground corn in a silo during the winter months. What is the maximum capacity of the cylindrical part of each silo that has a 20-foot diameter and a 55-foot height for which the farmer can store the ground corn? 
--	--	---	--	--

PROBABILITY REASONING – likelihood, theoretical and experimental probability

7.PR.6: Using mathematical reasoning, investigate chance processes and develop, evaluate, and use probability models to find probabilities of simple events presented in authentic situations.

Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)
<p>7.PR.6.1 Represent the probability of a chance event as a number between 0 and 1 that expresses the likelihood of the event occurring. Describe that a probability near 0 indicates an unlikely event, a probability around $\frac{1}{2}$ indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to represent the probability as a fraction, decimal numbers or percentage. <p>Terminology</p> <ul style="list-style-type: none"> Descriptions may include impossible, unlikely, equally likely, likely, and certain.
<p>7.PR.6.2 Approximate the probability of a chance event by collecting data on an event and observing its long-run relative frequency will approach the theoretical probability.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to predict the approximate, relative frequency given the theoretical probability. <p>Example</p> <ul style="list-style-type: none"> When rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.
<p>7.PR.6.3 Develop a probability model and use it to find probabilities of simple events. Compare experimental and theoretical probabilities of events. If the probabilities are not close, explain possible sources of the discrepancy.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Probability models may include various random generation devices including, but not limited to, bag pulls, spinners, number cubes, coin toss, and colored chips. Students should have multiple opportunities to collect data using physical objects, graphing calculators, or web-based simulations. <p>Example</p> <ul style="list-style-type: none"> If a student is selected at random from a class, find the probability a student with long hair will be selected.
<p>7.PR.6.4 Develop a uniform probability model by assigning equal probability to all outcomes and use the model to determine probabilities of events.</p>	<p>Terminology</p> <ul style="list-style-type: none"> Uniform probability models are those where the likelihood of each outcome is equal. <p>Examples</p> <ul style="list-style-type: none"> Find the approximate probability of each outcome in a spinner with unequal sections. Find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?
<p>7.PR.6.5 Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use side by side bar graphs or segmented bar graphs to compare categorical data distributions <p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> Limit category counts to be less than or equal to ten. <p>Example</p> <ul style="list-style-type: none"> Compare the heights of the basketball and tennis teams.

	<p>informal inferences about two samples or populations.</p> <ul style="list-style-type: none"> ● of samples from two populations. ● Students should compare data of two samples or populations displayed in box plots and dot plots to make inferences using probabilistic reasoning. ● Students should be able to draw inferences using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation and interquartile range) from random samples. ● Conclusions should be made related to a population, using a random sample, by describing a distribution using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation, and interquartile range). ● Students should be given multiple opportunities to compare quantitative data distributions of samples from two populations. 	<ul style="list-style-type: none"> ● Limit quantitative variables to less than or equal to 20. <p>Basketball team's heights (in inches): 72, 75, 76, 76, 79, 79, 80, 80, 81, 81, 81</p> <p>Tennis team's height (in inches): 67, 67, 68, 70, 70, 71, 72, 75, 76, 76, 77</p> <p>1) How much taller is the basketball team than the tennis team?</p> <p>2) Two students are trying out for the basketball team. What is the probability their height will be greater than 79 inches?</p>
--	---	---

7th Grade: Create statistical investigative questions that can be answered using quantitative data, collect data through **random sampling** to make **inferences about population distributions** using **data distributions**, and interpret data to answer statistical investigative questions.

Ask	Collect	Analyze	Interpret
Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.	<p>Use statistical reasoning and methods to predict characteristics of a population by examining the characteristics of a representative sample. Recognize the potential limitations and scope of the sample to the population.</p> <p>Analyze sampling methods and conclude that random sampling produces and supports valid inferences.</p>	<p>Use data from repeated random samples to evaluate how much a sample mean is expected to vary from a population mean. Simulate multiple samples of the same size.</p>	<p>Use appropriate graphical displays and numerical summaries from data distributions with categorical or quantitative (numerical) variables to draw informal inferences about two samples or populations.</p>

Instructional Supports

- Students should have opportunities to create and answer statistical investigative questions about a population by collecting data from a representative sample, using random sampling techniques to collect the data.
- Students should have opportunities to critique examples of sampling techniques. Students should conclude when conditions of sampling methods may be biased, random, and not representative of the population. Students should use sample data collected to draw inferences.
- Students should use side by side bar graphs or segmented bar graphs to compare categorical data distributions of samples from two populations. Students should compare data of two samples or populations displayed in box plots and dot plots to make inferences.
- Students should be able to draw inferences using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation and interquartile range) from random samples. Conclusions should be made related to a population, using a random sample, by describing a distribution using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation, and interquartile range).

8th Grade: Create statistical investigative questions that can be answered using quantitative data. Collect, analyze, and interpret patterns of bivariate data and interpret linear models to answer statistical questions and solve real problems.

Ask	Collect	Analyze	Interpret
Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.	<p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p>	<p>Construct and interpret scatter plots for bivariate quantitative data to investigate patterns of association between two quantities.</p> <p>Explain the meaning of the predicted slope (rate of change) and the predicted intercept (constant term) of a linear model in the context of the data.</p>	<p>Show that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, visually fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line of best fit.</p> <p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p> <p>Use appropriate graphical displays from data distributions involving lines of best fit to draw informal inferences and answer the statistical investigative question posed in an unbiased statistical study.</p>

Instructional Supports

- Students should be able to use statistical reasoning to describe patterns of association, such as clustering, outliers, positive or negative association, linear association, and nonlinear association through the analysis of data presented in multiple ways.
- Students should be given opportunities to analyze the data distribution displayed graphically to answer the statistical investigative question generated from a real situation.
- Students should solve practical, linear problems involving situations using bivariate quantitative data. A linear model shows the relationship between two variables in a data set, such as lines of best fit. Students should discover the line of best fit as the one that comes closest to most of the data points and shows the linear relationship between two variables in a data set.
- It is important to indicate 'predicted' slope to indicate this is a probabilistic interpretation in context, and not deterministic.

COMPUTATIONAL STRATEGIES FOR WHOLE NUMBERS

Mathematics Place-Value Strategies and US Traditional Algorithms

Specific mathematics strategies for teaching and learning are not mandated by the Georgia Department of Education or assessed on state or federally mandated tests. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen. [These standards preserve and affirm local control and flexibility.](#)

In mathematics, the emphasis is on the reasoning and thinking about the quantities within mathematical contexts. Algorithms, tape diagrams (bar models), and number line representations are a few examples of ways that students communicate their strategic thinking in a written form.

Addition Example: $1573 + 796$		
US Traditional Algorithm:	Description:	Place Value Algorithm:
$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline 2 & 3 & 6 & 9 \end{array} $	<p>Description:</p> <p>As students make sense of and use addition strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding on in parts, estimation and compensation, and friendly numbers to communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!</p>	$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline & & & 9 \\ & & 1 & 6 & 0 \\ + & 1 & 2 & 0 & 0 \\ + & 1 & 0 & 0 & 0 \\ \hline 2 & 3 & 6 & 9 \end{array} $
Number Line Representation:		
		

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Subtraction Example: 2145 - 178

US Traditional Algorithm:

$$\begin{array}{r}
 & 0 & 13 & 15 \\
 2 & 1 & 4 & 5 \\
 - & 1 & 7 & 8 \\
 \hline
 1 & 9 & 6 & 7
 \end{array}$$

Description:

As students make sense of and use subtraction strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding up, counting back in chunks, and same difference and communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!


Place Value Algorithm:

$$\begin{array}{r}
 2000 & 100 & 40 & 5 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 100 & 130 & 15
 \end{array}$$

$$\begin{array}{r}
 1900 & 100 & 0 & 60 & 7 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 0 & 60 & 7
 \end{array}$$

$1900 + 0 + 60 + 7 = 1967$

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Multiplication Example: 25×24

US Traditional Algorithm:

$$\begin{array}{r}
 & 1 \\
 & 2 \\
 25 & \\
 \times & 24 \\
 \hline
 100 \\
 + & 500 \\
 \hline
 600
 \end{array}$$


Description:

As students make sense of and use multiplication strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Students are encouraged to use strategies such as partial products, friendly numbers, and a combination of known facts to determine solutions to new problems. It is also important for students to maintain the ability to choose which part-whole strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!

Place Value Algorithm:

$$\begin{array}{r}
 25 \\
 \times & 24 \\
 \hline
 400 & (20 \times 20) \\
 + & 100 & (20 \times 5) \\
 + & 80 & (4 \times 20) \\
 + & 20 & (4 \times 5) \\
 \hline
 600
 \end{array}$$

Area Representation (Partial Products):




$$(5 \times 4) + (5 \times 20) + (20 \times 4) + (20 \times 20) = (25 \times 24)$$

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Division Example: $1917 \div 9$

US Traditional Algorithm:




Description:

As students make sense of and use division strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities. Students are encouraged to use strategies such as partial quotients, friendly numbers, and repeated subtraction to determine solutions to new problems. It is also important for students to maintain the ability to choose which strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!


Place Value Algorithm:

9	1 9 1 7	
	- 1 8 0 0	200
	1 1 7	
	- 9 0	+ 10
	2 7	
	- 2 7	+ 3
	0	213

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.



GEORGIA'S K-12 MATHEMATICS STANDARDS 2021

Governor Kemp and Superintendent Woods are committed to the best set of academic standards for Georgia's students – laying a strong foundation of the fundamentals, ensuring age- and developmentally appropriate concepts and content, providing instructional supports to set our teachers up for success, protecting and affirming local control and flexibility regarding the use of mathematical strategies and methods, and preparing students for life. These Georgia-owned and Georgia-grown standards leverage the insight, expertise, experience, and efforts of thousands of Georgians to deliver the very best educational experience for Georgia's 1.7 million students.

In August 2019, Governor Brian Kemp and State School Superintendent Richard Woods announced the review and revision of Georgia's K-12 mathematics standards. Georgians have been engaged throughout the standards review and revision process through public surveys and working groups. In addition to educator working groups, surveys, and the Academic Review Committee, Governor Kemp announced a new way for Georgians to provide input on the standards: the Citizens Review Committee, a group composed of students, parents, business and community leaders, and concerned citizens from across the state. Together, these efforts were undertaken to ensure Georgians will have buy-in and faith in the process and product.

The Citizens Review Committee provided a charge and recommendations to the working groups of educators who came together to craft the standards, ensuring the result would be usable and friendly for parents and students in addition to educators. More than 14,000 Georgians participated in the state's public survey from July through September 2019, providing additional feedback for educators to review. The process of writing the standards involved more than 200 mathematics educators -- from beginning to veteran teachers, representing rural, suburban, and metro areas of our state.

Grade-level teams of mathematics teachers engaged in deep discussions; analyzed stakeholder feedback; reviewed every single standard, concept, and skill; and provided draft recommendations. To support fellow mathematics teachers, they also developed learning progressions to show when key concepts were introduced and how they progressed across grade levels, provided examples, and defined age/developmentally appropriate expectations.

These teachers reinforced that strategies and methods for solving mathematical problems are classroom decisions -- not state decisions -- and should be made with the best interest of the individual child in mind. These recommended revisions have been shared with the Academic Review Committee, which is composed of postsecondary partners, age/development experts, and business leaders, as well as the Citizens Review Committee, for final input and feedback.

Based on the recommendation of Superintendent Woods, the State Board of Education will vote to post the draft K-12 mathematics standards for public comment. Following public comment, the standards will be recommended for adoption, followed by a year of teacher training and professional learning prior to implementation.

Use of Mathematical Strategies and Methods & Affirming Local Control

These standards preserve and affirm local control and flexibility regarding the use of the “standard algorithm” and other mathematical strategies and methods. Students have the right to use any strategy that produces accurate computations, makes sense, and is appropriate for their level of understanding.

Therefore, the wording of these standards allows for the “standard algorithm” as well as other cognitive strategies deemed developmentally appropriate for each grade level. Revised state tests will not measure the students’ use of specific mathematical strategies and methods, only whether students understand the key mathematical skills and concepts in these standards.

Teachers are afforded the flexibility to support the individual needs of their students. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen.

Georgia's K-12 Mathematics Standards – 2021
Mathematics Big Ideas and Learning Progressions, 6-8

Mathematics Big Ideas, 6-8

5	6	7	8	HS Algebra: Concepts & Connections	Geometry: Concepts & Connections
MATHEMATICAL PRACTICES & MODELING					
DATA & STATISTICAL REASONING					
NUMERICAL REASONING (NR)					
PATTERNING & ALGEBRAIC REASONING (PAR)					
FUNCTIONAL & GRAPHICAL REASONING (FGR)					
GEOMETRIC & SPATIAL REASONING (GSR)					
PROBABILISTIC REASONING (PR)					

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts				HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
	5	6	7		
NUMERICAL REASONING					
Numbers (rational numbers and irrational numbers)	<ul style="list-style-type: none"> Multi-digit whole numbers Fractions with unlike denominators Fractions greater than 1 Decimal numbers to thousandths Powers of 10 to 10^3 	<ul style="list-style-type: none"> Rational numbers as a concept <ul style="list-style-type: none"> Integers Fractions Decimal numbers 	<ul style="list-style-type: none"> All rational numbers Simple probability 	<ul style="list-style-type: none"> All rational numbers Scientific notation Numerical expressions with integer exponents Use appropriate counting strategies to approximate rational and irrational numbers (radicals) on a number line 	<ul style="list-style-type: none"> All rational numbers Operations with radicals All numbers in The Real Number System
Computational Fluency	<ul style="list-style-type: none"> Add & subtract fractions with unlike denominators Add and subtract decimal numbers to the hundredths place Multiply & divide multi-digit whole numbers Multiply fractions and whole numbers Divide unit fractions and whole numbers Reason about multiplying by a fraction $>$, $<$, or $= 1$ 	<ul style="list-style-type: none"> All operations with whole numbers, fractions, and decimal numbers Write & evaluate numerical expressions Convert fractions with denominators of 2, 4, 5 and 10 to the decimal notation 	<ul style="list-style-type: none"> Operations with rational numbers Rational numbers Convert fractions with all denominators to decimal numbers 	<ul style="list-style-type: none"> Operations with real numbers (rational and irrational) Scientific notation in real situations seen in everyday life Expressions with integer exponents 	<ul style="list-style-type: none"> Operations with irrational numbers Multiplication of irrational numbers
Comparisons	<ul style="list-style-type: none"> Decimal fractions to thousandths place Fractions greater than 1 	<ul style="list-style-type: none"> Integers Unit rates Ratios Numerical data distributions Measures of variation Absolute value Display and analyze categorical and quantitative (numerical) data 	<ul style="list-style-type: none"> Rational numbers Probabilities Random sampling 	<ul style="list-style-type: none"> Rational and irrational numbers (radicals) Compare proportional relationships presented in different ways 	<ul style="list-style-type: none"> Rate of change (slope) Intercept Distributions of two or more data sets

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	5		6		HS Geometry: Concepts & Connections
	HS Algebra: Concepts & Connections	8	7	HS Algebra: Concepts & Connections	
PATTERNING & ALGEBRAIC REASONING					
Patterns	<ul style="list-style-type: none"> Generate two numerical patterns from a given rule Identify relationships using a table 	<ul style="list-style-type: none"> Greatest common factor & least common multiple 	<ul style="list-style-type: none"> Constant of proportionality 	<ul style="list-style-type: none"> Integer exponents and perfect cubes 	<ul style="list-style-type: none"> Arithmetic sequences Geometric sequences
Expressions	<p>Numerical Reasoning</p> <ul style="list-style-type: none"> Simple numerical expressions involving whole numbers with or without grouping symbols Express fractions as division problems 	<ul style="list-style-type: none"> Write, analyze, and evaluate numerical and algebraic expressions Identify, generate, and evaluate algebraic expressions Identify like terms in an algebraic expression 	<ul style="list-style-type: none"> Add, subtract, factor & expand linear expressions Rewrite expressions Fluency with combining like terms in an algebraic expression Linear expressions with rational coefficients 	<ul style="list-style-type: none"> Expressions with integer exponents Linear expressions Operations with algebraic expressions 	<ul style="list-style-type: none"> Expressions of varying degrees Add, subtract, multiply single variable polynomials Adding, Subtracting and Multiplying Polynomials Factoring and expanding polynomials
Variable Equations & Inequalities		<ul style="list-style-type: none"> Write and solve one-step equations & inequalities 	<ul style="list-style-type: none"> Construct & solve multi-step algebraic equations and inequalities 	<ul style="list-style-type: none"> Analyze and solve linear equations and inequalities 	<ul style="list-style-type: none"> Exponential equations Quadratic equations Equations of parallel and perpendicular lines Analyze and solve linear inequalities
Ratios & Rates		<p>Numerical Reasoning with ratios and rates:</p> <ul style="list-style-type: none"> Concept of ratio and rate Equivalent ratios, percentages, unit rates Convert within measurement systems 	<ul style="list-style-type: none"> Compute unit rates associated with ratios of fractions Determine unit rates 	<ul style="list-style-type: none"> Interpret unit rate as the slope of a graph 	<ul style="list-style-type: none"> Side ratios of similar triangles Trigonometric ratios
Proportional Relationships			<ul style="list-style-type: none"> Use proportional relationships Solve multi-step ratio and percent problems Scale drawings of geometric figures Use similar triangles to explain slope 	<ul style="list-style-type: none"> Convert units and rates given a conversion factor 	<ul style="list-style-type: none"> Equations involving geometric measurement
Graphing	<ul style="list-style-type: none"> Plot order pairs in first quadrant 	<ul style="list-style-type: none"> Plot order pairs in all four quadrants Show rational numbers on a number line Draw polygons on a coordinate grid Find the side length of a polygon graphed on the coordinate plane (same x- or y- coordinate) 	<ul style="list-style-type: none"> Proportional relationships 	<ul style="list-style-type: none"> Linear functions Comparing linear and non-linear functions Systems of linear equations (including parallel and perpendicular) Linear inequalities Analyze data distributions 	<ul style="list-style-type: none"> Equations of circles in standard form Linear functions with function notation Exponential functions Quadratic functions Systems of linear inequalities

6-8 MATHEMATICS: LEARNING PROGRESSIONS

Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections	HS Geometry: Concepts & Connections
Function Families	FUNCTIONAL & GRAPHICAL REASONING					
Shapes & Properties	<p>GEOMETRIC & SPATIAL REASONING</p> <ul style="list-style-type: none"> Measure angles using non-standard and standard tools Write & solve equations using supplementary, complementary, vertical, and adjacent angles 				<ul style="list-style-type: none"> Linear functions with function notation Parent graphs of function families Exponential functions Quadratic functions 	
					<ul style="list-style-type: none"> Develop and use precise definitions to prove theorems and solve geometric problems Prove slope criteria for parallel and perpendicular lines Transform polygons using rotations, reflections, dilations, and translations. Congruence and transformations Triangle congruence Use congruence to prove relationships in geometric figures Similarity and dilations Similar triangles Use similarity to prove relationships in geometric figures Formal proofs & theorems about triangles Trigonometric ratios (Sin, Cos, & Tan) 	

6-8 MATHEMATICS: LEARNING PROGRESSIONS					
Key Concepts	5	6	7	8	HS Algebra: Concepts & Connections
GEOMETRIC & SPATIAL REASONING (cont.)					
Geometric Measurement	<ul style="list-style-type: none"> Volume of right rectangular prisms 	<ul style="list-style-type: none"> Area of triangles, quadrilaterals, and polygons Surface area Volume of right rectangular prisms with fractional edge lengths 	<ul style="list-style-type: none"> Relationship between parts of a circle Area & circumference of a circle Area and surface area of figures decomposed into triangles, quadrilaterals & circles Volume of cubes, right prisms & cylinders 	<ul style="list-style-type: none"> Pythagorean Theorem to determine distance between two points Volume of cones, cylinders, and spheres 	<ul style="list-style-type: none"> Use distance formula, midpoint formula, and slope to calculate perimeter and area of triangles and quadrilaterals Approximate density of irregular objects
Probability					<p>PROBABILITY REASONING</p> <ul style="list-style-type: none"> Represent probability Approximate probability Develop probability models (uniform & not uniform) Find probabilities of simple events <p>CATEGORICAL DATA & TWO-WAY FREQUENCY TABLES</p> <ul style="list-style-type: none"> Interpret probabilities in context

8th Grade

The eight standards listed below are the key content competencies students will be expected to master in eighth grade. Additional clarity and details are provided through the classroom-level learning objectives and evidence of student learning details for each grade-level standard found on subsequent pages of this document. As teachers are planning instruction and assessing mastery of the content at the grade level, the focus should remain on the key competencies listed in the table below.

EIGHTH GRADE STANDARDS

- 8.MP:** Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.
- 8.NR.1:** Solve problems involving irrational numbers and rational approximations of irrational numbers to explain realistic applications.
- 8.NR.2:** Solve problems involving radicals and integer exponents including relevant application situations; apply place value understanding with scientific notation and use scientific notation to explain real phenomena.
- 8.PAR.3:** Create and interpret expressions within relevant situations. Create, interpret, and solve linear equations and linear inequalities in one variable to model and explain real phenomena.
- 8.PAR.4:** Show and explain the connections between proportional and non-proportional relationships, lines, and linear equations; create and interpret graphical mathematical models and use the graphical, mathematical model to explain real phenomena represented in the graph.
- 8.FGR.5:** Describe the properties of functions to define, evaluate, and compare relationships, and use functions and graphs of functions to model and explain real phenomena.
- 8.FGR.6:** Solve practical, linear problems involving situations using bivariate quantitative data.
- 8.FGR.7:** Justify and use various strategies to solve systems of linear equations to model and explain realistic phenomena.
- 8.GSR.8:** Solve contextual, geometric problems involving the Pythagorean Theorem and the volume of geometric figures to explain real phenomena.

Georgia's K-12 Mathematics Standards - 2021

8TH Grade

NUMERICAL REASONING – rational and irrational numbers, decimal expansion, integer exponents, square and cube roots, scientific notation			
8.NR.1: Solve problems involving irrational numbers and rational approximations of irrational numbers to explain realistic applications.			
Expectations	Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)		
8.NR.1.1 Distinguish between rational and irrational numbers using decimal expansion. Convert a decimal expansion which repeats eventually into a rational number.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be provided with experiences to use numerical reasoning when describing decimal expansions. Students should be able to classify real numbers as rational or irrational. Students should know that when a square root of a positive integer is not an integer, then it is irrational. Students should use prior knowledge about converting fractions to decimals learned in 6th and 7th grade to connect changing decimal expansion of a repeating decimal into a fraction and a fraction into a repeating decimal. Emphasis is placed on how all rational numbers can be written as an equivalent decimal. The end behavior of the decimal determines the classification of the number. 	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> This specific example is limited to the tenths place; however, the concept for this grade level extends to the hundredths place. 	<p>Terminology</p> <ul style="list-style-type: none"> Rational numbers are those with decimal expansions that terminate in zeros or eventually repeat. Irrational numbers are non-terminating, non-repeating decimals. <p>Example</p> <ul style="list-style-type: none"> Change $0.\overline{4}$ to a fraction <ol style="list-style-type: none"> Let $x = 0.4444444\ldots$ Multiply both sides so that the repeating digits will be in front of the decimal. In this example, one digit repeats so both sides are multiplied by 10, giving $10x = 4.4444444\ldots$ Subtract the original equation from the new equation. $\begin{aligned} 10x &= 4.4444444\ldots \\ x &= 0.44444\ldots \\ 9x &= 4 \end{aligned}$ <p>4. Solve the equation to determine the equivalent fraction.</p> $\begin{aligned} 9x &= 4 \\ x &= 4/9 \end{aligned}$
8.NR.1.2 Approximate irrational numbers to compare the size of irrational numbers, locate them approximately on a number line, and estimate the value of expressions.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use visual models and numerical reasoning to approximate irrational numbers. 	<p>Example</p> <ul style="list-style-type: none"> By estimating the decimal expansion of $\sqrt{17}$, show that $\sqrt{17}$ is between 4 and 5 and closer to 4 on a number line. 	

8.NR.2: Solve problems involving radicals and integer exponents including relevant application situations; apply place value understanding with scientific notation and use scientific notation to explain real phenomena.			
Expectations	Evidence of Student Learning		
	(not all inclusive; see Grade Level Overview for more details)		
8.NR.2.1 Apply the properties of integer exponents to generate equivalent numerical expressions.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use numerical reasoning to identify patterns associated with properties of integer exponents. The following properties should be addressed: product rule, quotient rule, power rule, power of a product rule, zero exponent rule, and negative exponent rule. 	<p>Example</p> $3^2 \times 3^{(-5)} = 3^{(-3)} = \frac{1}{(3^3)} = \frac{1}{27}$	
8.NR.2.2 Use square root and cube root symbols to represent solutions to equations. Recognize that $x^2 = p$ (where p is a positive rational number and $ x \leq 25$) has two solutions and $x^3 = p$ (where p is a negative or positive rational number and $ x \leq 10$) has one solution. Evaluate square roots of perfect squares ≤ 625 and cube roots of perfect cubes ≥ -1000 and ≤ 1000 .	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to find patterns within the list of square numbers and then with cube numbers. Students should be able to recognize that squaring a number and taking the square root of a number are inverse operations; likewise, cubing a number and taking the cube root are inverse operations. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Equations should include rational numbers such as $x^2 = \frac{1}{4}$. 	<p>Example</p> <ul style="list-style-type: none"> $\sqrt{64} = \sqrt{8^2} = 8$ and $\sqrt[3]{5^3} = 5$. Since $\sqrt[p]{p}$ is defined to mean the positive solution to the equation $x^p = p$ (when it exists). It is not mathematically correct to say $\sqrt{64} = \pm 8$ (as is a common misconception). In describing the solutions to $x^2 = 64$, students should write $x = \pm \sqrt{64} = \pm 8$.
8.NR.2.3 Use numbers expressed in scientific notation to estimate very large or very small quantities, and to express how many times as much one is than the other.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use the magnitude of quantities to compare numbers written in scientific notation to determine how many times larger (or smaller) one number written in scientific notation is than another. Students should have opportunities to compare numbers written in scientific notation in contextual, mathematical problems, including scientific situations. 	<p>Example</p> <ul style="list-style-type: none"> Estimate the population of the United States as 3×10^8 and the population of the world as 7×10^9 and determine that the world population is more than 20 times larger. 	
8.NR.2.4 Add, subtract, multiply and divide numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Interpret scientific notation that has been generated by technology (e.g., calculators or online technology tools).	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should use place value reasoning which supports the understanding of digits shifting to the left or right when multiplied by a power of 10. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students combine knowledge of integer exponent rules and scientific notation to perform operations with numbers expressed in scientific notation. Students should solve realistic problems involving scientific notation. 	




PATTERNING & ALGEBRAIC REASONING – expressions, linear equations, and inequalities			
8.PAR.3: Create and interpret expressions within relevant situations. Create, interpret, and solve linear equations and linear inequalities in one variable to model and explain real phenomena.			
Expectations	Evidence of Student Learning		
8.PAR.3.1 Interpret expressions and parts of an expression, in context, by utilizing formulas or expressions with multiple terms and/or factors.	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should build on their prior knowledge of understanding the parts of an expression to extend their understanding to more complex expressions with multiple terms and/or factors. 	<p>Terminology</p> <ul style="list-style-type: none"> Parts of an expression include terms, factors, coefficients, and operations. 	
8.PAR.3.2 Describe and solve linear equations in one variable with one solution ($x = a$), infinitely many solutions ($a = a$), or no solutions ($a = b$). Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers).	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use algebraic reasoning in their descriptions of the solutions to linear equations. Building upon skills from Grade 7, students combine like terms on the same side of the equal sign and use the distributive property to simplify the equation when solving. Emphasis in this standard is also on using rational coefficients. Solutions of certain equations may elicit infinitely many or no solutions. 		
8.PAR.3.3 Create and solve linear equations and inequalities in one variable within a relevant application.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use algebraic reasoning in their descriptions of the solutions to linear equations. Include linear equations and inequalities with rational number coefficients and whose solutions require expanding expressions using the distributive property and collecting like terms. 		
8.PAR.3.4 Using algebraic properties and the properties of real numbers, justify the steps of a one-solution equation or inequality.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should justify their own steps, or if given two or more steps of an equation, explain the progression from one step to the next using properties. 		
8.PAR.3.5 Solve linear equations and inequalities in one variable with coefficients represented by letters and explain the solution based on the contextual mathematical situation.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use algebraic reasoning to solve linear equations and inequalities in one variable. 	<p>Example</p> <ul style="list-style-type: none"> Given $ax + 3 = 7$, solve for x. 	
8.PAR.3.6 Use algebraic reasoning to fluently manipulate linear and literal equations expressed in various forms to solve relevant, mathematical problems.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> To achieve fluency, students should be able to choose flexibly among methods and strategies to solve mathematical problems accurately and efficiently. Students should rearrange formulas to highlight a quantity of interest using the same reasoning as in solving equations. Interpret and explain the results. 	<p>Example</p> <ul style="list-style-type: none"> Find the radius given the formula $V = \pi r^2 h$ by rearranging the equation to solve for the radius, r. 	

8.PAR.4: Show and explain the connections between proportional and non-proportional relationships, lines, and linear equations; create and interpret graphical mathematical models and use the graphical, mathematical model to explain real phenomena represented in the graph.			
Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
8.PAR.4.1	<p>Use the equation $y = mx$ (proportional) for a line through the origin to derive the equation $y = mx + b$ (non-proportional) for a line intersecting the vertical axis at b.</p>	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be given opportunities to explore how an equation in the form $y = mx + b$ is a translation of the equation $y = mx$. In Grade 7, students had multiple opportunities to build a conceptual understanding of slope as they made connections to unit rate and analyzed the constant of proportionality for proportional relationships. Students should be given opportunities to explore and generalize that two lines with the same slope but different intercepts, are also translations of each other. Students should be encouraged to attend to precision when discussing and defining b (i.e., b is not the intercept; rather, b is the y-coordinate of the y-intercept). Students must understand that the x-coordinate of the y-intercept is always 0. 	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be given the opportunity to explore and discover the effects on a graph as the value of the slope and y-intercept changes using technology. <p>Example</p> <ul style="list-style-type: none"> The business model for a company selling a service with no flat cost charges \$3 per hour. What would the equation be as a proportional equation? If the company later decides to charge a flat rate of \$10 for each transaction with the same per hour cost, what would be the new equation? How do these two equations compare when analyzed graphically? What is the same? What is different? Why?
8.PAR.4.2	<p>Show and explain that the graph of an equation representing an applicable situation in two variables is the set of all its solutions plotted in the coordinate plane.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should use algebraic reasoning to show and explain that the graph of an equation represents the set of all its solutions. Students continue to build upon their understanding of proportional relationships, using the idea that one variable is conditioned on another. Students should relate graphical representations to contextual, mathematical situations. Students should use tables to relate solution sets to graphical representations on the coordinate plane. 	

FUNCTIONAL & GRAPHICAL REASONING –relate domain to linear functions, rate of change, linear vs. nonlinear relationships, graphing linear functions, systems of linear equations, parallel and perpendicular lines


8.FGR.5: Describe the properties of functions to define, evaluate, and compare relationships, and use functions and graphs of functions to model and explain real phenomena.

Expectations		Evidence of Student Learning <i>(not all inclusive; see Grade Level Overview for more details)</i>	
8.FGR.5.1	Show and explain that a function is a rule that assigns to each input exactly one output.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to use algebraic reasoning when formulating an explanation or justification regarding whether or not a relationship is a function or not a function. Describe the graph of a function as the set of ordered pairs consisting of an input and the corresponding output. 	<p>Examples</p> <ul style="list-style-type: none"> The function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line. Examples such as this can be used to help students learn that graphs can tell stories.
8.FGR.5.2	Within realistic situations, identify and describe examples of functions that are linear or nonlinear. Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to model practical situations using graphs and interpret graphs based on the situations. Students should model functions that are nonlinear and explain, using precise mathematical language, how to tell the difference between linear (functions that graph into a straight line) and nonlinear functions (functions that do not graph into a straight line). Students should analyze a graph by determining whether the function is increasing or decreasing, linear or non-linear. Students should have the opportunity to explore a variety of graphs including time/distance graphs and time/velocity graphs. 	<p>Examples</p> <ul style="list-style-type: none"> The function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line. Students learn that graphs can tell stories.
8.FGR.5.3	Relate the domain of a linear function to its graph and where applicable to the quantitative relationship it describes.	<p>Example</p> <ul style="list-style-type: none"> If the function $h(n)$ gives the number of hours it takes a person to assemble n engines in a factory, then the set of positive integers would be an appropriate domain for the function. 	
8.FGR.5.4	Compare properties (rate of change and initial value) of two functions used to model an authentic situation each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	<p>Example</p> <ul style="list-style-type: none"> Given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. 	
8.FGR.5.5	Write and explain the equations $y = mx + b$ (slope-intercept form), $Ax + By = C$ (standard form), and $(y - y_1) = m(x - x_1)$ (point-slope form) as defining a linear function whose graph is a straight line to reveal and explain different properties of the function.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to rewrite linear equations written in different forms depending on the given situation. 	<p>Terminology</p> <ul style="list-style-type: none"> Forms of linear equations: standard, slope-intercept, and point-slope forms.

<p>8.FGR.5.6 Write a linear function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Problems should be practical and applicable to represent real situations, providing a purpose for analyzing equivalent forms of an expression. Rewrite a function expressed in standard form to slope-intercept form to make sense of a meaningful situation. 			
<p>8.FGR.5.7 Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x,y) values, including reading these from a table or from a graph.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> This learning objective also includes verbal descriptions and scenarios of equations, tables, and graphs. 			
<p>8.FGR.5.8 Explain the meaning of the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> This learning objective also includes verbal descriptions and scenarios of equations, tables, and graphs. 			
<p>8.FGR.5.9 Graph and analyze linear functions expressed in various algebraic forms and show key characteristics of the graph to describe applicable situations.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Use verbal descriptions, tables and graphs created by hand and/or using technology. 			
<p>8.FGR.6: Solve practical, linear problems involving situations using bivariate quantitative data.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #f2f2f2; padding: 5px;">Expectations</th> <th style="background-color: #f2f2f2; padding: 5px;">Evidence of Student Learning</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"> <p>8.FGR.6.1 Show that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, visually fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line of best fit.</p> </td> <td style="padding: 5px;"> <p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should discover the line of best fit as the one that comes closest to most of the data points. <p>Terminology</p> <ul style="list-style-type: none"> The line of best fit shows the linear relationship between two variables in a data set. <p>Example</p> <ul style="list-style-type: none"> Given a set of data points, a student creates a scatter plot (see below), approximates a line of best fit, and writes the equation for the approximated line.  </td> </tr> </tbody> </table>	Expectations	Evidence of Student Learning	<p>8.FGR.6.1 Show that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, visually fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line of best fit.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should discover the line of best fit as the one that comes closest to most of the data points. <p>Terminology</p> <ul style="list-style-type: none"> The line of best fit shows the linear relationship between two variables in a data set. <p>Example</p> <ul style="list-style-type: none"> Given a set of data points, a student creates a scatter plot (see below), approximates a line of best fit, and writes the equation for the approximated line. 
Expectations	Evidence of Student Learning			
<p>8.FGR.6.1 Show that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, visually fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line of best fit.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should discover the line of best fit as the one that comes closest to most of the data points. <p>Terminology</p> <ul style="list-style-type: none"> The line of best fit shows the linear relationship between two variables in a data set. <p>Example</p> <ul style="list-style-type: none"> Given a set of data points, a student creates a scatter plot (see below), approximates a line of best fit, and writes the equation for the approximated line. 			

<p>8.FGR.6.2 Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should solve practical, linear problems involving situations using bivariate quantitative data. 	<p>Terminology</p> <ul style="list-style-type: none"> It is important to indicate ‘predicted’ to indicate this is a <i>probabilistic</i> interpretation in context, and not <i>deterministic</i>. 	<p>Example</p> <ul style="list-style-type: none"> In a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.
<p>8.FGR.6.3 Explain the meaning of the predicted slope (rate of change) and the predicted intercept (constant term) of a linear model in the context of the data.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be given opportunities to analyze the data distribution displayed graphically to answer the statistical investigative question generated from a realistic situation. 	<p>Fundamentals</p> <ul style="list-style-type: none"> Students should be given opportunities to analyze the data distribution displayed graphically to answer the statistical investigative question generated from a realistic situation. 	
<p>8.FGR.6.4 Use appropriate graphical displays from data distributions involving lines of best fit to draw informal inferences and answer the statistical investigative question posed in an unbiased statistical study.</p>			
<p>8.FGR.7: Justify and use various strategies to solve systems of linear equations to model and explain realistic phenomena.</p>			
<p>Expectations</p>			
<p>(not all inclusive; see Grade Level Overview for more details)</p>			
<p>8.FGR.7.1 Interpret and solve relevant mathematical problems leading to two linear equations in two variables.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have a variety of opportunities to explore problems using technology and tools in order to strengthen their conceptual understanding of systems of linear equations as they visually analyze what happens when the variables are manipulated in the problem. 	<p>Evidence Of Student Learning</p> <ul style="list-style-type: none"> A trampoline park that you frequently go to is \$9 per visit. You have the option to purchase a monthly membership for \$30 and then pay \$4 for each visit. Explain whether you will buy the membership, and why. 	
<p>8.FGR.7.2 Show and explain that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because the points of</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be provided with opportunities to explore systems of equations represented on interactive graphs to analyze and interpret the solutions to the systems. Students should be able to analyze and explain solutions to systems of equations presented numerically, algebraically, and graphically. 	<p>Examples</p> <ul style="list-style-type: none"> Option A: $y = \\$9x$ Option B: $y = \\$30 + \\$4x$ Anya is travelling from out of town. This is the only time she will visit this trampoline park. Which option should she choose? Jin plans on going to the trampoline park seven times this month. Which option should he choose? What does the point of intersection of the graphs represent? 	

	intersection satisfy both equations simultaneously.	
8.FGR.7.3	Approximate solutions of two linear equations in two variables by graphing the equations and solving simple cases by inspection.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be provided with opportunities to explore systems of equations represented on interactive graphs to analyze and interpret the solutions to the systems. Students should have opportunities to analyze and explore problems using technology and tools to strengthen their conceptual understanding of systems of linear equations.
8.FGR.7.4	Analyze and solve systems of two linear equations in two variables algebraically to find exact solutions.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should be able to analyze and solve pairs of simultaneous linear equations (systems of linear equations) within realistic situations and an expressed phenomenon. Students should validate their graphical approximations using algebraic strategies. Students should use substitution and elimination to solve systems of linear equations.
8.FGR.7.5	Create and compare the equations of two lines that are either parallel to each other, perpendicular to each other, or neither parallel nor perpendicular.	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Students should have the opportunity to explore visual graphs of equations that are parallel, perpendicular or neither parallel nor perpendicular to develop a deep, conceptual understanding. As students are comparing parallelism and perpendicularity of lines, they should see the connection as a system of equations. Students should be able to explain if systems are consistent or inconsistent.

GEOMETRIC & SPATIAL REASONING – Pythagorean theorem and volume of triangles, rectangles, cones, cylinders, and spheres			
8.GSR.8: Solve geometric problems involving the Pythagorean Theorem and the volume of geometric figures to explain real phenomena.			
Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
8.GSR.8.1 <p>Explain a proof of the Pythagorean Theorem and its converse using visual models.</p>	Age/Developmentally Appropriate <ul style="list-style-type: none"> Students are not limited to a particular proof for the Pythagorean Theorem or its converse. 	Strategies and Methods <ul style="list-style-type: none"> Geometric and spatial reasoning should be used when explaining the Pythagorean Theorem. 	Example 
8.GSR.8.2 <p>Apply the Pythagorean Theorem to determine unknown side lengths in right triangles within authentic, mathematical problems in two and three dimensions.</p>	Age/Developmentally Appropriate <ul style="list-style-type: none"> Triangle dimensions may be rational or irrational numbers. 	Strategies and Methods <ul style="list-style-type: none"> Geometric and spatial reasoning should be used to solve problems involving the Pythagorean theorem. Models and drawings may be useful as students solve contextual problems in two- and three-dimensions. 	Example 
8.GSR.8.3 <p>Apply the Pythagorean Theorem to find the distance between two points in a coordinate system in practical, mathematical problems.</p>	Age/Developmentally Appropriate <ul style="list-style-type: none"> Students should apply their understanding of the Pythagorean Theorem to find the distance. Use of the distance formula is not an expectation for this grade level. 	Strategies and Methods <ul style="list-style-type: none"> Students should be provided opportunities to solve problems using a variety of strategies. 	Example <ul style="list-style-type: none"> There are two paths that Sarah can take when walking to school. One path is to take A Street from home to the traffic light and then walk on B street from the traffic light to the school, and the other way is for her to take C street directly to the school. How much shorter is the direct path along C Street?

	<p>To answer this question, students may use what they learned in 6th grade to find the distance between $(-12, 9)$ and $(-12, -2)$ representing A street and the distance between $(-12, -2)$ and $(16, -2)$ representing B street. Then, students could use those two distances to find the sum of the distances for the first path. Then, students can apply the Pythagorean theorem to determine the distance between the final two points, $(-12, 9)$ and $(16, -2)$ to determine the answer to the question.</p>	<p>Relevance and Application</p> <ul style="list-style-type: none"> Students should be given opportunities to find missing dimensions of a right circular cone (e.g., slant height, radius, etc.). Students should be able to make connections between the Pythagorean Theorem and solving relevant problems related to volume of cones.
8.GSR.8.4	<p>Age/Developmentally Appropriate</p> <ul style="list-style-type: none"> This learning objective is limited to right circular cones, right cylinders, and spheres. <p>Apply the formulas for the volume of cones, cylinders, and spheres and use them to solve in relevant problems.</p>	<p>Strategies and Methods</p> <ul style="list-style-type: none"> Given the volume, solve for an unknown dimension of the figure. Students will need to be able to express the answer in terms of pi and as a decimal approximation. Students should be able to use their knowledge of cube roots to solve for unknown dimensions of geometric figures.

7th Grade: Create statistical investigative questions that can be answered using quantitative data, collect data through **random sampling** to make **inferences about population distributions** using **data distributions**, and interpret data to answer statistical investigative questions.

Ask	Collect	Analyze	Interpret
Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.	<p>Use statistical reasoning and methods to predict characteristics of a population by examining the characteristics of a representative sample. Recognize the potential limitations and scope of the sample to the population.</p> <p>Analyze sampling methods and conclude that random sampling produces and supports valid inferences.</p>	<p>Use data from repeated random samples to evaluate how much a sample mean is expected to vary from a population mean. Simulate multiple samples of the same size.</p>	<p>Use appropriate graphical displays and numerical summaries from data distributions with categorical or quantitative (numerical) variables to draw informal inferences about two samples or populations.</p>

Instructional Supports

- Students should have opportunities to create and answer statistical investigative questions about a population by collecting data from a representative sample, using random sampling techniques to collect the data.
- Students should have opportunities to critique examples of sampling techniques. Students should conclude when conditions of sampling methods may be biased, random, and not representative of the population. Students should use sample data collected to draw inferences.
- Students should use side by side bar graphs or segmented bar graphs to compare categorical data distributions of samples from two populations. Students should compare data of two samples or populations displayed in box plots and dot plots to make inferences.
- Students should be able to draw inferences using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation and interquartile range) from random samples. Conclusions should be made related to a population, using a random sample, by describing a distribution using measures of central tendency (mean, median, mode) and/or variability (range, mean absolute deviation, and interquartile range).

8th Grade: Create statistical investigative questions that can be answered using quantitative data. Collect, analyze, and interpret patterns of bivariate data and interpret linear models to answer statistical questions and solve real problems.

Ask	Collect	Analyze	Interpret
Create a statistical investigative question that can be answered by gathering data from real situations and determine strategies for gathering data to answer the statistical investigative question.	<p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p>	<p>Construct and interpret scatter plots for bivariate quantitative data to investigate patterns of association between two quantities.</p> <p>Explain the meaning of the predicted slope (rate of change) and the predicted intercept (constant term) of a linear model in the context of the data.</p>	<p>Show that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, visually fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line of best fit.</p> <p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercepts.</p> <p>Use appropriate graphical displays from data distributions involving lines of best fit to draw informal inferences and answer the statistical investigative question posed in an unbiased statistical study.</p>

Instructional Supports

- Students should be able to use statistical reasoning to describe patterns of association, such as clustering, outliers, positive or negative association, linear association, and nonlinear association through the analysis of data presented in multiple ways.
- Students should be given opportunities to analyze the data distribution displayed graphically to answer the statistical investigative question generated from a real situation.
- Students should solve practical, linear problems involving situations using bivariate quantitative data. A linear model shows the relationship between two variables in a data set, such as lines of best fit. Students should discover the line of best fit as the one that comes closest to most of the data points and shows the linear relationship between two variables in a data set.
- It is important to indicate 'predicted' slope to indicate this is a probabilistic interpretation in context, and not deterministic.

COMPUTATIONAL STRATEGIES FOR WHOLE NUMBERS

Mathematics Place-Value Strategies and US Traditional Algorithms

Specific mathematics strategies for teaching and learning are not mandated by the Georgia Department of Education or assessed on state or federally mandated tests. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them. It is critical that teachers and parents remain partners to help each child grow to become a mathematically literate citizen. [These standards preserve and affirm local control and flexibility.](#)

In mathematics, the emphasis is on the reasoning and thinking about the quantities within mathematical contexts. Algorithms, tape diagrams (bar models), and number line representations are a few examples of ways that students communicate their strategic thinking in a written form.

Addition Example: $1573 + 796$		
US Traditional Algorithm:	Description:	Place Value Algorithm:
$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline 2 & 3 & 6 & 9 \end{array} $	<p>Description:</p> <p>As students make sense of and use addition strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding on in parts, estimation and compensation, and friendly numbers to communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!</p>	$ \begin{array}{r} 1 & 5 & 7 & 3 \\ + & 7 & 9 & 6 \\ \hline & & & 9 \\ & & 1 & 6 & 0 \\ + & 1 & 2 & 0 & 0 \\ + & 1 & 0 & 0 & 0 \\ \hline 2 & 3 & 6 & 9 \end{array} $
Number Line Representation:		
		

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Subtraction Example: 2145 - 178

US Traditional Algorithm:

$$\begin{array}{r}
 & 0 & 13 & 15 \\
 2 & 1 & 4 & 5 \\
 - & 1 & 7 & 8 \\
 \hline
 1 & 9 & 6 & 7
 \end{array}$$

Description:

As students make sense of and use subtraction strategies and algorithms, it is important for them to be given the flexibility to use a part-whole strategy such as place value partitioning, adding up, counting back in chunks, and same difference and communicate their thinking using a written recording of that strategy that is most comfortable for and makes sense to them. Students should be able to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Flexibility in thinking is key!


Place Value Algorithm:

$$\begin{array}{r}
 2000 & 100 & 40 & 5 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 100 & 130 & 15
 \end{array}$$

$$\begin{array}{r}
 1900 & 100 & 0 & 60 & 7 \\
 - & 100 & 70 & 8 \\
 \hline
 1900 & 0 & 60 & 7
 \end{array}$$

$1900 + 0 + 60 + 7 = 1967$

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Multiplication Example: 25×24

US Traditional Algorithm:

$$\begin{array}{r}
 & 1 \\
 & 2 \\
 25 & \\
 \times & 24 \\
 \hline
 100 \\
 + & 500 \\
 \hline
 600
 \end{array}$$


Description:

As students make sense of and use multiplication strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities presented in the mathematics number sentence and to attend to precision in their explanations. Students are encouraged to use strategies such as partial products, friendly numbers, and a combination of known facts to determine solutions to new problems. It is also important for students to maintain the ability to choose which part-whole strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!

Place Value Algorithm:

$$\begin{array}{r}
 25 \\
 \times & 24 \\
 \hline
 400 & (20 \times 20) \\
 + & 100 & (20 \times 5) \\
 + & 80 & (4 \times 20) \\
 + & 20 & (4 \times 5) \\
 \hline
 600
 \end{array}$$

Area Representation (Partial Products):




$$(5 \times 4) + (5 \times 20) + (20 \times 4) + (20 \times 20) = (25 \times 24)$$

It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.

Division Example: $1917 \div 9$

US Traditional Algorithm:




Description:

As students make sense of and use division strategies and algorithms, it is important for them to demonstrate a deep understanding of the relationship between the quantities. Students are encouraged to use strategies such as partial quotients, friendly numbers, and repeated subtraction to determine solutions to new problems. It is also important for students to maintain the ability to choose which strategy is best to communicate their mathematical thinking. Flexibility in thinking is key!

Place Value Algorithm:

9	1 9 1 7	
	- 1 8 0 0	200
	1 1 7	
	- 9 0	+ 10
	2 7	
	- 2 7	+ 3
	0	213

Number Line Representation:



It is important to note that the examples of strategies provided in the tables are not all inclusive. Students may solve problems in different ways and have the flexibility to choose a mathematical strategy that allows them to make sense of and strategically solve problems using efficient methods that are most comfortable for and makes sense to them.