AP Chemistry 2025-2026 Summer Review Pope High School

Dear AP Chemistry Students,

We are looking forward to the school year and the work we're going to do together.

This packet is meant to refresh or help instruct you on several things you will want to have firmly in mind for the start of school. We recommend that you review your Honors Chemistry notes and start looking at this material several weeks before school starts in the fall. If you have never had Chemistry before; online tutorials I like: Tyler DeWitt, The Organic Chemist, Khan Academy. There is a free textbook resource called OpenStax that has a Chemistry textbook you can use online.

Good luck and have a wonderful and productive summer! I'm looking forward to a fantastic year in AP Chemistry!

Sincerely,

Chris Smith

Polyatomic Ions (most you learned in Honors Chemistry, but the ones you didn't are bolded)

ild ions (most you learned in Honors Chemistry, but the ones you didn't are boided)			
-1	-2	-3	
C ₂ H ₃ O ₂ - acetate	SO ₄ ²⁻ sulfate	PO ₄ ³⁻ phosphate	
NO₃⁻ nitrate	SO ₃ ²⁻ sulfite	AsO ₄ ³⁻ arsenate	
NO ₂ - nitrite	CO ₃ ²⁻ carbonate	AsO ₃ ³⁻ arsenite	
CN ⁻ cyanide	C ₂ O ₄ ²⁻ oxalate		
OCN ⁻ cyanate	CrO ₄ ²⁻ chromate		
SCN ⁻ thiocyanate	Cr ₂ O ₇ ²⁻ dichromate		
MnO₄⁻ permanganate	S ₂ O ₃ ²⁻ thiosulfate		
OH- hydroxide	O ₂ ²⁻ peroxide		
HSO ₄ - bisulfate	SeO ₄ ²⁻ selenate		
HCO₃⁻ bicarbonate	HPO ₄ ² hydrogen phosphate	+1	
O ₂ - superoxide		NH ₄ + ammonium	
H ₂ PO ₄ - dihydrogen phosphate			
ClO ₄ - perchlorate *			
CIO ₃ - chlorate *			
ClO ₂ - chlorite *			
CIO- hypochlorite *			

^{*} Br, I, and F may be substituted

Strong Acids (for all practical purposes, all others are weak acids): HCl, HBr, HI, H₂SO₄, HNO₃, HClO₃, HClO₄

Strong Bases (for all practical purposes all others are weak): Group I hydroxides and Group II hydroxides (except Be(OH)₂ and Mg(OH)₂)

Ion	Solubility	Exceptions
NO ₃ ⁻	soluble	none
ClO ₄ ⁻	soluble	none
C1 ⁻	soluble	except Ag ⁺ , Hg ₂ ²⁺ , * Pb ²⁺
I-	soluble	except Ag ⁺ , Hg 2 ²⁺ , * Pb ²⁺
SO ₄ ²⁻	soluble	except Ca ²⁺ , Ba ²⁺ , Sr ²⁺ , Hg ²⁺ , Pb ²⁺ , Ag ⁺
CO ₃ ²⁻	insoluble	except Group IA and NH4 ⁺
PO ₄ ³⁻	insoluble	except Group IA and NH4+
OH-	insoluble	except Group IA, *Ca ²⁺ , Ba ²⁺ , Sr ²⁺
S ²⁻	insoluble	except Group IA, IIA and NH4 ⁺
Na ⁺	soluble	none
K ⁺	soluble	none
NH ₄ ⁺	soluble	none

Special Reactions

Metal

metal + acid \rightarrow salt + H_2 metal oxide + $H_2O \rightarrow$ metal hydroxide metal oxide + $CO_2 \rightarrow$ metal carbonate metal chloride + $O_2 \rightarrow$ metal chlorate

Nonmetal

nonmetal + $H_2O \rightarrow$ oxy-acid $SO_3 + H_2O \rightarrow H_2SO_4$ $SO_2 + H_2O \rightarrow H_2SO_3$ $N_2O_5 + H_2O \rightarrow 2 \ HNO_3$ $N_2O_3 + H_2O \rightarrow 2 \ HNO_2$ $P_2O_5 + 3H_2O \rightarrow 2 \ H_3PO_4$ $P_2O_3 + 3H_2O \rightarrow 2 \ H_3PO_3$

1. Nomenciature:		
Formula	Name	
1. P_4O_{10}		
2. <i>CaF</i> ₂		
$3. P_2 S_3$		
4	Carbon monoxide	
5.	Sodium hydride	
6.	Aluminum selenide	
7.	Xenon hexafluoride	
8	dinitrogen monoxide	
9. <i>KClO</i> ₃		
$10.Pb(OH)_{2}$		

11. $Ca(MnO4)_2$	
12. <i>N</i> ₂ <i>O</i> ₄	
13. $Ti(HPO4)_2$	
14	Manganese (VII) oxide
15	Francium dichromate
16	Copper (II) dihydrogen phosphate
17	Silver chromate
18	Ammonium oxalate
19. $(NH_4)_2SO_3$	
20. $Ni_3(PO_4)_2$	
21. $Fe(IO_2)_3$	
$22. NaBrO_2$	
23. <i>H</i> ₃ <i>PO</i> ₃	
24	Tartaric acid
25.	Hydrotellluric acid
26.	Mercury (I) nitrate
27.	Vanadium (V) oxide
28.	tetraphosphorous decaoxide
	ers ers grams ters kilograms d from silicon is 16.8 cm long and has a mass of 2.17 kg. The density of
silicon is 2.33 g/cm3. Wh Π r ² h, where r is the radi	nat is the diameter of the cylinder? (the volume of cylinder is given by us and h is the length)
III. How many significant 1. 1.92 mm	t figures are in each of the following?
2. 0.030100 kJ	
3. 6.022×10^{23} atoms	
4. 460.00 L	
5. 0.00036 cm3	
6. 100	
0. 100	

7. 1001 8. 0.001 9. 0.0101 Calculate the following to the correct number of significant figures.

- 10. 1.27 g / 5.296 cm3
- 11. 12.235 g / 1.01 L
- 12. 12.2 g + 0.38 g
- 13. 17.3 g + 2.785 g
- 14. 2.1 x 3.21
- 15. 200.1 x 120
- 16.17.6 + 2.838 + 2.3 + 110.77
- IV. Record the following in correct scientific notation:
- 1. 350,000,000 cal
- 2. 0.0000721 mol
- 3. 0.0000000809 Å
- 4. 765,400,000,000 atoms

V. Reactions

In each of the equations below, the reactants are written correctly. You must write the correct products and then balance the equation. Identify the type of chemical reaction before writing the products.

- 1. $CaCO_3 \rightarrow$
- $2. Al + O_2 \rightarrow$
- 3. $Fe + CuSO_4 \rightarrow$
- 4. $C_6H_{12} + O_2 \rightarrow$
- 5. $Zn + H_2SO_4 \rightarrow$
- 6. $Cl_2 + MgI_2 \rightarrow$
- 7. $NaOH \rightarrow$
- 8. $Fe + HCl \rightarrow$
- 9. $NaOH + H_3PO_4 \rightarrow$
- 10. $(NH_4)_2SO_4 + Ca(OH)_2 \rightarrow$
- 11. $AgNO_3 + K_2SO_4 \rightarrow$
- 12. $Mg(OH)_2 + H_3PO_4 \rightarrow$
- 13. $Na + H_2O \rightarrow$
- 14. $KClO_3 \rightarrow$
- 15. $Al_2(SO_4)_3 + Ca_3(PO_4)_2 \rightarrow$
- 16. $SO_2 + H_2O \rightarrow$
- 17. $(NH_4)_3PO_4 + Ba(OH)_2 \rightarrow$
- 18. $Ca(OH)_2 + HNO_3 \rightarrow$
- 19. $C_3H_8 + O_2 \rightarrow$
- 20. $Li + S \rightarrow$
- 21. Solid sodium bicarbonate is mixed with copper (II) nitrate.
- 22. Magnesium oxide is heated.
- 23. Acetic acid is added to a solution of ammonia.
- 24. Iron (III) chloride is mixed with silver sulfite.
- 25. A solid piece of aluminum is put into a solution of nickel (II) chloride.
- 26. A solution of lithium chloride is added to a solution of lead (IV) nitrite.

- 27. Sulfuric acid is added to a solution of aluminum hydroxide.
- 28. Cadmium nitrate is added to sodium sulfide.
- 29. Chromium (III) sulfate is added to ammonium carbonate.
- 30. Methane combusts in air.

VI. Electron Structure and Periodicity

- 1. Draw the orbital notation for nickel.
- 2. How many unpaired electrons are in arsenic?
- 3. Write the electron configuration for palladium.
- 4. How many valence electrons are in mercury?
- 5. Write the noble gas electron configuration for uranium.
- 6. Write the noble gas electron configuration for lead.
- 7. Which is more electronegative, sulfur or chlorine, and why?
- 8. Which has a larger atomic radius, potassium or bromine, and why?
- 9. Which has the smaller ionization energy, nitrogen or phosphorus, and why?
- 10. Write the noble gas electron configuration for copper.
- 11. Given the data below determine the average atomic mass

Isotope % Abundance **Isotopic Mass** a. Sb-121 57.25% 120.9038 amu Sb-123 42.75% 122.0041 amu

VII. Mole Concept Sample Problems

- 1. Convert each of the following to moles.
- b. 3.00×10^{24} atoms Au a. 12.64 g *NaOH*

b. 3.00×10^{24} atoms Au e. 3.011×10^{22} molecules H_2O d. 800. g *CaBr*₂

c. 40.0 L of *Ne* gas

f. 6.78 L of *Ar* gas

- 2. Given 0.250 moles of Sulfur trioxide determine
- (i) the mass (ii) the number of atoms (iii) the volume at STP

VIII. Bonding

Draw the Lewis Structures of

- 1. $SeCl_2$
- 2. Nitrate
- $3.0F_2$
- $4. BF_3$
- 5. Sulfate
- 6. Ammonium
- 7. *CO*₂
- 8. *CH*₃*NH*₂
- 9. *HCOOH*
- 10. HCN

IX.Stoichiometry

- 1. 30.5 g of sodium metal reacts with a solution of excess lithium bromide. How many grams of lithium metal are produced?
- 2. How many molecules are in 100 L of Carbon dioxide at STP?
- 3. Propane, C_3H_8 , undergoes combustion. How many grams of propane are needed to produce 45.9 g of water?
- 4. How many moles are in 3.02×10^{26} molecules of water?
- 5. Find the empirical and molecular formulas for a compound containing 11.66 g iron and 5.01 g oxygen if the molar mass of the compound is 320 g/mol.
- 6. A solution of 3.50 g of sodium phosphate is mixed with a solution containing 6.40 g of barium nitrate. How many grams of barium phosphate can be formed?
- 7. Find the empirical and molecular formulas for a compound containing 5.28 g of tin and 3.37 g of fluorine if the molar mass of the compound is 584.1 g/mol.
- 8. Octane, C_8H_{18} , undergoes combustion. How many grams of oxygen are needed to burn 10.0 g of octane?
- 9. Sodium azide, *NaN*₃, decomposes into its elements. How many grams of sodium azide are required to form 34.8 g of nitrogen gas?
- 10. Ammonia reacts with oxygen gas to form nitrogen monoxide and water. How many grams of nitrogen monoxide are formed when 1.50 g of ammonia react with 2.75 g of oxygen gas?