# AP Chemistry 2025-2026 Summer Review Pope High School

Dear AP Chemistry Students,

We are looking forward to the school year and the work we're going to do together. This packet is meant to refresh you on several things you already learned so that you have them firmly in mind for the start of school. We recommend that you review your Honors Chemistry notes, and start looking at this material several weeks before school starts in the fall.

Good luck, and have a wonderful and productive summer! I'm looking forward to a fantastic year in AP Chemistry!

Sincerely,

Chris Smith

Polyatomic lons (most you learned in Honors Chemistry, but the ones you didn't are bolded)

-1	-2	-3
C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> - acetate	SO <sub>4</sub> <sup>2-</sup> sulfate	PO <sub>4</sub> <sup>3-</sup> phosphate
NO₃⁻ nitrate	SO <sub>3</sub> <sup>2-</sup> sulfite	AsO <sub>4</sub> <sup>3-</sup> arsenate
NO <sub>2</sub> - nitrite	CO <sub>3</sub> <sup>2-</sup> carbonate	AsO <sub>3</sub> <sup>3-</sup> arsenite
CN <sup>-</sup> cyanide	C <sub>2</sub> O <sub>4</sub> <sup>2-</sup> oxalate	
OCN <sup>-</sup> cyanate	CrO <sub>4</sub> <sup>2-</sup> chromate	
SCN <sup>-</sup> thiocyanate	Cr <sub>2</sub> O <sub>7</sub> <sup>2-</sup> dichromate	
MnO <sub>4</sub> - permanganate	S <sub>2</sub> O <sub>3</sub> <sup>2-</sup> thiosulfate	
OH <sup>-</sup> hydroxide	O <sub>2</sub> <sup>2-</sup> peroxide	
HSO <sub>4</sub> - bisulfate	SeO <sub>4</sub> <sup>2-</sup> selenate	
HCO <sub>3</sub> - bicarbonate	HPO <sub>4</sub> <sup>2-</sup> hydrogen phosphate	+1
O <sub>2</sub> - superoxide		NH4 <sup>+</sup> ammonium
H <sub>2</sub> PO <sub>4</sub> <sup>-</sup> dihydrogen phosphate		
ClO <sub>4</sub> - perchlorate *		
ClO <sub>3</sub> - chlorate *		
ClO <sub>2</sub> - chlorite *		
CIO <sup>-</sup> hypochlorite *		

#### \* Br, I, and F may be substituted

Strong Acids (for all practical purposes, all others are weak acids): HCl, HBr, HI, H<sub>2</sub>SO<sub>4</sub>, HNO<sub>3</sub>, HClO<sub>3</sub>, HClO<sub>4</sub>

Strong Bases (for all practical purposes all others are weak): Group I hydroxides and Group II hydroxides (except Be(OH)<sub>2</sub> and Mg(OH)<sub>2</sub>)

Ion	Solubility	Exceptions
NO <sub>3</sub> <sup>-</sup>	soluble	none
C1O4 <sup>-</sup>	soluble	none
Cl-	soluble	except <b>Ag</b> <sup>+</sup> , <b>Hg</b> <sub>2</sub> <sup>2+</sup> , <b>*Pb</b> <sup>2+</sup>
Ι-	soluble	$except Ag^+, Hg_2^{2+}, *Pb^{2+}$
SO4 <sup>2-</sup>	soluble	except Ca <sup>2+</sup> , Ba <sup>2+</sup> , Sr <sup>2+</sup> , Hg <sup>2+</sup> , Pb <sup>2+</sup> , Ag <sup>+</sup>
CO3 <sup>2-</sup>	insoluble	except Group IA and NH4 <sup>+</sup>
PO4 <sup>3-</sup>	insoluble	except Group IA and NH4 <sup>+</sup>
OH-	insoluble	except Group IA, *Ca <sup>2+</sup> , Ba <sup>2+</sup> , Sr <sup>2+</sup>
S <sup>2-</sup>	insoluble	except Group IA, IIA and NH4 <sup>+</sup>
Na <sup>+</sup>	soluble	none
$\mathbf{K}^+$	soluble	none
NH4 <sup>+</sup>	soluble	none

## Special Reactions Metal

metal + acid  $\rightarrow$  salt + H<sub>2</sub> metal oxide + H<sub>2</sub>O $\rightarrow$  metal hydroxide metal oxide + CO<sub>2</sub>  $\rightarrow$  metal carbonate metal chloride + O<sub>2</sub>  $\rightarrow$  metal chlorate

#### Nonmetal

nonmetal +  $H_2O \rightarrow \text{oxy-acid}$   $SO_3 + H_2O \rightarrow H_2SO_4$   $SO_2 + H_2O \rightarrow H_2SO_3$   $N_2O_5 + H_2O \rightarrow 2 HNO_3$   $N_2O_3 + H_2O \rightarrow 2 HNO_2$   $P_2O_5 + 3H_2O \rightarrow 2 H_3PO_4$  $P_2O_3 + 3H_2O \rightarrow 2 H_3PO_3$ 

I. Nomenclature:		
Formula	Name	
1. $P_4O_{10}$		
2. <i>C</i> a <i>F</i> <sub>2</sub>		
3. $P_2S_3$		
4	Carbon monoxide	
5	Sodium hydride	
6	Aluminum selenide	
7	Xenon hexafluoride	
8	dinitrogen monoxide	
9. <i>KClO</i> <sub>3</sub>		
$10.Pb(OH)_{3}$		_

11.  $Ca(Mn04)_2$ 

12.  $N_2O_4$ 

13. Ti(HPO4) <sub>2</sub>	
14	Manganese (VII) oxide
15	Francium dichromate
16.	Copper (II) dihydrogen phosphate
17.	Silver chromate
18.	Ammonium oxalate
19. $(NH_4)_2SO_3$	
20. $Ni_3(PO_4)_2$	
21. $Fe(IO_2)_3$	
22. $NaBrO_2$	
23. <i>H</i> <sub>3</sub> <i>PO</i> <sub>3</sub>	
24.	Tartaric acid
25.	Hydrotellluric acid
26.	Mercury (I) nitrate
27.	Vanadium (V) oxide
28.	tetraphosphorous decaoxide

II. Use factor labeling method to convert the following: Must show your work

- 1. 515 m = \_\_\_\_ miles.
- 2. 200 in = \_\_\_\_ meters 3. 325 days = \_\_\_\_ seconds. 4. 20 gallons = \_\_\_\_ ml
- 5. 3 meters into centimeters
- 6. 10 kilometers into meters
- 7. 15,050 milligrams into grams
- 8. 3,264 milliliters into liters

9.9,674,444 grams into kilograms

10. A cylinder rod formed from silicon is 16.8 cm long and has a mass of 2.17 kg. The density of silicon is 2.33 g/cm3. What is the diameter of the cylinder? (the volume of cylinder is given by  $\Pi$  r<sup>2</sup>h, where r is the radius and h is the length)

III. How many significant figures are in each of the following?

- 1. 1.92 mm
- 2. 0.030100 kJ
- 3. 6.022 x10<sup>23</sup> atoms
- 4.460.00 L
- 5. 0.00036 cm3
- 6.100
- 7.1001
- 8.0.001
- 9.0.0101

Calculate the following to the correct number of significant figures. 10. 1.27 g / 5.296 cm3 11. 12.235 g / 1.01 L 12. 12.2 g + 0.38 g 13. 17.3 g + 2.785 g 14. 2.1 x 3.21 15. 200.1 x 120 16. 17.6 + 2.838 + 2.3 + 110.77

IV. Record the following in correct scientific notation:

1. 350,000,000 cal 2. 0.0000721 mol 3. 0.0000000809 Á 4. 765,400,000,000 atoms

V. Reactions

In each of the equations below, the reactants are written correctly. You must write the correct products and then balance the equation. Identify the type of chemical reaction before writing the products.

- 1.  $CaCO_3 \rightarrow$ 2.  $Al + O_2 \rightarrow$ 3.  $Fe + CuSO_4 \rightarrow$ 4.  $C_6H_{12} + O_2 \rightarrow$ 5.  $Zn + H_2SO_4 \rightarrow$ 6.  $Cl_2 + Mgl_2 \rightarrow$ 7.  $NaOH \rightarrow$ 8.  $Fe + HCl \rightarrow$ 9.  $NaOH + H_3PO_4 \rightarrow$ 10.  $(NH_4)_2SO_4 + Ca(OH)_2 \rightarrow$ 11.  $AgNO_3 + K_2SO_4 \rightarrow$ 12.  $Mg(OH)_2 + H_3PO_4 \rightarrow$ 13.  $Na + H_2O \rightarrow$ 14. KClO<sub>3</sub>  $\rightarrow$ 15.  $Al_2(SO_4)_3 + Ca_3(PO_4)_2 \rightarrow$ 16.  $SO_2 + H_2O \rightarrow$ 17.  $(NH_4)_3PO_4 + Ba(OH)_2 \rightarrow$ 18.  $Ca(OH)_2 + HNO_3 \rightarrow$ 19.  $C_3H_8 + O_2 \rightarrow$ 20.  $Li + S \rightarrow$ 21. Solid sodium bicarbonate is mixed with copper (II) nitrate.
- 22. Magnesium oxide is heated.
- 23. Acetic acid is added to a solution of ammonia.
- 24. Iron (III) chloride is mixed with silver sulfite.
- 25. A solid piece of aluminum is put into a solution of nickel (II) chloride.
- 26. A solution of lithium chloride is added to a solution of lead (IV) nitrite.

27. Sulfuric acid is added to a solution of aluminum hydroxide.

28. Cadmium nitrate is added to sodium sulfide.

29. Chromium (III) sulfate is added to ammonium carbonate.

30. Methane combusts in air.

VI. Electron Structure and Periodicity

- 1. Draw the orbital notation for nickel.
- 2. How many unpaired electrons are in arsenic?
- 3. Write the electron configuration for palladium.
- 4. How many valence electrons are in mercury?

5. Write the noble gas electron configuration for uranium.

- 6. Write the noble gas electron configuration for lead.
- 7. Which is more electronegative, sulfur or chlorine, and why?
- 8. Which has a larger atomic radius, potassium or bromine, and why?
- 9. Which has the smaller ionization energy, nitrogen or phosphorus, and why?

10. Write the noble gas electron configuration for copper.

11. Given the data below determine the average atomic mass

Isotope % Abundance	Isotopic Mass
a. Sb-121 57.25%	120.9038 amu
Sb-123 42.75%	122.0041 amu

### VII. Mole Concept Sample Problems

1. Convert each of the follo	wing to moles.	
a. 12.64 g <i>NaOH</i>	b. $3.00 \ge 10^{24}$ atoms Au	c. 40.0 L of <i>Ne</i> gas
d. 800. g <i>CaBr</i> <sub>2</sub>	e. 3.011 x $10^{22}$ molecules $H_2O$	f. 6.78 L of <i>Ar</i> gas

2. Given 0.250 moles of Sulfur trioxide determine

(i) the mass (ii) the number of atoms (iii) the volume at STP

VIII. Bonding Draw the Lewis Structures of 1.  $SeCl_2$ 2. Nitrate 3.  $OF_2$ 4.  $BF_3$ 5. Sulfate 6. Ammonium 7.  $CO_2$ 8.  $CH_3NH_2$ 9. HCOOH10. HCN

## IX.Stoichiometry

- 1. 30.5 g of sodium metal reacts with a solution of excess lithium bromide. How many grams of lithium metal are produced?
- 2. How many molecules are in 100 L of Carbon dioxide at STP?
- 3. Propane,  $C_3H_8$ , undergoes combustion. How many grams of propane are needed to produce 45.9 g of water?
- 4. How many moles are in  $3.02 \times 10^{26}$  molecules of water?
- 5. Find the empirical and molecular formulas for a compound containing 11.66 g iron and 5.01 g oxygen if the molar mass of the compound is 320 g/mol.
- 6. A solution of 3.50 g of sodium phosphate is mixed with a solution containing 6.40 g of barium nitrate. How many grams of barium phosphate can be formed?
- 7. Find the empirical and molecular formulas for a compound containing 5.28 g of tin and 3.37 g of fluorine if the molar mass of the compound is 584.1 g/mol.
- 8. Octane,  $C_8H_{18}$ , undergoes combustion. How many grams of oxygen are needed to burn 10.0 g of octane?
- 9. Sodium azide, *NaN*<sub>3</sub>, decomposes into its elements. How many grams of sodium azide are required to form 34.8 g of nitrogen gas?
- 10. Ammonia reacts with oxygen gas to form nitrogen monoxide and water. How many grams of nitrogen monoxide are formed when 1.50 g of ammonia react with 2.75 g of oxygen gas?