

# AP Statistics Assignment

Welcome to AP Statistics future statisticians! The purpose of this assignment is to make you comfortable exploring data analysis.

*The assignment is composed of three parts.*

1. Reading and Vocabulary: You will use a free online Statistical tutoring site that will give you information on variables and data displays. While reviewing the information on the site you will be completing a vocabulary list (see page 2 and 3). *Follow the steps below:*

- Go to [www.stattek.com](http://www.stattek.com)
- Click on “AP Statistics” then “AP Tutorial”
- On the left side of the screen is a list of general topics. Under each general topic are a list of subtopics. You will read the following subtopics to complete the vocabulary list.

General Topic: Exploring Data	
Subtopics:	Variables
	Population vs Sample
	Central Tendency
	Variability
	Position
General Topic: Charts and Graphs	
Subtopics:	Charts and Graphs
	Patterns in data
	Dotplots
	Histograms
	Stemplots
	Boxplots
	Scatterplots
	Comparing data sets

2. Practice Problems: After reading all the material above you should be able to complete the questions in the remaining pages of this packet. You should do so in the spaces provided.

3. A graphing calculator is a required tool for this class. The TI-84 or 84+ is recommended. As you complete the Practice Problems refer to the TI Guidebook to become familiar with the list and statistical functions. For an online calculator go to <http://www.alcula.com/calculators/statistics/>.

If you are taking AP Stats in the Fall, you are expected to turn in this packet completed upon your return to school. If you are taking AP Stats in the Spring, you are expected to turn in this packet upon your return to school after Winter Break. You are expected to complete each part of the problems and to construct all data displays neatly, i.e. use a straight edge. *This assignment will be graded for correctness.*

**This assignment must be completed by hand (including all graphs)  
- please print pages 2-11 and complete.**

Name: \_\_\_\_\_

### Part 1: Vocabulary List

Define each of the following terms from the information at [www.stat Trek.com](http://www.stat Trek.com) website. When asked provide an *example* or *sketch* of the term.

1. Categorical Variables

*Example:*

2. Quantitative Variables

*Example:*

3. Discrete Variables

4. Continuous

5. Univariate Data

6. Bivariate Data

7. Population

*Example:*

8. Sample

*Example:*

9. Median

10. Mean

*Formula:*

11. Outlier

12. Parameter

13. Statistics

14. Range

15. Standard Score (z-score)

*Formula:*

16. Center

17. Spread

18. Variance

*Formula:*

19. Standard Deviation

*Formula:*

20. Symmetry

*Sketch:*

21. Unimodal

*Sketch:*

22. Bimodal

*Sketch:*

23. Skewness

*Sketch Skewed left:*

*Sketch Skewed right:*

24. Uniform

*Sketch:*

25. Gaps

*Sketch:*

26. Outliers

*Sketch:*

27. Dot plots

28. Bar Chart

29. Histogram

30. Difference between bar chart and histogram

31. Stemplots

32. Boxplots

33. Quartiles

34. Range

35. Interquartile Range

36. Four Ways to Describe Data Sets

37. Types of Graphs that can used for comparing data

## Part 2: Practice Problems

### CATEGORICAL OR QUANTITATIVE

Determine if the variables listed below are *quantitative* or *categorical*. *You can write the words or Q or C.*

1. Time it takes to get to school
2. Number of people under 18 living in a household
3. Hair color
4. Temperature of a cup of coffee
5. Teacher salaries
6. Gender
7. Smoking
8. Height
9. Amount of oil spilled
10. Age of Oscar winners
11. Type of Depression medication
12. Jellybean flavors
13. Country of origin
14. Type of meat
15. Number of shoes owned

### STATISTIC –WHAT IS THAT?

A statistic is a number calculated from data. Quantitative data has many different statistics that can be calculated. Determine the given statistics from the data below on the number of homeruns Mark McGuire hit in each season from 1982 – 2001. *\*Round to three decimal places*


70	52	22	49	3	32	58	39
39	65	42	29	9	32	9	33

Mean	
Minimum	
Maximum	
Median	
Q1	
Q3	
Range	
IQR	

## ACCIDENTAL DEATHS

In 1997 there were 92,353 deaths from accidents in the United States. Among these were 42,340 deaths from motor vehicle accidents, 11,858 from falls, 10,163 from poisoning, 4051 from drowning, and 3601 from fires. The rest were listed as “other” causes.

- a. Find the percent of accidental deaths from each of these causes, rounded to the nearest percent.
  
- b. What percent of accidental deaths were from “other” causes?
  
- c. NEATLY create a well-labeled **bar graph** of the distribution of causes of accidental deaths. Be sure to include an “other causes” bar.



- d. A pie chart is another graphical display used to show all the categories in a categorical variable relative to each other. Create a pie chart for the accidental death percentages. You may try using a software or internet source to make one and paste in the space below. (*Microsoft Excel works well*) *\*All other graphs must be done by hand! This is the only one that you may make with technology.*

IT'S A TWISTA

The data below gives the number of hurricanes that happened each year from 1944 through 2000 as reported by *Science* magazine.

3	2	1	4	3	7	2	3	3	2	5	2	2	4	2	2	6	0	2	5	1	3	1	0
3	2	1	0	1	2	3	2	1	2	2	2	3	1	1	1	3	0	1	3	2	1	2	1
1	0	5	6	1	3	5	3																

a. Make a dotplot to display these data. Make sure you include appropriate labels, title, and scale. The graph paper should help ensure you space your markings (you may use x's or dots) consistently.



SHOPPING SPREE!

A marketing consultant observed 50 consecutive shoppers at a supermarket. One variable of interest was how much each shopper spent in the store. Here are the data (round to the nearest dollar), arranged in increasing order:

3	9	9	11	13	14	15	16	17	17
18	18	19	20	20	20	21	22	23	24
25	25	26	26	28	28	28	28	32	35
36	39	39	41	43	44	45	45	47	49
50	53	55	59	61	70	83	86	86	93

a. Make a stemplot using tens of dollars as the stem and dollars as the leaves. Make sure you include appropriate labels, title and key.



WHERE DO OLDER FOLKS LIVE?


This table gives the percentage of residents aged 65 or older in each of the 50 states.

State	Percent	State	Percent	State	Percent
Alabama	13.1	Louisiana	11.5	Ohio	13.4
Alaska	5.5	Maine	14.1	Oklahoma	13.4
Arizona	13.2	Maryland	11.5	Oregon	13.2
Arkansas	14.3	Massachusetts	14.0	Pennsylvania	15.9
California	11.1	Michigan	12.5	Rhode Island	15.6
Colorado	10.1	Minnesota	12.3	South Carolina	12.2
Connecticut	14.3	Mississippi	12.2	South Dakota	14.3
Delaware	13.0	Missouri	13.7	Tennessee	12.5
Florida	18.3	Montana	13.3	Texas	10.1
Georgia	9.9	Nebraska	13.8	Utah	8.8
Hawaii	13.3	Nevada	11.5	Vermont	12.3
Idaho	11.3	New Hampshire	12.0	Virginia	11.3
Illinois	12.4	New Jersey	13.6	Washington	11.5
Indiana	12.5	New Mexico	11.4	West Virginia	15.2
Iowa	15.1	New York	13.3	Wisconsin	13.2
Kansas	13.5	North Carolina	12.5	Wyoming	11.5
Kentucky	12.5	North Dakota	14.4		

Histograms are a way to display groups of quantitative data into bins (the bars). These bins have the same width and scale and are touching because the number line is continuous. To make a histogram you must first decide on an appropriate bin width and count how many observations are in each bin. The bins for percentage of residents aged 65 or older have been started below for you.

- a. Finish the chart of Bin widths and then create a histogram using those bins on the grid below. Make sure you include appropriate labels, title and scale.

Bin Widths	Frequency
4 to < 6	1
6 to < 8	
8 to < 10	



**SSHA SCORES**

Here are the scores on the Survey of Study Habits and Attitudes (SSHA) for 18 first-year college women:

154 109 137 115 152 140 154 178 101 103 126 126 137 165 165  
129 200 148

and for 20 first-year college men:

108 140 114 91 180 115 126 92 169 146 109 132 75 88 113  
151 70 115 187 104

- a. Put the data values in order for each gender. Compute numeral summaries for each gender.

<b>Women</b>		<b>Men</b>	
Mean		Mean	
Minimum		Minimum	
Q1		Q1	
Median		Median	
Q3		Q3	
Maximum		Maximum	
Range		Range	
IQR		IQR	

- b. Using the minimum, Q1, Median, Q3, and Maximum from each gender, make parallel boxplots to compare the distributions.

